



DESCRIPTION

Double wall, pressure-tight stainless steel chimney

MATERIAL

Inside: 1.4404 (316L) / 1.4571 (316Ti)

Outside: 1.4301 (304)

Others on request

FINISHING

Highly polished

Optional: matt + 20%, painted: reduced discount (see condition agreement), brushed + 25%, cooper + 80%

When changing from DW-FU to copper, special adaptor DW1607 is needed.

(Replacement paint for touch up must be specifically ordered:

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1200 mm


Copper is only available in Ø 80, 100, 115, 130, 150, 160, 180, 200, 250 and 300 mm

INSULATION

Mineral insulation 32.5 mm thick, 50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Socket/bead plug-and-socket connection with special internal gasket and external locking band



LOCKING BAND

Included. For an assembly without T-connection, an additional locking band must be ordered for the chimney top.


GASKET

The gasket supplied varies depending on the diameter (EPDM up to 120°C or silicone up to 200°C). All possible options can be found from the table on the next page. The prices of variants not listed in the price list are available on request.

The actual price charged for components incl. gasket may differ from the price stated here, as there may be minimal differences depending on your individual discount composition of DW discount (component) and FU discount (gasket).

ORDER CODE

When ordering, please replace the placeholder "..." in the article code with the letter for the desired gasket (Standard gasket varies depending on Ø, see table).



CHARACTERISTICS

- DW-FU basic parts are made positive pressure tight by insertion of a gasket in a moulded bead
- Additional special DW-AL supplementary components available
- Moisture resistant

APPLICATION AREAS

- Standard heating appliances for oil and gas
- Condensing boilers

CE MARK NUMBER

0036 CPR 9174 003

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T120 - N1 - W - V2 - L50060 - O00 (with EPDM gasket)

T120 - P1 - W - V2 - L50060 - O00 (with EPDM gasket)

T200 - N1 - W - V2 - L50060 - O00 (with Silicone gasket)

T200 - P1 - W - V2 - L50060 - O00 (with Silicone gasket)

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 050

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T120 - P1 - W - V2 - L50060 - O00M (with EPDM gasket)

T120 - N1 - W - V2 - L50060 - O00M (with EPDM gasket)

T200 - P1 - W - V2 - L50060 - O00M (with Silicone gasket)

T200 - N1 - W - V2 - L50060 - O00M (with Silicone gasket)

- *1 From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

POSSIBLE SEALING VARIANTS

	EPDM (ALBI367)			Silicone (ALBI26)		
Variant	A	B	C	D	E	F
Ø	attached	inserted	glued-in	attached	inserted	glued-in
080 mm	x	x	x	x	x	x
100 mm	x	x	x	x	x	x
115 mm	x	x	x	x	x	x
130 mm	x	x	x	x	x	x
150 mm	x	x	x	x	x	x
160 mm	x	x	x	x	x	x
180 mm	x	x	x	x	x	x
200 mm	x	x	x	x	x	x
225 mm				x	x	x
250 mm	x		x	x		x
300 mm	x		x	x		x
350 mm	x		x	x		x
400 mm	x		x	x		x
450 mm				x		x
500 mm				x		x
600 mm				x		x

Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm




DW010	DW020	DW490	DW391	DW392	DW393	DW407
080 77,00 €	080 102,00 €	080 133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100 78,00 €	100 103,00 €	100 137,00 €				
115 79,00 €	115 105,00 €	115 145,00 €				
130 81,00 €	130 116,00 €	130 153,00 €				
150 86,00 €	150 145,00 €	150 191,00 €				
160 109,00 €	160 156,00 €	160 205,00 €				
180 116,00 €	180 171,00 €	180 225,00 €				
200 182,00 €	200 288,00 €	200 460,00 €				
225 206,00 €	225 295,00 €	225 479,00 €				
250 245,00 €	250 300,00 €	250 491,00 €				
300 272,00 €	300 316,00 €	300 551,00 €				
350 333,00 €	350 376,00 €	350 594,00 €				
400 405,00 €	400 467,00 €					
450 464,00 €	450 524,00 €					
500 523,00 €	500 539,00 €					
600 637,00 €	600 680,00 €					

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-AL SYSTEM

Total length of the wall support 350 mm Total length of the wall support 500 mm Total length of the wall support 750 mm Total length of the wall support 1030 mm Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
160	125	160	275	160	525	160	805
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650
		350	70	350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



Water deflectors for wall support, 2 pieces

Water deflectors for wall support, 2 pieces


Water deflectors for wall support, 2 pieces

Adjustable support foot 250-690mm with side drain and 1/2" threaded nipple

Adjustable support foot 250-1190mm with side drain and 1/2" threaded nipple

Adjustable support foot 610-1190mm, drain at bottom, 1/2" threaded nipple and door for condensate collector


Adjustable support for elbow with base support l=500mm



€ NET



€ NET




€ NET



ZUTE1425	ZUTE1426	ZUTE1427	DWAL...03Ø		DWAL...04Ø		DWAL...1017Ø		DWA1144Ø	
12,00 €	12,00 €	12,00 €	A 080	256,00 €	A 080	351,00 €	A 080	466,00 €	145	124,00 €
			A 100	266,00 €	A 100	354,00 €	A 100	469,00 €	165	127,00 €
			A 115	271,00 €	A 115	356,00 €	A 115	472,00 €	180	130,00 €
			A 130	276,00 €	A 130	365,00 €	A 130	479,00 €	195	150,00 €
			A 150	280,00 €	A 150	366,00 €	A 150	482,00 €	215	153,00 €
			A 160	299,00 €	A 160	375,00 €	A 160	491,00 €	225	162,00 €
			A 180	316,00 €	A 180	389,00 €	A 180	504,00 €	245	165,00 €
			A 200	339,00 €	A 200	399,00 €	A 200	515,00 €	265	166,00 €
			D 225	342,00 €	D 225	401,00 €	D 225	518,00 €	290	167,00 €
			C 250	346,00 €	C 250	404,00 €	C 250	521,00 €	315	171,00 €
			C 300	506,00 €	C 300	534,00 €			365	206,00 €
			C 350	513,00 €	C 350	551,00 €			415	228,00 €
			C 400	527,00 €	C 400	563,00 €			465	262,00 €
			F 450	544,00 €	F 450	575,00 €			515	310,00 €
			F 500	567,00 €	F 500	724,00 €			565	353,00 €
			F 600	673,00 €	F 600	747,00 €			665	400,00 €

- *1 Can be flexibly extended downwards with a length element DWA13/14/15 from system FURADO-A

Elbow 87° with support




Base plate with plug-in ring for bracket with support




Condensate collection bucket




Round base plate and drain and adjustable wall bracket up to 200mm (max. installation height 8m)




Base plate with condensate drain at the bottom and 1/2" nipple



Base plate with condensate side drain and 1/2" nipple




Base plate for mounting on a bracket with side drain and 1/2" threaded nipple




DWAL...57Ø	DWA2803Ø	ZUTE1255	DWAL...384Ø	DWAL...05Ø	DWAL...06Ø	DWAL...66Ø
A 080 264,00 €	145 59,00 €	69,00 €	A 080 166,00 €	A 080 114,00 €	A 080 135,00 €	A 080 136,00 €
A 100 278,00 €	165 62,00 €		A 100 175,00 €	A 100 120,00 €	A 100 138,00 €	A 100 138,00 €
A 115 284,00 €	180 66,00 €		A 115 177,00 €	A 115 122,00 €	A 115 141,00 €	A 115 147,00 €
A 130 296,00 €	195 72,00 €		A 130 185,00 €	A 130 131,00 €	A 130 158,00 €	A 130 156,00 €
A 150 340,00 €	215 79,00 €		A 150 197,00 €	A 150 135,00 €	A 150 177,00 €	A 150 173,00 €
A 160 355,00 €	225 81,00 €		A 160 224,00 €	A 160 142,00 €	A 160 192,00 €	A 160 186,00 €
A 180 368,00 €	245 83,00 €		A 180 243,00 €	A 180 155,00 €	A 180 202,00 €	A 180 199,00 €
A 200 457,00 €	265 84,00 €		A 200 259,00 €	A 200 163,00 €	A 200 214,00 €	A 200 210,00 €
D 225 514,00 €	315 86,00 €			D 225 170,00 €	D 225 242,00 €	D 225 235,00 €
C 250 572,00 €	365 92,00 €			C 250 179,00 €	C 250 266,00 €	C 250 259,00 €
C 300 683,00 €	415 99,00 €			C 300 191,00 €	C 300 293,00 €	C 300 285,00 €
C 350 756,00 €	465 103,00 €			C 350 291,00 €	C 350 332,00 €	C 350 310,00 €
C 400 860,00 €	515 135,00 €			C 400 355,00 €	C 400 477,00 €	C 400 443,00 €
F 450 967,00 €	565 170,00 €			F 450 439,00 €	F 450 511,00 €	F 450 489,00 €
F 500 1.075,00 €	665 181,00 €			F 500 495,00 €	F 500 577,00 €	F 500 557,00 €
F 600 1.292,00 €				F 600 602,00 €	F 600 673,00 €	F 600 673,00 €


Base plate without drain




Base plate without drain, suitable for elbow with support



Base plate for intermediate support




Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m




Inspection length (up to 200°C/Pl)



T-87° with drip nose



T-90° with drip nose



DWAL...09Ø	DWA09Ø	DWAL...07Ø	DWAL...08Ø	DWAL...10Ø	DWAL...11Ø	DWAL...317Ø
A 080 95,00 €	145 61,00 €	A 080 121,00 €	A 080 180,00 €	A 080 382,00 €	A 080 259,00 €	A 080 259,00 €
A 100 97,00 €	165 63,00 €	A 100 125,00 €	A 100 200,00 €	A 100 400,00 €	A 100 261,00 €	A 100 261,00 €
A 115 99,00 €	180 66,00 €	A 115 129,00 €	A 115 206,00 €	A 115 403,00 €	A 115 267,00 €	A 115 267,00 €
A 130 107,00 €	195 67,00 €	A 130 144,00 €	A 130 221,00 €	A 130 410,00 €	A 130 276,00 €	A 130 276,00 €
A 150 111,00 €	215 72,00 €	A 150 159,00 €	A 150 243,00 €	A 150 430,00 €	A 150 317,00 €	A 150 317,00 €
A 160 114,00 €	225 75,00 €	A 160 173,00 €	A 160 264,00 €	A 160 439,00 €	A 160 328,00 €	A 160 328,00 €
A 180 120,00 €	245 78,00 €	A 180 183,00 €	A 180 288,00 €	A 180 451,00 €	A 180 344,00 €	A 180 344,00 €
A 200 124,00 €	265 79,00 €	A 200 190,00 €	A 200 323,00 €	A 200 472,00 €	A 200 422,00 €	A 200 422,00 €
D 225 130,00 €	290 81,00 €	D 225 213,00 €	D 225 353,00 €	D 225 491,00 €	D 225 471,00 €	D 225 471,00 €
C 250 133,00 €	315 83,00 €	C 250 240,00 €	C 250 382,00 €	C 250 514,00 €	C 250 528,00 €	C 250 528,00 €
C 300 136,00 €	365 85,00 €	C 300 257,00 €	C 300 426,00 €	C 300 545,00 €	C 300 629,00 €	C 300 629,00 €
C 350 147,00 €	415 98,00 €	C 350 286,00 €	C 350 432,00 €	C 350 588,00 €	C 350 671,00 €	C 350 671,00 €
C 400 218,00 €	465 166,00 €	C 400 402,00 €	C 400 519,00 €	C 400 817,00 €	C 400 873,00 €	C 400 873,00 €
F 450 287,00 €	515 227,00 €	F 450 465,00 €	F 450 576,00 €	F 450 852,00 €	F 450 937,00 €	F 450 937,00 €
F 500 329,00 €	565 268,00 €	F 500 528,00 €	F 500 613,00 €	F 500 922,00 €	F 500 1.036,00 €	F 500 1.036,00 €
F 600 351,00 €	665 277,00 €	F 600 610,00 €	F 600 826,00 €	F 600 981,00 €	F 600 1.150,00 €	F 600 1.150,00 €



System DW-AL



T-45° with drip
nose

Length 1000mm



Length 500mm

Length 250mm

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Wall bracket adjus-
table 50-150mm,
double-braced



DWAL...12Ø	DWAL...13Ø	DWAL...14Ø	DWAL...15Ø	DW21Ø	DW22Ø	DW22Ø
A 080 379,00 €	A 080 190,00 €	A 080 113,00 €	A 080 91,00 €	080 51,00 €	080 84,00 €	250 101,00 €
A 100 382,00 €	A 100 192,00 €	A 100 115,00 €	A 100 94,00 €	100 52,00 €	100 85,00 €	300 116,00 €
A 115 384,00 €	A 115 194,00 €	A 115 122,00 €	A 115 97,00 €	115 54,00 €	115 85,00 €	350 122,00 €
A 130 413,00 €	A 130 206,00 €	A 130 129,00 €	A 130 101,00 €	130 57,00 €	130 86,00 €	400 138,00 €
A 150 440,00 €	A 150 232,00 €	A 150 142,00 €	A 150 110,00 €	150 58,00 €	150 87,00 €	450 173,00 €
A 160 456,00 €	A 160 249,00 €	A 160 152,00 €	A 160 114,00 €	160 59,00 €	160 87,00 €	500 193,00 €
A 180 475,00 €	A 180 261,00 €	A 180 165,00 €	A 180 120,00 €	180 61,00 €	180 90,00 €	600 258,00 €
A 200 617,00 €	A 200 291,00 €	A 200 176,00 €	A 200 140,00 €	200 62,00 €	200 93,00 €	
D 225 688,00 €	D 225 339,00 €	D 225 197,00 €	D 225 155,00 €	225 63,00 €	225 98,00 €	
C 250 760,00 €	C 250 381,00 €	C 250 217,00 €	C 250 171,00 €	250 67,00 €		
C 300 863,00 €	C 300 458,00 €	C 300 277,00 €	C 300 220,00 €	300 78,00 €		
C 350 937,00 €	C 350 595,00 €	C 350 342,00 €	C 350 242,00 €	350 81,00 €		
C 400 1.292,00 €	C 400 671,00 €	C 400 458,00 €	C 400 377,00 €	400 86,00 €		
F 450 1.395,00 €	F 450 707,00 €	F 450 503,00 €	F 450 400,00 €	450 102,00 €		
F 500 1.539,00 €	F 500 779,00 €	F 500 527,00 €	F 500 428,00 €	500 124,00 €		
F 600 1.717,00 €	F 600 898,00 €	F 600 602,00 €	F 600 486,00 €	600 129,00 €		

Wall bracket adjus-
table 50-250mm,
single-braced

Wall bracket adjus-
table 50-250mm,
double-braced



Wall bracket adjus-
table 250-360mm,
single-braced

Adjustable wall bra-
cket 250-360mm,
double-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, single-bra-
ced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, double-
braced

Adjustable wall
bracket with joint,
140-300mm



DW23Ø	DW23Ø	DW24Ø	DW24Ø	DW20Ø	DW20Ø	DW24MGØ
080 98,00 €	250 114,00 €	080 131,00 €	250 150,00 €	080 91,00 €	250 120,00 €	080 248,00 €
100 99,00 €	300 130,00 €	100 131,00 €	300 166,00 €	100 93,00 €	300 139,00 €	100 249,00 €
115 99,00 €	350 133,00 €	115 131,00 €	350 169,00 €	115 93,00 €	350 173,00 €	115 250,00 €
130 101,00 €	400 167,00 €	130 135,00 €	400 203,00 €	130 101,00 €	400 273,00 €	130 251,00 €
150 103,00 €	450 215,00 €	150 137,00 €	450 250,00 €	150 101,00 €	450 320,00 €	150 252,00 €
160 103,00 €	500 246,00 €	160 138,00 €	500 280,00 €	160 102,00 €	500 333,00 €	160 253,00 €
180 105,00 €	600 301,00 €	180 139,00 €	600 313,00 €	180 103,00 €	600 361,00 €	180 254,00 €
200 109,00 €		200 145,00 €		200 105,00 €		200 258,00 €
225 110,00 €		225 146,00 €		225 109,00 €		225 260,00 €
						250 262,00 €

Extension
30x30mm for
TW20 l=1000mm

Extension
30x30mm for
TW20 l=500mm





Wall bracket static,
50mm

Wall bracket static,
adjustable 50-
150mm

Wall bracket static,
adjustable 50-
250mm

Wall bracket static,
adjustable 50-
360mm

Adjustable wall
bracket Design Plus
50-150mm



DW86	DW85	DW45Ø		DW46Ø		DW47Ø		DW48Ø		DW386Ø	
81,00 €	59,00 €	225	122,00 €	225	218,00 €	225	221,00 €	225	259,00 €	080	84,00 €
		250	126,00 €	250	227,00 €	250	233,00 €	250	275,00 €	100	85,00 €
		300	140,00 €	300	230,00 €	300	251,00 €	300	277,00 €	115	86,00 €
		350	155,00 €	350	238,00 €	350	252,00 €	350	284,00 €	130	87,00 €
		400	183,00 €	400	256,00 €	400	269,00 €	400	306,00 €	150	90,00 €
		450	228,00 €	450	284,00 €	450	300,00 €	450	343,00 €	160	91,00 €
		500	248,00 €	500	310,00 €	500	324,00 €	500	354,00 €	180	92,00 €
		600	269,00 €	600	358,00 €	600	370,00 €	600	453,00 €	200	93,00 €
										225	98,00 €
										250	101,00 €

DW-AL

Adjustable wall
bracket Design Plus
50-250mm

Adjustable wall
bracket Design Plus
250-360mm



Wall part of DW20
adjustable for wall
bracket 250mm
and above, single-
braced

Wall part of DW20
adjustable for wall
bracket 250mm
and above, double-
braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
single-braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
double-braced

Wall part of DW23
for adjustable wall
bracket 50-250mm,
single-braced



DW387Ø		DW389Ø		DW20-1Ø		DW20-1Ø		DW22-1Ø		DW22-1Ø		DW23-1Ø	
080	94,00 €	080	130,00 €	080	57,00 €	250	62,00 €	080	51,00 €	250	53,00 €	080	51,00 €
100	98,00 €	100	131,00 €	100	57,00 €	300	72,00 €	100	51,00 €	300	61,00 €	100	51,00 €
115	99,00 €	115	132,00 €	115	57,00 €	350	87,00 €	115	51,00 €	350	63,00 €	115	51,00 €
130	101,00 €	130	135,00 €	130	57,00 €	400	138,00 €	130	51,00 €	400	72,00 €	130	51,00 €
150	102,00 €	150	137,00 €	150	57,00 €	450	162,00 €	150	51,00 €	450	87,00 €	150	51,00 €
160	103,00 €	160	138,00 €	160	57,00 €	500	169,00 €	160	51,00 €	500	99,00 €	160	51,00 €
180	105,00 €	180	139,00 €	180	57,00 €	600	226,00 €	180	51,00 €	600	131,00 €	180	51,00 €
200	109,00 €	200	145,00 €	200	57,00 €			200	51,00 €			200	51,00 €
225	111,00 €	225	146,00 €	225	57,00 €			225	51,00 €			225	51,00 €
250	114,00 €	250	150,00 €										



System DW-AL



Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced




Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Front part of the wall bracket incl. bands

Mat for sound decoupling suitable for DW21

Mat for sound decoupling suitable for DW22 and DW23, for Ø080-225mm



DW23-1Ø		DW24-1Ø		DW24-1Ø		DW332Ø		for Ø			ZUAC2243
250	53,00 €	080	57,00 €	250	62,00 €	080	67,00 €	080-115	ZUAC2242-1	54,00 €	62,00 €
300	61,00 €	100	57,00 €	300	72,00 €	100	68,00 €	130	ZUAC2242-2	59,00 €	
350	63,00 €	115	57,00 €	350	87,00 €	115	72,00 €	150-160	ZUAC2242-3	61,00 €	
400	72,00 €	130	57,00 €	400	138,00 €	130	74,00 €	180	ZUAC2242-4	62,00 €	
450	87,00 €	150	57,00 €	450	162,00 €	150	75,00 €	200-225	ZUAC2242-5	67,00 €	
500	99,00 €	160	57,00 €	500	169,00 €	160	76,00 €	250	ZUAC2242-6	68,00 €	
600	131,00 €	180	57,00 €	600	226,00 €	180	77,00 €	300-350	ZUAC2242-7	81,00 €	
		200	57,00 €			200	78,00 €	400-450	ZUAC2242-8	84,00 €	
		225	57,00 €			225	91,00 €	500	ZUAC2242-9	86,00 €	
						250	98,00 €	600	ZUAC2242-10	91,00 €	
						300	109,00 €				
						350	110,00 €				
						400	116,00 €				
						450	130,00 €				
						500	153,00 €				
						600	157,00 €				

Mat for sound decoupling suitable for DW24 and DW20, for Ø080-225mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW389, for Ø080-250mm

Mat for sound decoupling suitable for DW386 and DW387, for Ø080-250mm



ZUAC2244	for Ø		ZUAC2246	ZUAC2247	ZUAC2272	ZUAC2273
63,00 €	250	ZUAC2245-2 83,00 €	50,00 €	81,00 €	62,00 €	64,00 €
	300-350	ZUAC2245-3 85,00 €				
	400-450	ZUAC2245-4 127,00 €				
	500	ZUAC2245-5 129,00 €				
	600	ZUAC2245-6 130,00 €				

Elbow 15°

Elbow 30°






Elbow 42°

Elbow 45°

Elbow 87°

Elbow 90°

Elbow 87° with inspection door (up to 200°C/PI)



DWAL...16Ø		DWAL...17Ø		DWAL...2231Ø		DWAL...18Ø		DWAL...64Ø		DWAL...60Ø		DWAL...67Ø	
A 080	113,00 €	A 080	117,00 €	A 080	126,00 €	A 080	126,00 €	A 080	232,00 €	A 080	232,00 €	A 080	345,00 €
A 100	115,00 €	A 100	121,00 €	A 100	129,00 €	A 100	129,00 €	A 100	234,00 €	A 100	234,00 €	A 100	359,00 €
A 115	119,00 €	A 115	123,00 €	A 115	132,00 €	A 115	132,00 €	A 115	237,00 €	A 115	237,00 €	A 115	363,00 €
A 130	125,00 €	A 130	129,00 €	A 130	136,00 €	A 130	136,00 €	A 130	246,00 €	A 130	246,00 €	A 130	372,00 €
A 150	136,00 €	A 150	141,00 €	A 150	142,00 €	A 150	142,00 €	A 150	253,00 €	A 150	253,00 €	A 150	382,00 €
A 160	142,00 €	A 160	145,00 €	A 160	147,00 €	A 160	147,00 €	A 160	265,00 €	A 160	265,00 €	A 160	395,00 €
A 180	148,00 €	A 180	152,00 €	A 180	157,00 €	A 180	155,00 €	A 180	278,00 €	A 180	278,00 €	A 180	407,00 €
A 200	156,00 €	A 200	162,00 €	A 200	174,00 €	A 200	174,00 €	A 200	287,00 €	A 200	287,00 €	A 200	448,00 €
D 225	162,00 €	D 225	167,00 €	D 225	189,00 €	D 225	189,00 €	D 225	309,00 €	D 225	309,00 €	D 225	473,00 €
C 250	166,00 €	C 250	172,00 €	C 250	200,00 €	C 250	200,00 €	C 250	324,00 €	C 250	324,00 €	C 250	501,00 €
C 300	214,00 €	C 300	235,00 €	C 300	269,00 €	C 300	269,00 €	C 300	395,00 €	C 300	395,00 €	C 300	637,00 €
C 350	264,00 €	C 350	287,00 €	C 350	318,00 €	C 350	318,00 €	C 350	484,00 €	C 350	484,00 €	C 350	749,00 €
C 400	345,00 €	C 400	372,00 €	C 400	392,00 €	C 400	392,00 €	C 400	521,00 €	C 400	521,00 €	C 400	848,00 €
F 450	395,00 €	F 450	431,00 €	F 450	483,00 €	F 450	483,00 €	F 450	555,00 €	F 450	555,00 €	F 450	876,00 €
F 500	486,00 €	F 500	530,00 €	F 500	568,00 €	F 500	568,00 €	F 500	738,00 €	F 500	738,00 €	F 500	1.014,00 €
F 600	563,00 €	F 600	612,00 €	F 600	661,00 €	F 600	661,00 €	F 600	981,00 €	F 600	981,00 €	F 600	1.280,00 €

Elbow 90° with inspection door (up to 200°C/PI)

End cap (up to 200°C/PI)






Storm collar

Storm collar „Special“

Storm collar „Special“ with rear ventilation

Storm collar with edge

Storm collar with edge and spacers for rear ventilation



DWAL...19Ø		DWAL32Ø		DW31Ø		DW80Ø		DW80HLØ		DW307Ø		DW2856Ø	
A 080	345,00 €	A 080	81,00 €	A 080	22,00 €	A 080	120,00 €	A 080	124,00 €	A 080	35,00 €	A 080	40,00 €
A 100	359,00 €	A 100	85,00 €	A 100	24,00 €	A 100	132,00 €	A 100	137,00 €	A 100	38,00 €	A 100	44,00 €
A 115	363,00 €	A 115	87,00 €	A 115	26,00 €	A 115	135,00 €	A 115	139,00 €	A 115	39,00 €	A 115	45,00 €
A 130	372,00 €	A 130	92,00 €	A 130	27,00 €	A 130	140,00 €	A 130	146,00 €	A 130	40,00 €	A 130	46,00 €
A 150	382,00 €	A 150	103,00 €	A 150	29,00 €	A 150	151,00 €	A 150	155,00 €	A 150	42,00 €	A 150	47,00 €
A 160	395,00 €	A 160	105,00 €	A 160	31,00 €	A 160	155,00 €	A 160	158,00 €	A 160	43,00 €	A 160	50,00 €
A 180	407,00 €	A 180	106,00 €	A 180	32,00 €	A 180	159,00 €	A 180	166,00 €	A 180	45,00 €	A 180	52,00 €
A 200	448,00 €	A 200	110,00 €	A 200	35,00 €	A 200	171,00 €	A 200	176,00 €	A 200	47,00 €	A 200	53,00 €
D 225	473,00 €	D 225	116,00 €	D 225	36,00 €	D 225	177,00 €	D 225	182,00 €	D 225	47,00 €	D 225	57,00 €
C 250	501,00 €	C 250	130,00 €	C 250	37,00 €	C 250	183,00 €	C 250	193,00 €	C 250	51,00 €	C 300	74,00 €
C 300	637,00 €	C 300	155,00 €	C 300	43,00 €	C 300	226,00 €	C 300	232,00 €	C 300	67,00 €	C 350	90,00 €
C 350	749,00 €	C 350	181,00 €	C 350	53,00 €	C 350	254,00 €	C 350	262,00 €	C 350	83,00 €	C 400	116,00 €
C 400	848,00 €	C 400	215,00 €	C 400	70,00 €	C 400	308,00 €	C 400	316,00 €	C 400	110,00 €	C 450	124,00 €
F 450	876,00 €	F 450	270,00 €	F 450	75,00 €	F 450	354,00 €	F 450	365,00 €	F 450	116,00 €	F 500	135,00 €
F 500	1.014,00 €	F 500	332,00 €	F 500	81,00 €	F 500	389,00 €	F 500	402,00 €	F 500	130,00 €	F 600	204,00 €
F 600	1.280,00 €	F 600	500,00 €	F 600	126,00 €	F 600	431,00 €	F 600	443,00 €	F 600	198,00 €		



System DW-AL



Flashing kit 5-15°
with storm collar

Flashing kit 16-25°
with storm collar








Flashing kit 26-35°
with storm collar

Flashing kit 36-45°
with storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar

Flashing kit 5-15°
lead base with
storm collar



DW81Ø		DW82Ø		DW39Ø		DW83Ø		DW52Ø		DW52ØZYØ		DW53Ø	
080	155,00 €	080	179,00 €	080	205,00 €	080	228,00 €	080	111,00 €	080	111,00 €	080	197,00 €
100	194,00 €	100	213,00 €	100	232,00 €	100	254,00 €	100	115,00 €	100	115,00 €	100	212,00 €
115	196,00 €	115	218,00 €	115	242,00 €	115	259,00 €	115	116,00 €	115	116,00 €	115	217,00 €
130	200,00 €	130	221,00 €	130	248,00 €	130	272,00 €	130	118,00 €	130	118,00 €	130	224,00 €
150	220,00 €	150	244,00 €	150	265,00 €	150	290,00 €	150	124,00 €	150	124,00 €	150	244,00 €
160	229,00 €	160	252,00 €	160	274,00 €	160	298,00 €	160	130,00 €	160	130,00 €	160	251,00 €
180	246,00 €	180	262,00 €	180	285,00 €	180	308,00 €	180	138,00 €	180	138,00 €	180	260,00 €
200	285,00 €	200	295,00 €	200	306,00 €	200	315,00 €	200	170,00 €	200	170,00 €	200	268,00 €
225	312,00 €	225	316,00 €	225	324,00 €	225	333,00 €	225	179,00 €	225	179,00 €	225	295,00 €
250	329,00 €	250	336,00 €	250	341,00 €	250	352,00 €	250	193,00 €	250	193,00 €	250	301,00 €
300	354,00 €	300	363,00 €	300	372,00 €	300	383,00 €	300	235,00 €	300	235,00 €	300	310,00 €
350	448,00 €	350	468,00 €	350	491,00 €	350	511,00 €	350	298,00 €	350	298,00 €	350	322,00 €
400	802,00 €	400	816,00 €	400	828,00 €	400	843,00 €	400	380,00 €	400	380,00 €	400	341,00 €
450	891,00 €	450	903,00 €	450	916,00 €	450	932,00 €	450	438,00 €	450	438,00 €	450	368,00 €
500	1.008,00 €	500	1.059,00 €	500	1.108,00 €	500	1.159,00 €	500	510,00 €	500	510,00 €	500	431,00 €
600	1.152,00 €	600	1.180,00 €	600	1.208,00 €	600	1.238,00 €	600	615,00 €	600	615,00 €	600	491,00 €

Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm








Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar


Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar




DW59Ø		DW38Ø		DW54Ø		DW2556-1Ø		DW2556-2Ø		DW2556-3Ø		DW2558-1Ø	
080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €
115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €
130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €
160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €
180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €
350	322,00 €	350	322,00 €	350	322,00 €								
400	341,00 €	400	341,00 €	400	341,00 €								
450	368,00 €	450	368,00 €	450	368,00 €								
500	431,00 €	500	431,00 €	500	431,00 €								
600	491,00 €	600	491,00 €	600	491,00 €								

- *1 For wall/ceiling panels, please state the number in °.

Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar




NEW


Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar



Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




NEW

Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar




Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



DW2558-2Ø	DW2558-3Ø	DW2557-1Ø	DW2557-2Ø	DW2557-3Ø	DW2551-1Ø	DW2551-2Ø
080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

DW-AL

Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



NEW

Flashing kit (Silicone)
incl. screws and sealing
compound, for metal
roof, outer Ø 150-
300mm (up to 400°C)



€ NET

Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre ce-
ment corrugated roof,
outer Ø 150-300mm
(up to 400°C)



€ NET

Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



Ceiling plate 0°,
two-piece



*1

Ceiling plate 1-65°
two-piece



*1

DW2551-3Ø	ZUAC2700	ZUAC2701	DW70Ø	DW71Ø	DW74Ø	DW75Ø
080 197,00 €	259,00 €	259,00 €	080 66,00 €	080 72,00 €	080 72,00 €	080 79,00 €
100 212,00 €			100 72,00 €	100 77,00 €	100 78,00 €	100 87,00 €
115 217,00 €			115 74,00 €	115 78,00 €	115 81,00 €	115 91,00 €
130 224,00 €			130 75,00 €	130 81,00 €	130 85,00 €	130 93,00 €
150 244,00 €			150 77,00 €	150 85,00 €	150 99,00 €	150 109,00 €
160 251,00 €			160 78,00 €	160 86,00 €	160 100,00 €	160 110,00 €
180 260,00 €			180 81,00 €	180 87,00 €	180 101,00 €	180 111,00 €
200 268,00 €			200 85,00 €	200 93,00 €	200 114,00 €	200 126,00 €
225 295,00 €			225 98,00 €	225 106,00 €	225 116,00 €	225 129,00 €
250 301,00 €			250 107,00 €	250 116,00 €	250 120,00 €	250 131,00 €
300 310,00 €			300 124,00 €	300 137,00 €	300 133,00 €	300 149,00 €
			350 150,00 €	350 165,00 €	350 158,00 €	350 174,00 €
			400 156,00 €	400 172,00 €	400 166,00 €	400 183,00 €
			450 167,00 €	450 185,00 €	450 181,00 €	450 202,00 €
			500 179,00 €	500 200,00 €	500 202,00 €	500 222,00 €
			600 203,00 €	600 225,00 €	600 212,00 €	600 232,00 €



System DW-AL



Ventilated ceiling plate, 0°, one-piece

Ventilated ceiling plate, 1-65°, one-piece


Ventilated split ceiling plate 0°, two-piece

Ventilated split ceiling plate 1-65°, two-piece

Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece



DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW99VØ		DW98VØ		DW99VHLØ	
080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	58,00 €	080	72,00 €	080	94,00 €
100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	66,00 €	100	77,00 €	100	103,00 €
115	111,00 €	115	118,00 €	115	120,00 €	115	127,00 €	115	67,00 €	115	78,00 €	115	105,00 €
130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	69,00 €	130	81,00 €	130	107,00 €
150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	72,00 €	150	85,00 €	150	110,00 €
160	118,00 €	160	125,00 €	160	137,00 €	160	149,00 €	160	74,00 €	160	86,00 €	160	111,00 €
180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	75,00 €	180	87,00 €	180	113,00 €
200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	81,00 €	200	93,00 €	200	120,00 €
225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	92,00 €	225	106,00 €	225	130,00 €
250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	105,00 €	250	116,00 €	250	142,00 €
300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	124,00 €	300	137,00 €	300	162,00 €
350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €	350	153,00 €	350	165,00 €	350	191,00 €
400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €	400	159,00 €	400	172,00 €	400	198,00 €
450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €	450	172,00 €	450	185,00 €	450	210,00 €
500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €	500	185,00 €	500	200,00 €	500	224,00 €
600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €	600	213,00 €	600	225,00 €	600	251,00 €

Ventilated split ceiling plate 31-45°, two-piece

Adaptor EW / DW-AL



Adaptor EW-ALBI male/DW-AL

Adaptor DW-AL/ EW-ALBI with female socket

Isotherm tape 40mm, price per metre

Closing cap plastic for drain 1/2" (up to 200°C)

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



DW98VHLØ		DWAL...37Ø		DWAL...37MØ		DWAL...37AMØ		750ISO40	750ADK1/2	750FITTINGÜ-22 1/2
080	110,00 €	A 080	74,00 €	A 080	103,00 €	A 080	82,00 €	5,00 €	5,00 €	94,00 €
100	115,00 €	A 100	76,00 €	A 100	106,00 €	A 100	84,00 €			
115	116,00 €	A 115	80,00 €	A 115	109,00 €	A 115	86,00 €			
130	120,00 €	A 130	84,00 €	A 130	116,00 €	A 130	90,00 €			
150	124,00 €	A 150	85,00 €	A 150	118,00 €	A 150	92,00 €			
160	125,00 €	A 160	88,00 €	A 160	121,00 €	A 160	94,00 €			
180	126,00 €	A 180	90,00 €	A 180	124,00 €	A 180	96,00 €			
200	131,00 €	A 200	94,00 €	A 200	131,00 €	A 200	100,00 €			
225	145,00 €	D 225	99,00 €	D 225	136,00 €	D 225	104,00 €			
250	155,00 €	C 250	103,00 €	C 250	142,00 €	C 250	108,00 €			
300	174,00 €	C 300	109,00 €	C 300	149,00 €	C 300	114,00 €			
350	202,00 €	C 350	118,00 €	C 350	161,00 €	C 350	124,00 €			
400	210,00 €	C 400	141,00 €	C 400	185,00 €	C 400	146,00 €			
450	224,00 €	F 450	164,00 €	F 450	213,00 €	F 450	169,00 €			
500	238,00 €	F 500	177,00 €	F 500	231,00 €	F 500	184,00 €			
600	262,00 €	F 600	231,00 €	F 600	295,00 €	F 600	237,00 €			

- *1 For wall/ceiling panels, please state the number in °.

Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904

Siphon to the centric P1/M1


Siphon to the right P1/M1

Siphon to the left P1/M1

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1

Adjustable rafter bracket 500-900mm

Light rafter bracket

						
750FITTINGV-22	ZUAC2300	ZUAC2301	ZUAC2302	ZUAC2303	DW55Ø	DW55LØ
47,00 €	66,00 €	66,00 €	66,00 €	66,00 €	080 158,00 €	080 84,00 €
					100 165,00 €	100 85,00 €
					115 166,00 €	115 86,00 €
					130 169,00 €	130 87,00 €
					150 172,00 €	150 90,00 €
					160 194,00 €	160 91,00 €
					180 200,00 €	180 109,00 €
					200 217,00 €	200 111,00 €
					225 246,00 €	225 113,00 €
					250 251,00 €	250 116,00 €
					300 256,00 €	300 118,00 €
					350 329,00 €	350 122,00 €
					400 354,00 €	400 133,00 €
					450 397,00 €	
					500 440,00 €	
					600 528,00 €	

Support 800-1200mm

Support with joint 800-1200mm, single-braced

Support with joint 800-1200mm, double-braced

Inspection length with door for horizontal use (up to 200°C/P1)

Adjustable length for connection line 320-460mm (up to 200°C/P1)

Gasket silicone up to 200°C

Gasket EPDM 120°C

						
DW40Ø	DW40MGØ	DW40MGØ	DWAL...294Ø	DWAL...500Ø	ALBI26Ø	ALBI367Ø
080 105,00 €	080 219,00 €	250 230,00 €	A 080 273,00 €	A 080 206,00 €	080 21,00 €	080 21,00 €
100 106,00 €	100 220,00 €	300 249,00 €	A 100 275,00 €	A 100 208,00 €	100 22,00 €	100 22,00 €
115 107,00 €	115 221,00 €	350 253,00 €	A 115 277,00 €	A 115 211,00 €	115 23,00 €	115 23,00 €
130 109,00 €	130 222,00 €	400 256,00 €	A 130 300,00 €	A 130 232,00 €	130 26,00 €	130 26,00 €
150 110,00 €	150 224,00 €	450 269,00 €	A 150 319,00 €	A 150 265,00 €	150 26,00 €	150 26,00 €
160 111,00 €	160 225,00 €	500 288,00 €	A 160 334,00 €	A 160 284,00 €	160 27,00 €	160 27,00 €
180 113,00 €	180 226,00 €	600 295,00 €	A 180 344,00 €	A 180 303,00 €	180 28,00 €	180 28,00 €
200 114,00 €	200 228,00 €		A 200 356,00 €	A 200 356,00 €	200 31,00 €	200 31,00 €
225 115,00 €	225 229,00 €		D 225 373,00 €	D 225 411,00 €	225 32,00 €	250 34,00 €
250 116,00 €			C 250 402,00 €	C 250 462,00 €	250 34,00 €	300 35,00 €
300 132,00 €			C 300 449,00 €	C 300 629,00 €	300 35,00 €	350 37,00 €
350 138,00 €			C 350 495,00 €	C 350 781,00 €	350 37,00 €	400 39,00 €
400 142,00 €			C 400 539,00 €		400 39,00 €	
450 154,00 €			F 450 615,00 €		450 44,00 €	
500 172,00 €			F 500 687,00 €		500 47,00 €	
600 179,00 €			F 600 775,00 €		600 58,00 €	



System DW-AL



3-point guy wire
bracket

Mounting set for
3-point guy wire
bracket (galvani-
sed)


Anchor cable (gal-
vanised)

Ceiling suspension
for M8 threaded
rods

Threaded rod M8,
stainless steel
l=1000mm

Ceiling suspension
for perforated sheet
metal

2-piece wall bracket
for M10 threaded
rod



Rgr.
KEEW



Rgr.
KEEW



Rgr.
EW



Rgr.
EW

DW42Ø		KEEW237		KEEW242		DW61Ø		VL314		DW62Ø		614-ZUWA1379Ø	
080	39,00 €		58,00 €		14,00 €	080	62,00 €		20,00 €	080	58,00 €	145	48,00 €
100	40,00 €					100	67,00 €			100	62,00 €	165	51,00 €
115	40,00 €					115	68,00 €			115	63,00 €	180	62,00 €
130	42,00 €					130	69,00 €			130	64,00 €	195	68,00 €
150	42,00 €					150	70,00 €			150	66,00 €	215	75,00 €
160	42,00 €					160	72,00 €			160	67,00 €	225	81,00 €
180	43,00 €					180	74,00 €			180	68,00 €	245	87,00 €
200	44,00 €					200	75,00 €			200	69,00 €	265	93,00 €
225	45,00 €					225	76,00 €			225	70,00 €	290	96,00 €
250	46,00 €					250	77,00 €			250	72,00 €	315	106,00 €
300	61,00 €					300	84,00 €			300	81,00 €	365	113,00 €
350	72,00 €					350	98,00 €			350	90,00 €	415	130,00 €
400	75,00 €					400	110,00 €			400	102,00 €	465	141,00 €
450	78,00 €					450	130,00 €			450	115,00 €	515	155,00 €
500	86,00 €					500	165,00 €			500	140,00 €	565	171,00 €
600	100,00 €					600	202,00 €			600	181,00 €	615	193,00 €
												665	198,00 €

Threaded rod M10,
stainless steel
l=1000mm

Lightning protec-
tion clamp

Length 250mm
with test point, 1/2"
female socket and
screw

Drain length
250mm for horizon-
tal and vertical
installation, 1/2"
threaded nipple

Locking band (spa-
re part)

Folding clamp for
2-point guy wire
bracket

Roof hook for
mounting guy wire
brackets, 2 pieces



Rgr.
EW



€
NET




€
NET

VL316		DW69Ø		DWAL...51Ø		DWAL...1494Ø		DW41Ø		ZUDA1069		ZUDA1070	
	22,00 €	080	39,00 €	A 080	137,00 €	A 080	231,00 €	080	20,00 €		35,00 €		34,00 €
		100	40,00 €	A 100	140,00 €	A 100	242,00 €	100	21,00 €				
		115	42,00 €	A 115	143,00 €	A 115	250,00 €	115	22,00 €				
		130	43,00 €	A 130	155,00 €	A 130	270,00 €	130	23,00 €				
		150	44,00 €	A 150	158,00 €	A 150	280,00 €	150	26,00 €				
		160	45,00 €	A 160	166,00 €	A 160	292,00 €	160	27,00 €				
		180	46,00 €	A 180	179,00 €	A 180	313,00 €	180	28,00 €				
		200	47,00 €	A 200	189,00 €	A 200	333,00 €	200	31,00 €				
		225	51,00 €	D 225	211,00 €	D 225	365,00 €	225	32,00 €				
		250	52,00 €	C 250	234,00 €	C 250	395,00 €	250	34,00 €				
		300	61,00 €	C 300	287,00 €	C 300	471,00 €	300	35,00 €				
		350	72,00 €	C 350	345,00 €	C 350	549,00 €	350	36,00 €				
		400	75,00 €	C 400	458,00 €	C 400	682,00 €	400	37,00 €				
		450	78,00 €	F 450	504,00 €	F 450	750,00 €	450	38,00 €				
		500	86,00 €	F 500	519,00 €	F 500	782,00 €	500	39,00 €				
		600	100,00 €	F 600	596,00 €	F 600	903,00 €	600	43,00 €				

- ^{*1} When ordering, please specify the system diameter and distance from the wall!

2-point guy wire bracket



§ 19
BIMBAU

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
BIMBAU

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19
BIMBAU

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
BIMBAU

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19
BIMBAU

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)



§ 19
BIMBAU

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)



§ 19
BIMBAU

DW1057Ø	ZUDA904-2000	ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000
080 39,00 €	198,00 €	313,00 €	227,00 €	358,00 €	313,00 €	487,00 €
100 40,00 €						
115 40,00 €						
130 42,00 €						
150 42,00 €						
160 42,00 €						
180 43,00 €						
200 44,00 €						
225 44,00 €						
250 45,00 €						
300 61,00 €						
350 72,00 €						
400 75,00 €						

Stainless steel cantilever with sliding static wall bracket

^{*1}

§ 19
BIMBAU



ZUTE1334Ø
080 774,00 €
100 776,00 €
115 778,00 €
130 781,00 €
150 784,00 €