



System DW-BLACK

DESCRIPTION

Black matt powder-coated double wall system made of stainless steel for all standard fireplaces in negative pressure operation, in dry or wet operation

MATERIAL

Inside: L99

Outside: Elo-galvanized

FINISHING

Black powder-coated (RAL 9011 matt roughened)

Colours:

DW-GREY (RAL 7016 matt)

DW-WHITE (RAL 9010 matt)

WALL THICKNESS

Inside / outside each 0.5 mm

INSIDE DIAMETER

130 - 200 mm

INSULATION

Mineral insulation with 25 mm thickness

CONNECTION

Plug connection socket / bead with clamping band

LOCKING BAND

Included

ORDER CODE


The article code for your order results from:

Article code + Ø (Ex: 16-290-DWETN05130).

Please refer to the respective code for deviations. If you require different colors, please use the following article codes instead of 16-290-DWETN05...(black):

28-290-DWETN05... DW-GREY

47-290-DWETN05... DW-WHITE



CHARACTERISTICS

- Inexpensive black matt powder-coated exhaust system
- 70 mm wide, recessed locking band
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard fireplaces for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* excluding anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 137

CE CLASSIFICATION ACC. TO DIN EN 1856-1

T450 - N1 - W - V2 - L99050 - G80

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 138

CE-CLASSIFICATION ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L99050 - G170 M

STYLISH LOOK, SMART PRICE!

Our DW systems with powder coating in matt black, white, or gray are the price-conscious alternative to the classic painted DW-ECO – without compromising on style.



DW-BLACK



DW-WHITE



DW-GREY

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-BLACK


Total length of the wall support 350 mm

Total length of the wall support 500 mm

Total length of the wall support 750 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 50 mm) = max. wall distance

16-DW391		16-DW392		16-DW393	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	155	130	305	130	555
150	135	150	285	150	535
180	108	180	255	180	505
200	85	200	235	200	485



Cantilevers type I 350mm

Cantilevers type II 500mm



Cantilevers Type III 750mm

Base plate with condensate drain at the bottom and 1/2" nipple

Base plate for intermediate support

Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)



16-DW391		16-DW392		16-DW393		16-290-DWETN05Ø		16-290-DWETN07Ø		16-290-DWETN66Ø		750ADK1/2	
134,00 €		151,00 €		185,00 €		130	109,00 €	130	113,00 €	130	132,00 €	5,00 €	
						150	113,00 €	150	125,00 €	150	151,00 €		
						180	129,00 €	180	142,00 €	180	176,00 €		
						200	135,00 €	200	150,00 €	200	185,00 €		

Base plate for chimney raise 450°C/Nl (round insert sleeve), max. height from base plate 1,5m

Inspection length (up to 450°C/Nl)

Inspection length (up to 600°C/Nl) square door 210x140mm

Inspection length extruded (up to 600°C/Nl), square door 210x140mm

T-90°

Length 1000mm


Length 500mm



16-290-DWETN08Ø		16-290-DWETN2747Ø		16-205-DWETN10Ø		16-205-DWETN2942Ø		16-290-DWETN2866Ø		16-290-DWETN13Ø		16-290-DWETN14Ø	
130	113,00 €	130	256,00 €	130	320,00 €	130	272,00 €	130	215,00 €	130	167,00 €	130	100,00 €
150	127,00 €	150	312,00 €	150	337,00 €	150	287,00 €	150	249,00 €	150	190,00 €	150	110,00 €
180	147,00 €	180	334,00 €	180	348,00 €	180	297,00 €	180	273,00 €	180	217,00 €	180	129,00 €
200	154,00 €	200	399,00 €	200	365,00 €	200	311,00 €	200	337,00 €	200	242,00 €	200	135,00 €



System DW-BLACK



Length 250mm

Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 90°



16-290-DWETN15Ø	16-290-DWETN1661Ø	16-290-DWETN16Ø	16-290-DWETN17Ø	16-290-DWETN18Ø	16-290-DWETN64Ø	16-290-DWETN60Ø
130 71,00 €	130 171,00 €	130 96,00 €	130 101,00 €	130 109,00 €	130 221,00 €	130 221,00 €
150 77,00 €	150 188,00 €	150 108,00 €	150 111,00 €	150 113,00 €	150 227,00 €	150 227,00 €
180 86,00 €	180 195,00 €	180 117,00 €	180 123,00 €	180 125,00 €	180 248,00 €	180 248,00 €
200 99,00 €	200 221,00 €	200 123,00 €	200 129,00 €	200 140,00 €	200 254,00 €	200 254,00 €

Elbow 90° with
inspection door

End cap (up to
450°C/N1)

End pipe for DW-
BLACK

Rain cap

Storm collar

Adaptor EW/DW-
BLACK

Adaptor DW-
BLACK/EW



NEW



NEW



NEW

16-205-DWETN19Ø	16-205-DWETN32Ø	16-205-DWETN2904Ø	16-215-DWECO33Ø	16-390-DWECO31Ø	16-290-DWETN37Ø	16-205-DWETN37AØ
130 328,00 €	130 52,00 €	130 198,00 €	130 74,00 €	130 31,00 €	130 59,00 €	130 59,00 €
150 338,00 €	150 57,00 €	150 222,00 €	150 79,00 €	150 34,00 €	150 61,00 €	150 61,00 €
180 356,00 €	180 59,00 €	180 248,00 €	180 83,00 €	180 36,00 €	180 64,00 €	180 65,00 €
200 394,00 €	200 61,00 €	200 271,00 €	200 96,00 €	200 38,00 €	200 67,00 €	200 67,00 €

Adaptor DW-
BLACK/EW-FU
with female socket

Adaptor EW/
DW-BLACK with
integrated wall
sleeve straight for
FERRO

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Adjustable wall
bracket 50-250mm,
single-braced

Adjustable wall brack-
et 250-360mm,
single-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm



NEW



16-205-DWETN37AMØ	16-290-DWETN37GWFO	16-DWECO21Ø	16-DWECO22Ø	16-DWECO23Ø	16-DWECO24Ø	16-DWECO20Ø
130 66,00 €	130 106,00 €	130 52,00 €	130 93,00 €	130 111,00 €	130 150,00 €	130 108,00 €
150 67,00 €	150 111,00 €	150 58,00 €	150 95,00 €	150 114,00 €	150 151,00 €	150 109,00 €
180 69,00 €	180 116,00 €	180 61,00 €	180 98,00 €	180 116,00 €	180 154,00 €	180 111,00 €
200 74,00 €	200 125,00 €	200 63,00 €	200 99,00 €	200 122,00 €	200 161,00 €	200 113,00 €

Extension
30x30mm for
DWECO20 single-
braced l=1000mm



16-DW86
90,00 €

Extension
30x30mm for
DWECO20 single-
braced l=500mm



16-DW85
66,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar



16-DWECO2556-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



16-DWECO2556-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar



16-DWECO2556-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar




16-DWECO2558-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar



16-DWECO2558-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar



16-DWECO2558-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar




16-DWECO2557-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar



16-DWECO2557-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar



16-DWECO2557-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



16-DWECO2551-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



16-DWECO2551-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



16-DWECO2551-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Ventilated ceiling
plate, 1-65°, one-
piece



16-DWECO71Ø
130 90,00 €
150 95,00 €
180 100,00 €
200 102,00 €

Ceiling plate 0°
two-piece



16-DWECO74Ø
130 95,00 €
150 109,00 €
180 111,00 €
200 126,00 €

Ceiling plate 1-65°
two-piece



16-DWECO75Ø
130 102,00 €
150 121,00 €
180 123,00 €
200 139,00 €

Ventilated ceiling
plate, 0°, one-piece



16-DWECO70HLØ
130 125,00 €
150 129,00 €
180 132,00 €
200 136,00 €

Ventilated ceiling
plate, 1-65°, one-
piece



16-DWECO71HLØ
130 134,00 €
150 136,00 €
180 140,00 €
200 144,00 €

Ventilated split
ceiling plate 0°,
two-piece



16-DWECO74HLØ
130 136,00 €
150 149,00 €
180 160,00 €
200 168,00 €

Ventilated split
ceiling plate 1-65°,
two-piece



16-DWECO75HLØ
130 144,00 €
150 162,00 €
180 165,00 €
200 182,00 €

Ceiling plate 0-30°
two-piece

Ceiling plate 31-45°
two-piece

Ceiling plate 31-45°
two-piece

Ceiling plate 0-30°
two-piece

Locking band 2.0

Adjustable rafter
bracket, 500-
900mm

3-point guy wire
bracket



16-DWECO99VØ		16-DWECO98VØ		16-DWECO98VHLØ		16-DWECO99VHLØ		16-DWECO989Ø		16-DWECO55Ø		16-DWECO42Ø	
130	76,00 €	130	90,00 €	130	132,00 €	130	118,00 €	130	22,00 €	130	170,00 €	130	46,00 €
150	79,00 €	150	95,00 €	150	136,00 €	150	122,00 €	150	23,00 €	150	183,00 €	150	47,00 €
180	83,00 €	180	100,00 €	180	139,00 €	180	125,00 €	180	26,00 €	180	193,00 €	180	50,00 €
200	90,00 €	200	102,00 €	200	144,00 €	200	132,00 €	200	29,00 €	200	221,00 €	200	51,00 €

Spray can re-
placement color
RAL9011MB, 400ml



€
NET

16-LACK-DOSE

11,00 €