



System DW-ECO 2.0

DESCRIPTION

Double wall system made of stainless steel for all standard fireplaces in negative pressure operation, in dry or wet operation

MATERIAL

Inside: L99

Outside: 1.4301 (304)

FINISHING

Highly polished

Optional: matt + 25%, painted

(Replacement paint for touch up must be ordered separately.

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.5 mm

INSIDE DIAMETER

130 - 600 mm

Others on request from 80 mm

INSULATION

Mineral insulation 25 mm thick

CONNECTION

Socket / bead plug-and-socket connection with locking band

LOCKING BAND

Included



For an assembly without T-connection, an additional locking band must be ordered for the chimney top.

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: DWETN13200).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Low-cost alternative to double wall system DW-FU
- 70 mm wide, recessed locking band
- Resistant to soot fires and moisture

APPLICATION AREAS

- Standard fireplaces / heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 015

CE CLASSIFICATIONS ACC. TO DIN EN 1856-1

T400 - N1 - W - V2 - L99050 - Oxx

T600 - N1 - W - V2 - L99050 - Oxx

T600 - N1 - W - V2 - L99050 - Gxx¹

xx = Clearances to flammable materials depend on the diameter, see declaration of performance

¹ = in Germany only possible in dry operation mode

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 054

CE-CLASSIFICATIONS ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L99050 - O50M

T600 - N1 - W - V2 - L99050 - G100M¹

T600 - N1 - W - V2 - L99050 - O100M

DW-ECO Basis package
1x base plate with condensate drain at the bottom, 1x inspection element, 1x T-90° with water nose, 1x end cap, 1x length 500mm shortable



205-DWETN-JGP01Ø	
150	811,00 €


ADVANTAGE SET

The most important basic components packaged ready for construction and cheaper than buying them individually!

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-ECO 2.0 SYSTEM

Total length of the wall support 350 mm Total length of the wall support 500 mm Total length of the wall support 750 mm Total length of the wall support 1030 mm Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 50 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	155	130	305	130	555	130	835
150	135	150	285	150	535	150	815
160	125	160	275	160	525	160	805
180	108	180	255	180	505	180	785
200	85	200	235	200	485	200	765
		250	185	250	436	250	715
		300	135	300	385	300	665
		350	85	350	335	350	615
				400	285	400	565
				450	235	450	515
				500	185	500	465
				600	85	600	365





System DW-ECO 2.0



Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
130	81,00 €	130	116,00 €	130	153,00 €	122,00 €	137,00 €	167,00 €	274,00 €
150	86,00 €	150	145,00 €	150	191,00 €				
160	109,00 €	160	156,00 €	160	205,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				
350	333,00 €	350	376,00 €	350	594,00 €				
400	405,00 €	400	467,00 €						
450	464,00 €	450	524,00 €						
500	523,00 €	500	539,00 €						
600	637,00 €	600	680,00 €						

Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces

Adjustable support
foot 190-630mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 190-1130mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 520-1140mm
with drain at bottom,
1/2" threaded nipple
and door for con-
densate collector


Transparent PVC-
pipe Ø 26mm,
l=500mm to extend
the condensate
drain




ZUTE1425	ZUTE1426	ZUTE1427	215-DWECO03Ø		215-DWECO04Ø		215-DWECO1017Ø		ZUAC2253
12,00 €	12,00 €	12,00 €	130	239,00 €	130	322,00 €	130	438,00 €	26,00 €
			150	249,00 €	150	324,00 €	150	439,00 €	
			160	262,00 €	160	334,00 €	160	449,00 €	
			180	276,00 €	180	341,00 €	180	457,00 €	
			200	299,00 €	200	351,00 €	200	465,00 €	
			250	301,00 €	250	353,00 €	250	467,00 €	
			300	448,00 €	300	476,00 €			
			350	452,00 €	350	490,00 €			
			400	463,00 €	400	499,00 €			
			450	480,00 €	450	507,00 €			
			500	495,00 €	500	641,00 €			
			600	552,00 €	600	671,00 €			

- ^{*1} Also available with a square insert on request
- ^{*2} From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)


Base plate with condensate drain at the bottom and 1/2" nipple




Base plate with condensate side drain and 1/2" nipple




Base plate for intermediate support




Base plate for mounting on a bracket with side drain and 1/2" threaded nipple




Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m



Base plate for chimney raise with round insert l=220mm, max. height from base plate 2,0m



Base plate with removable soot collector



205-DWETN05Ø	205-DWETN06Ø	205-DWETN07Ø	205-DWETN66Ø	205-DWETN08Ø	205-DWETN08-2Ø	205-DWETN1592Ø
130 99,00 €	130 124,00 €	130 102,00 €	130 120,00 €	130 102,00 €	130 282,00 €	130 159,00 €
150 102,00 €	150 139,00 €	150 113,00 €	150 137,00 €	150 115,00 €	150 312,00 €	150 179,00 €
160 110,00 €	160 153,00 €	160 123,00 €	160 150,00 €	160 125,00 €	160 334,00 €	160 189,00 €
180 116,00 €	180 163,00 €	180 130,00 €	180 159,00 €	180 133,00 €	180 358,00 €	180 198,00 €
200 123,00 €	200 171,00 €	200 135,00 €	200 167,00 €	200 139,00 €	200 407,00 €	200 228,00 €
250 135,00 €	250 218,00 €	250 172,00 €	250 206,00 €	250 177,00 €	250 495,00 €	250 264,00 €
300 145,00 €	300 239,00 €	300 185,00 €	300 228,00 €	300 197,00 €	300 548,00 €	300 409,00 €
350 250,00 €	350 258,00 €	350 238,00 €	350 239,00 €	350 243,00 €	350 572,00 €	
400 272,00 €	400 384,00 €	400 316,00 €	400 353,00 €	400 386,00 €	400 708,00 €	
450 354,00 €	450 408,00 €	450 368,00 €	450 389,00 €	450 417,00 €	450 780,00 €	
500 383,00 €	500 463,00 €	500 417,00 €	500 447,00 €	500 459,00 €	500 856,00 €	
600 484,00 €	600 546,00 €	600 494,00 €	600 546,00 €	600 494,00 €	600 949,00 €	

Inspection length (up to 600°C/N1)



Inspection element 93° (up to 600°C/N1) with round opening, including clamping band and sealing cover



Inspection length extruded (up to 600°C/N1), square door 210x140mm



Inspection length with soot safety door (up to 600°C/N1)



Inspection length with round opening, lid for oil and gas (up to 400°C/N1)



Inspection length with round opening, lid with star grip (up to 600°C/N1)



Inspection length (up to 600°C/N1) with square door 210x140mm with water repellent



205-DWETN10Ø	205-DWETN3055Ø	205-DWETN2942Ø	205-DWETN10RSTØ	205-DWETN10RØ	205-DWETN10RGØ	215-DWECO2939Ø
130 290,00 €	350 505,00 €	130 247,00 €	130 439,00 €	130 235,00 €	130 250,00 €	130 419,00 €
150 306,00 €	400 593,00 €	150 260,00 €	150 455,00 €	150 254,00 €	150 269,00 €	150 431,00 €
160 312,00 €	450 834,00 €	180 270,00 €	160 460,00 €	160 262,00 €	160 276,00 €	160 432,00 €
180 316,00 €	500 1.092,00 €	200 282,00 €	180 467,00 €	180 272,00 €	180 286,00 €	180 437,00 €
200 332,00 €	600 1.158,00 €		200 482,00 €	200 285,00 €	200 299,00 €	200 458,00 €
250 353,00 €			250 502,00 €	250 295,00 €	250 308,00 €	250 484,00 €
300 378,00 €			300 526,00 €	300 317,00 €	300 333,00 €	300 511,00 €
				350 395,00 €	350 409,00 €	
				400 514,00 €	400 527,00 €	
				450 572,00 €	450 586,00 €	
				500 598,00 €	500 613,00 €	
				600 685,00 €	600 697,00 €	



System DW-ECO 2.0



Inspection length
with integrated
base plate (up to
600°C/N1)

T-87°



T-90°

T-45° with drip
nose

T-90° with cleaning
opening on the op-
posite side, at the
same height, (up to
600°C/N1)

Length 1000mm

Length 500mm



*1



205-DWETN383Ø	205-DWETN1055Ø	205-DWETN11Ø	205-DWETN12Ø	205-DWETN309Ø	205-DWETN13Ø	205-DWETN14Ø
130 360,00 €	130 288,00 €	130 195,00 €	130 321,00 €	130 417,00 €	130 153,00 €	130 91,00 €
150 378,00 €	150 307,00 €	150 226,00 €	150 344,00 €	150 449,00 €	150 172,00 €	150 100,00 €
160 392,00 €	160 309,00 €	160 235,00 €	160 358,00 €	160 459,00 €	160 183,00 €	160 109,00 €
180 405,00 €	180 324,00 €	180 248,00 €	180 370,00 €	180 468,00 €	180 196,00 €	180 116,00 €
200 426,00 €	200 357,00 €	200 306,00 €	200 488,00 €	200 584,00 €	200 219,00 €	200 123,00 €
250 458,00 €	250 392,00 €	250 384,00 €	250 603,00 €	250 663,00 €	250 289,00 €	250 155,00 €
300 491,00 €	300 472,00 €	300 459,00 €	300 689,00 €	300 742,00 €	300 352,00 €	300 202,00 €
	350 526,00 €	350 520,00 €	350 718,00 €		350 492,00 €	350 265,00 €
	400 685,00 €	400 659,00 €	400 1.150,00 €		400 551,00 €	400 368,00 €
	450 730,00 €	450 683,00 €	450 1.177,00 €		450 579,00 €	450 404,00 €
	500 857,00 €	500 809,00 €	500 1.300,00 €		500 641,00 €	500 418,00 €
	600 982,00 €	600 971,00 €	600 1.475,00 €		600 749,00 €	600 484,00 €

Length 250mm

Length 1000mm
incl. static locking
band




Length 500mm incl.
static locking band

Length 1000mm
with adjustable wall
sleeve for FERRO

Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced



205-DWETN15Ø	205-DWETN3013-2Ø	205-DWETN3014-2Ø	DWECO262Ø	DWECO261Ø	DWECO21Ø	DWECO22Ø
130 64,00 €	130 211,00 €	130 149,00 €	130 245,00 €	130 156,00 €	130 47,00 €	130 84,00 €
150 70,00 €	150 235,00 €	150 163,00 €	150 250,00 €	150 170,00 €	150 52,00 €	150 85,00 €
160 75,00 €	160 248,00 €	160 174,00 €	160 262,00 €	160 173,00 €	160 53,00 €	160 86,00 €
180 78,00 €	180 266,00 €	180 187,00 €	180 264,00 €	180 177,00 €	180 54,00 €	180 87,00 €
200 90,00 €	200 298,00 €	200 201,00 €	200 306,00 €	200 201,00 €	200 57,00 €	200 90,00 €
250 116,00 €			250 407,00 €	250 243,00 €	250 61,00 €	250 98,00 €
300 156,00 €					300 74,00 €	
350 181,00 €					350 81,00 €	
400 298,00 €					400 86,00 €	
450 313,00 €					450 102,00 €	
500 334,00 €					500 124,00 €	
600 381,00 €					600 129,00 €	

- *1 Use in coordination with the authorized district chimney sweep.

Wall bracket adjustable 50-150mm, double-braced

Adjustable wall bracket 50-250mm, single-braced


Adjustable wall bracket 50-250mm, double-braced

Adjustable wall bracket 250-360mm, single-braced

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm



DWECO220		DWECO230		DWECO230		DWECO240		DWECO240		DWECO200		DWECO200	
300	114,00 €	130	101,00 €	300	130,00 €	130	135,00 €	300	166,00 €	130	98,00 €	300	137,00 €
350	122,00 €	150	103,00 €	350	133,00 €	150	137,00 €	350	169,00 €	150	99,00 €	350	173,00 €
400	138,00 €	160	105,00 €	400	167,00 €	160	138,00 €	400	203,00 €	160	100,00 €	400	273,00 €
450	173,00 €	180	106,00 €	450	215,00 €	180	139,00 €	450	250,00 €	180	101,00 €	450	320,00 €
500	193,00 €	200	109,00 €	500	246,00 €	200	145,00 €	500	280,00 €	200	102,00 €	500	333,00 €
600	258,00 €	250	114,00 €	600	301,00 €	250	150,00 €	600	313,00 €	250	116,00 €	600	361,00 €

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm





Extension 30x30mm for TW20 l=500mm

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 50-360mm



DWECO24MG0		DW86		DW85		DWECO450		DWECO460		DWECO470		DWECO480	
130	250,00 €	81,00 €		59,00 €		130	92,00 €	130	163,00 €	130	202,00 €	250	275,00 €
150	252,00 €					150	98,00 €	150	181,00 €	150	204,00 €	300	277,00 €
160	253,00 €					180	99,00 €	160	182,00 €	160	205,00 €	350	284,00 €
180	254,00 €					200	107,00 €	180	203,00 €	180	206,00 €	400	305,00 €
200	258,00 €					250	126,00 €	200	205,00 €	200	209,00 €	450	343,00 €
250	262,00 €					300	140,00 €	250	227,00 €	250	233,00 €	500	354,00 €
						350	155,00 €	300	230,00 €	300	251,00 €	600	453,00 €
						400	183,00 €	350	238,00 €	350	252,00 €		
						450	228,00 €	400	256,00 €	400	269,00 €		
						500	248,00 €	450	284,00 €	450	300,00 €		
						600	269,00 €	500	310,00 €	500	324,00 €		
								600	358,00 €	600	370,00 €		



System DW-ECO 2.0



Adjustable wall
bracket 50-70mm

Elbow 15°






Elbow 30°

Elbow 45°

Elbow 90°

Elbow configurable
1°-44°

Elbow 90° with
inspection door (up
to 600°/N1)



DWECO690Ø	205-DWETN16Ø	205-DWETN17Ø	205-DWETN18Ø	205-DWETN60Ø	205-DWETN2801Ø	205-DWETN19Ø
130 27,00 €	130 86,00 €	130 92,00 €	130 99,00 €	130 201,00 €	130 159,00 €	130 298,00 €
150 28,00 €	150 98,00 €	150 101,00 €	150 102,00 €	150 205,00 €	150 163,00 €	150 307,00 €
180 31,00 €	160 102,00 €	160 106,00 €	160 107,00 €	160 215,00 €	160 169,00 €	160 314,00 €
200 32,00 €	180 107,00 €	180 110,00 €	180 113,00 €	180 225,00 €	180 174,00 €	180 322,00 €
250 34,00 €	200 110,00 €	200 116,00 €	200 127,00 €	200 230,00 €	200 189,00 €	200 358,00 €
300 39,00 €	250 116,00 €	250 122,00 €	250 149,00 €	250 261,00 €	250 210,00 €	250 365,00 €
	300 157,00 €	300 172,00 €	300 206,00 €	300 325,00 €	300 269,00 €	300 368,00 €
	350 201,00 €	350 220,00 €	350 248,00 €	350 427,00 €	350 369,00 €	350 429,00 €
	400 268,00 €	400 293,00 €	400 337,00 €	400 456,00 €	400 458,00 €	400 516,00 €
	450 308,00 €	450 338,00 €	450 384,00 €	450 488,00 €	450 506,00 €	450 537,00 €
	500 384,00 €	500 421,00 €	500 456,00 €	500 658,00 €	500 577,00 €	500 659,00 €
	600 449,00 €	600 495,00 €	600 538,00 €	600 821,00 €	600 659,00 €	600 880,00 €

End cap

End pipe for DW-
ECO 2.0





Bonnet type „Hol-
land“ with rotatable
inspection plate

Muzzle closure with
louvre hood

Rain cap

Rain cap with end
terminal

Storm collar



205-DWETN32Ø	205-DWETN2904Ø	215-DWECO92HSØ	205-DWETN337Ø	215-DWECO33Ø	205-DWETN1076Ø	DWECO31Ø
130 47,00 €	130 180,00 €	130 243,00 €	130 286,00 €	130 67,00 €	130 107,00 €	130 27,00 €
150 51,00 €	150 201,00 €	150 245,00 €	150 299,00 €	150 72,00 €	150 111,00 €	150 29,00 €
160 52,00 €	160 212,00 €	160 258,00 €	160 333,00 €	160 74,00 €	160 114,00 €	160 31,00 €
180 53,00 €	180 225,00 €	180 273,00 €	180 352,00 €	180 75,00 €	180 116,00 €	180 32,00 €
200 54,00 €	200 246,00 €	200 284,00 €	200 370,00 €	200 86,00 €	200 131,00 €	200 35,00 €
250 58,00 €		250 387,00 €	250 396,00 €	250 105,00 €	250 150,00 €	250 37,00 €
300 63,00 €		300 516,00 €	300 434,00 €	300 120,00 €	300 169,00 €	300 43,00 €
350 74,00 €		350 638,00 €		350 125,00 €	350 186,00 €	350 53,00 €
400 93,00 €		400 641,00 €		400 137,00 €	400 215,00 €	400 70,00 €
450 106,00 €				450 156,00 €	450 244,00 €	450 75,00 €
500 116,00 €				500 172,00 €	500 273,00 €	500 81,00 €
600 155,00 €				600 193,00 €	600 332,00 €	600 126,00 €

- ^{*1} Not suitable for standard 205-DWETN32 muzzle
- ^{*2} When ordering, please specify the desired number of degrees at the opposite angle to the roof pitch. For solid fuels, the maximum offset is 30°. For larger offsets, please contact our technical department.

Clip-on rain cap

Storm collar
„Special“ with rear
ventilation


Storm collar with
edge

Storm collar with
edge and spacers
for rear ventilation






Storm collar fitting
over DW-ECO
locking band

Flashing kit 5-15°
with storm collar

Flashing kit 16-25°
with storm collar



^{*1}



DWECO33-1Ø	DWECO80HLØ	DWECO307Ø	DWECO2856Ø	DWECO2910Ø	DWECO81Ø	DWECO82Ø
130 67,00 €	130 146,00 €	130 40,00 €	130 46,00 €	130 27,00 €	130 200,00 €	130 221,00 €
150 72,00 €	150 155,00 €	150 42,00 €	150 47,00 €	150 29,00 €	150 220,00 €	150 244,00 €
160 74,00 €	160 158,00 €	160 43,00 €	160 50,00 €	160 31,00 €	160 229,00 €	160 252,00 €
180 75,00 €	180 166,00 €	180 45,00 €	180 52,00 €	180 32,00 €	180 246,00 €	180 262,00 €
200 86,00 €	200 176,00 €	200 46,00 €	200 53,00 €	200 35,00 €	200 285,00 €	200 295,00 €
250 105,00 €	250 191,00 €	250 51,00 €	250 57,00 €	250 37,00 €	250 329,00 €	250 336,00 €
300 120,00 €	300 232,00 €	300 67,00 €	300 74,00 €	300 43,00 €	300 354,00 €	300 363,00 €
	350 262,00 €	350 83,00 €	350 90,00 €	350 53,00 €	350 448,00 €	350 468,00 €
	400 316,00 €	400 110,00 €	400 116,00 €	400 70,00 €	400 802,00 €	400 816,00 €
	450 365,00 €	450 116,00 €	450 124,00 €	450 75,00 €	450 891,00 €	450 903,00 €
	500 402,00 €	500 130,00 €	500 135,00 €	500 81,00 €	500 1.008,00 €	500 1.059,00 €
	600 443,00 €	600 198,00 €	600 204,00 €	600 126,00 €	600 1.152,00 €	600 1.180,00 €

DW-ECO 2.0

Flashing kit 26-35°
with storm collar

Flashing kit 36-45°
with storm collar








Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm



DWECO39Ø	DWECO83Ø	DWECO52Ø	DWECO52ØZY	DWECO53Ø	DWECO59Ø	DWECO38Ø
130 248,00 €	130 272,00 €	130 118,00 €	130 118,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 265,00 €	150 290,00 €	150 124,00 €	150 124,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 274,00 €	160 298,00 €	160 130,00 €	160 130,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 285,00 €	180 308,00 €	180 138,00 €	180 138,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 306,00 €	200 315,00 €	200 170,00 €	200 170,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 341,00 €	250 352,00 €	250 193,00 €	250 193,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 372,00 €	300 383,00 €	300 235,00 €	300 235,00 €	300 310,00 €	300 310,00 €	300 310,00 €
350 491,00 €	350 511,00 €	350 298,00 €	350 298,00 €	350 322,00 €	350 322,00 €	350 322,00 €
400 828,00 €	400 843,00 €	400 380,00 €	400 380,00 €	400 341,00 €	400 341,00 €	400 341,00 €
450 916,00 €	450 932,00 €	450 438,00 €	450 438,00 €	450 368,00 €	450 368,00 €	450 368,00 €
500 1.108,00 €	500 1.159,00 €	500 510,00 €	500 510,00 €	500 431,00 €	500 431,00 €	500 431,00 €
600 1.208,00 €	600 1.238,00 €	600 615,00 €	600 615,00 €	600 491,00 €	600 491,00 €	600 491,00 €



System DW-ECO 2.0



Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
lead base with
storm collar, cone
150mm








Flashing kit 16-25°
lead base with
storm collar, cone
150mm

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar, cone
150mm

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DWECO540	DWECO29350	DWECO29370	DWECO29340	DWECO29360	DWECO2556-10	DWECO2556-20
130 224,00 €	130 216,00 €	130 216,00 €	130 215,00 €	130 218,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 235,00 €	150 234,00 €	150 234,00 €	150 235,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 242,00 €	160 242,00 €	160 236,00 €	160 242,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 251,00 €	180 250,00 €	180 250,00 €	180 251,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 258,00 €	200 255,00 €	200 256,00 €	200 258,00 €	200 268,00 €	200 268,00 €
250 301,00 €	250 288,00 €	250 292,00 €	250 287,00 €	250 289,00 €	250 301,00 €	250 301,00 €
300 310,00 €					300 310,00 €	300 310,00 €
350 322,00 €						
400 341,00 €						
450 368,00 €						
500 431,00 €						
600 491,00 €						

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar








Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar


Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




DWECO2556-30	DWECO2558-10	DWECO2558-20	DWECO2558-30	DWECO2557-10	DWECO2557-20	DWECO2557-30
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

- ^{*1} For wall/ceiling panels, please state the number in °.


Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre
cement corrugated
roof, outer Ø 150-
300mm (up to 400°C)



Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



^{*1}

DWECO2551-1Ø		DWECO2551-2Ø		DWECO2551-3Ø		ZUAC2700	ZUAC2701	DWECO70Ø		DWECO71Ø	
130	224,00 €	130	224,00 €	130	224,00 €	259,00 €	259,00 €	130	74,00 €	130	81,00 €
150	244,00 €	150	244,00 €	150	244,00 €			150	77,00 €	150	85,00 €
160	251,00 €	160	251,00 €	160	251,00 €			160	79,00 €	160	87,00 €
180	260,00 €	180	260,00 €	180	260,00 €			180	81,00 €	180	91,00 €
200	268,00 €	200	268,00 €	200	268,00 €			200	85,00 €	200	93,00 €
250	301,00 €	250	301,00 €	250	301,00 €			250	107,00 €	250	116,00 €
300	310,00 €	300	310,00 €	300	310,00 €			300	124,00 €	300	137,00 €
								350	157,00 €	350	172,00 €
								400	165,00 €	400	182,00 €
								450	176,00 €	450	197,00 €
								500	191,00 €	500	209,00 €
								600	203,00 €	600	225,00 €

DW-ECO 2.0

Ceiling plate 0°
two-piece



Ceiling plate 1-65°
two-piece



^{*1}

Ventilated ceiling
plate, 0°, one-piece



Ventilated ceiling
plate, 1-65°, one-
piece



^{*1}

Ventilated split
ceiling plate 0°,
two-piece




Ventilated split
ceiling plate 1-65°,
two-piece



^{*1}

Ceiling plate with
seal to stop steam
connection 0-20°
(up to 450°C/N1)



DWECO74Ø		DWECO75Ø		DWECO70HLØ		DWECO71HLØ		DWECO74HLØ		DWECO75HLØ		DWECO1702Ø	
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	102,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	125,00 €
160	100,00 €	160	110,00 €	160	118,00 €	160	126,00 €	160	137,00 €	160	149,00 €	160	129,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	137,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	145,00 €
250	116,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	194,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	219,00 €
350	158,00 €	350	174,00 €	350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €		
400	166,00 €	400	183,00 €	400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €		
450	181,00 €	450	202,00 €	450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €		
500	202,00 €	500	222,00 €	500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €		
600	212,00 €	600	232,00 €	600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €		



System DW-ECO 2.0



Ceiling plate with seal to stop steam connection 21-40° (up to 450°C/N1)

Ceiling plate with seal to stop steam connection 41-55° (up to 450°C/N1)



Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece

Airtight sealing collars 0°-30° for chimneys up to T400



DWECO1703Ø		DWECO1704Ø		DWECO99VØ		DWECO98VØ		DWECO99VHLØ		DWECO98VHLØ		ZUTE2195Ø	
130	126,00 €	130	147,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	180-195	84,00 €
150	154,00 €	150	169,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €	200-225	92,00 €
160	158,00 €	160	172,00 €	160	74,00 €	160	87,00 €	160	111,00 €	160	125,00 €	230-245	99,00 €
180	166,00 €	180	180,00 €	180	75,00 €	180	91,00 €	180	113,00 €	180	126,00 €	250-270	105,00 €
200	174,00 €	200	193,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €		
250	232,00 €	250	258,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €		
300	254,00 €	300	280,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €		
				350	153,00 €	350	165,00 €	350	191,00 €	350	202,00 €		
				400	159,00 €	400	172,00 €	400	198,00 €	400	210,00 €		
				450	182,00 €	450	185,00 €	450	210,00 €	450	224,00 €		
				500	197,00 €	500	200,00 €	500	224,00 €	500	238,00 €		
				600	213,00 €	600	225,00 €	600	250,00 €	600	262,00 €		

Airtight sealing collars 30°-45° for chimneys up to T400

Adaptor EW/DW-ECO








Adaptor EW-FU with female socket/DW-ECO

Adaptor DW-ECO/EW-FU male

Adaptor DW-ECO/EW-FU with female socket

Adaptor FERRO-LUX/DW-ECO

Adaptor EW-FU/DW-ECO with integrated wall sleeve straight for FERRO



ZUTE2232Ø		205-DWETN37Ø		205-DWETN37MØ		205-DWETN37AØ		205-DWETN37AMØ		205-DWETN37FØ		215-DWECO37GWFØ	
200-225	111,00 €	130	53,00 €	130	59,00 €	130	53,00 €	130	59,00 €	130	59,00 €	130	101,00 €
230-245	125,00 €	150	54,00 €	150	61,00 €	150	54,00 €	150	61,00 €	150	61,00 €	150	106,00 €
250-270	135,00 €	160	57,00 €	160	62,00 €	160	57,00 €	160	62,00 €	160	62,00 €	160	109,00 €
		180	58,00 €	180	63,00 €	180	58,00 €	180	63,00 €	180	63,00 €	180	111,00 €
		200	61,00 €	200	67,00 €	200	61,00 €	200	67,00 €	200	67,00 €	200	120,00 €
		250	66,00 €	250	70,00 €	250	66,00 €	250	70,00 €	250	70,00 €	250	133,00 €
		300	70,00 €	300	76,00 €	300	70,00 €	300	76,00 €				
		350	78,00 €	350	84,00 €	350	78,00 €	350	84,00 €				
		400	98,00 €	400	103,00 €	400	98,00 €	400	103,00 €				
		450	114,00 €	450	120,00 €	450	114,00 €	450	120,00 €				
		500	125,00 €	500	130,00 €	500	125,00 €	500	130,00 €				
		600	163,00 €	600	169,00 €	600	163,00 €	600	169,00 €				

Isotherm tape
40mm, price per
metre

Closing cap plastic
for drain 1/2" (up to
200°C)


Locking band

Locking band static
h=400mm

Closing lid with
handle for DWE-
CO11

Removable soot
collector with con-
densate drain


Drain length
250mm for horizon-
tal and vertical
installation, 1/2"
threaded nipple





€
NET



€
NET



§ 19
BIMBA



750ISO40	750ADK1/2	DWECO989Ø	DWECO989SØ	215-DWECO43Ø	215-DWECO44Ø	205-DWETN1494Ø
5,00 €	5,00 €	130 20,00 € 150 21,00 € 160 22,00 € 180 23,00 € 200 26,00 € 250 27,00 € 300 28,00 € 350 31,00 € 400 32,00 € 450 35,00 € 500 36,00 € 600 42,00 €	130 78,00 € 150 84,00 € 160 87,00 € 180 94,00 € 200 105,00 €	130 77,00 € 150 78,00 € 160 83,00 € 180 87,00 € 200 99,00 € 250 115,00 € 300 130,00 € 350 137,00 € 400 142,00 € 450 154,00 € 500 166,00 € 600 179,00 €	130 110,00 € 150 114,00 € 160 122,00 € 180 124,00 € 200 131,00 € 250 145,00 € 300 157,00 € 350 195,00 € 400 220,00 € 450 256,00 € 500 298,00 € 600 441,00 €	130 221,00 € 150 233,00 € 160 248,00 € 180 262,00 € 200 276,00 € 250 329,00 € 300 397,00 € 350 475,00 € 400 593,00 € 450 648,00 € 500 678,00 € 600 784,00 €

Length 250mm
with test point, 1/2"
female socket and
screw

Inspection length
with door for ho-
rizontal use (up to
600°C/N1)



Adjustable length
for connection line
320-460mm (up to
600°C/N1)

Adjustable rafter
bracket, 500-
900mm

Light rafter bracket

3-point guy wire
bracket

Mounting set for
3-point guy wire
bracket (galvani-
sed)



Rgr.
KEEW

205-DWETN51Ø	205-DWETN68Ø	205-DWETN50Ø	DWECO55Ø	DWECO55LØ	DWECO42Ø	KEEW237
130 107,00 € 150 113,00 € 160 122,00 € 180 129,00 € 200 135,00 € 250 166,00 € 300 213,00 € 350 269,00 € 400 367,00 € 450 404,00 € 500 411,00 € 600 480,00 €	130 209,00 € 150 222,00 € 160 228,00 € 180 235,00 € 200 244,00 € 250 273,00 € 300 313,00 € 350 368,00 € 400 384,00 € 450 439,00 € 500 578,00 € 600 648,00 €	130 155,00 € 150 181,00 € 160 198,00 € 180 212,00 € 200 244,00 € 250 317,00 € 300 440,00 € 350 563,00 € 400 873,00 € 450 933,00 € 500 987,00 € 600 1.174,00 €	130 155,00 € 150 166,00 € 160 171,00 € 180 174,00 € 200 201,00 € 250 226,00 € 300 235,00 € 350 320,00 € 400 343,00 € 450 387,00 € 500 427,00 € 600 479,00 €	130 87,00 € 150 90,00 € 160 91,00 € 180 109,00 € 200 111,00 € 250 116,00 € 300 118,00 € 350 122,00 €	130 42,00 € 150 43,00 € 160 44,00 € 180 45,00 € 200 46,00 € 250 47,00 € 300 59,00 € 350 72,00 € 400 74,00 € 450 75,00 € 500 81,00 € 600 93,00 €	58,00 €



System DW-ECO 2.0



Anchor cable (galvanised)

Roof hook for mounting wall brackets on pitched roofs

Roof hook for mounting wall brackets on pitched roofs (adjustable)

Folding clamp for 2-point guy wire bracket

Roof hook for mounting guy wire brackets, 2 pieces

2-point guy wire bracket


Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



Rgr. KEEW



\$ 19 Bimschiv




\$ 19 Bimschiv



€ NET



€ NET



\$ 19 Bimschiv



\$ 19 Bimschiv

KEEW242	DWECO2800Ø	DWECO2877Ø	ZUDA1069	ZUDA1070	DWECO1057Ø	ZUDA904-2000
14,00 €	130 102,00 € 150 107,00 € 160 107,00 € 180 110,00 € 200 111,00 €	130 278,00 € 150 282,00 € 160 283,00 € 180 284,00 € 200 288,00 €	35,00 €	34,00 €	130 42,00 € 150 43,00 € 160 44,00 € 180 45,00 € 200 46,00 € 225 46,00 € 250 47,00 € 300 59,00 € 350 72,00 € 400 74,00 €	198,00 €

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)


Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)

Stainless steel cantilever with sliding static wall bracket




\$ 19 Bimschiv



\$ 19 Bimschiv



\$ 19 Bimschiv



\$ 19 Bimschiv



\$ 19 Bimschiv



\$ 19 Bimschiv

ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
313,00 €	227,00 €	358,00 €	313,00 €	487,00 €	130 781,00 € 150 784,00 €

- *1 When ordering, please specify the system diameter and distance from the wall!