



DESCRIPTION

Double wall chimney system made of stainless steel

MATERIAL

Inside: 1.4571 (316Ti) / 1.4404 (316L)

Outside: 1.4301 (304)

Others on request

FINISHING

Highly polished

Optional: matt + 20%, powder-coated: reduced discount (see condition agreement), brushed + 25%, copper + 80%.

When changing from DW-FU to copper, you need the transition DW1607.

(Replacement paint for touch up must be ordered separately.

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1200 mm

Copper in only available in Ø 80, 100, 115, 130, 150, 160, 180, 200, 250 and 300 mm

INSULATION

Mineral insulation 32.5 mm thick, 50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Socket / bead with locking band

LOCKING BAND


Included. For a setup without a T-connection, an extra locking band must be ordered for the chimney top.

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: DW05250)

Please refer to the respective code for deviations.



CHARACTERISTICS

- Versatile exhaust system
- High flexibility, perfect also for difficult installation situations
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 001

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T400 - N1 - D - V3 - L50060 - Gxx

T400 - N1 - W - V2 - L50060 - Oxx

T600 - N1 - D - V3 - L50060 - Gxx

T600 - N1 - W - V2 - L50060 - Oxx

xx = Clearances to flammable materials depend on the Ø, see declaration of performance

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 047

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L50060 - O50M

T600 - N1 - D - V3 - L50060 - G100M

T600 - N1 - W - V2 - L50060 - O100M

- ^{*1} From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

DW-FU basic package

1x base plate with condensate drain at the bottom, 1x inspection element, 1x T-90° with water nose, 1x end cap, 1x collar



DW-JGP01Ø

150

847,00 €

**ADVANTAGE
SET**

The most important basic components packaged ready for construction and cheaper than buying them individually!

Adjustable plates for wall support 50-150mm

Adjustable plates for wall support 150-250mm

Adjustable plates for wall support 250-360mm

Cantilevers type I 350mm

Cantilevers type II 500mm

Cantilevers Type III 750mm


Cantilevers type IV 1030mm



^{*1}



^{*1}



^{*1}




DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
080	77,00 €	080	102,00 €	080	133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100	78,00 €	100	103,00 €	100	137,00 €				
115	79,00 €	115	105,00 €	115	145,00 €				
130	81,00 €	130	116,00 €	130	153,00 €				
150	86,00 €	150	145,00 €	150	191,00 €				
160	109,00 €	160	156,00 €	160	205,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
225	206,00 €	225	295,00 €	225	479,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				
350	333,00 €	350	376,00 €	350	594,00 €				
400	405,00 €	400	467,00 €						
450	464,00 €	450	524,00 €						
500	523,00 €	500	539,00 €						
600	637,00 €	600	680,00 €						

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-FU SYSTEM

Total length of the wall support 350 mm Total length of the wall support 500 mm Total length of the wall support 750 mm Total length of the wall support 1030 mm Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
160	125	160	275	160	525	160	805
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650
		350	70	350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



Water deflectors for wall support, 2 pieces

Water deflectors for wall support, 2 pieces


Water deflectors for wall support, 2 pieces

Adjustable support foot 250-690mm with side drain and 1/2" threaded nipple

Adjustable support foot 250-1190mm with side drain and 1/2" threaded nipple

Adjustable support foot 610-1190mm, drain at bottom, 1/2" threaded nipple and door for condensate collector


Transparent PVC-pipe Ø 26mm, l=500mm to extend the condensate drain



€ NET



€ NET



€ NET



Rgr. ZUAC

ZUTE1425	ZUTE1426	ZUTE1427	DW030		DW040		DW10170		ZUAC2253
12,00 €	12,00 €	12,00 €	080	235,00 €	080	330,00 €	080	445,00 €	26,00 €
			100	244,00 €	100	332,00 €	100	447,00 €	
			115	248,00 €	115	333,00 €	115	449,00 €	
			130	250,00 €	130	339,00 €	130	453,00 €	
			150	254,00 €	150	340,00 €	150	456,00 €	
			160	272,00 €	160	348,00 €	160	464,00 €	
			180	288,00 €	180	361,00 €	180	476,00 €	
			200	308,00 €	200	368,00 €	200	484,00 €	
			225	310,00 €	225	369,00 €	225	486,00 €	
			250	312,00 €	250	370,00 €	250	487,00 €	
			300	471,00 €	300	499,00 €			
			350	476,00 €	350	514,00 €			
			400	488,00 €	400	524,00 €			
			450	500,00 €	450	531,00 €			
			500	520,00 €	500	677,00 €			
			600	615,00 €	600	689,00 €			

- *1 Also available with a square insert on request

Condensate collection bucket

Round base plate and drain and adjustable wall bracket up to 200mm (max. installation height 8m)

Base plate with condensate drain at the bottom and 1/2" nipple

Base plate with condensate side drain and 1/2" nipple







Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Base plate without drain

Base plate with removable soot collector



Rgr. SC



ZUTE1255	DW384Ø		DW05Ø		DW06Ø		DW66Ø		DW09Ø		DW1592Ø	
69,00 €	080	145,00 €	080	93,00 €	080	114,00 €	080	115,00 €	080	74,00 €	080	146,00 €
	100	153,00 €	100	98,00 €	100	116,00 €	100	116,00 €	100	75,00 €	100	155,00 €
	115	154,00 €	115	99,00 €	115	118,00 €	115	124,00 €	115	76,00 €	115	159,00 €
	130	159,00 €	130	105,00 €	130	132,00 €	130	130,00 €	130	81,00 €	130	172,00 €
	150	171,00 €	150	109,00 €	150	151,00 €	150	147,00 €	150	85,00 €	150	195,00 €
	160	197,00 €	160	115,00 €	160	165,00 €	160	159,00 €	160	87,00 €	160	202,00 €
	180	215,00 €	180	127,00 €	180	174,00 €	180	171,00 €	180	92,00 €	180	212,00 €
	200	228,00 €	200	132,00 €	200	183,00 €	200	179,00 €	200	93,00 €	200	246,00 €
			225	138,00 €	225	210,00 €	225	203,00 €	225	98,00 €	225	265,00 €
			250	145,00 €	250	232,00 €	250	225,00 €	250	99,00 €	250	285,00 €
			300	156,00 €	300	258,00 €	300	250,00 €	300	101,00 €	300	419,00 €
			350	254,00 €	350	295,00 €	350	273,00 €	350	110,00 €		
			400	316,00 €	400	438,00 €	400	404,00 €	400	179,00 €		
			450	395,00 €	450	467,00 €	450	445,00 €	450	243,00 €		
			500	448,00 €	500	530,00 €	500	510,00 €	500	282,00 €		
			600	544,00 €	600	615,00 €	600	615,00 €	600	293,00 €		

DW-FU

Base plate for intermediate support

Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m



Base plate for chimney raise with round insert l=220mm, max. height from base plate 2,0m

Base plate for chimney raise with round insert l=220mm, max. height from base plate 3,0m


Inspection length (up to 600°C/NI) suitable for DW08-3

Inspection length (up to 600°C/NI)

Inspection element 93° (up to 600°/NI) with round opening, including clamping band and sealing cover




*1



§ 19 (BIMBAV)

*1




§ 19 (BIMBAV)

*1



§ 19 (BIMBAV)



NEW

DW07Ø		DW08Ø		DW08-2Ø		DW08-3Ø		DW10-3Ø		DW10Ø		DW3055Ø	
080	100,00 €	080	103,00 €	080	259,00 €	080	269,00 €	080	339,00 €	080	323,00 €	350	624,00 €
100	103,00 €	100	105,00 €	100	264,00 €	100	275,00 €	100	361,00 €	100	325,00 €	400	959,00 €
115	106,00 €	115	107,00 €	115	278,00 €	115	290,00 €	115	377,00 €	115	336,00 €	450	1.043,00 €
130	118,00 €	130	120,00 €	130	299,00 €	130	310,00 €	130	419,00 €	130	341,00 €	500	1.442,00 €
150	133,00 €	150	137,00 €	150	333,00 €	150	346,00 €	150	443,00 €	150	361,00 €	600	1.496,00 €
160	146,00 €	160	149,00 €	160	358,00 €	160	372,00 €	160	482,00 €	160	367,00 €		
180	155,00 €	180	158,00 €	180	383,00 €	180	400,00 €	180	514,00 €	180	378,00 €		
200	159,00 €	200	166,00 €	200	433,00 €	200	450,00 €	200	544,00 €	200	394,00 €		
225	181,00 €	225	193,00 €	225	488,00 €	225	507,00 €	225	575,00 €	225	409,00 €		
250	206,00 €	250	212,00 €	250	528,00 €	250	551,00 €	250	608,00 €	250	426,00 €		
300	222,00 €	300	230,00 €	300	584,00 €	300	607,00 €	300	694,00 €	300	453,00 €		
350	249,00 €	350	265,00 €	350	596,00 €	350	621,00 €						
400	363,00 €	400	394,00 €	400	718,00 €	400	743,00 €						
450	421,00 €	450	423,00 €	450	784,00 €	450	812,00 €						
500	481,00 €	500	481,00 €	500	878,00 €	500	909,00 €						
600	552,00 €	600	552,00 €	600	1.010,00 €	600	1.042,00 €						



System DW-FU



Inspection length
extruded (up to
600°C/N1), square
door 210x140mm

Inspection length
with soot safety
door (up to 600°C/
N1)

Inspection length
(up to 600°C/N1)
with square door
210x140mm with
water repellent

Inspection length
with integrated
base plate and
condensate drain
at bottom (up to
600°C/N1)

Inspection length
Design Plus, indoors
only (up to 600°C/
N1)

Inspection length
Design Plus,
outdoors (up to
600°C/N1)

Inspection length
Design Plus with
backstop below
inspection and remo-
vable soot collector
(up to 600°C/N1))



*1

DW2942Ø	DW10RSTØ	DW2939Ø	DW383Ø	DW381Ø	DW381AØ	DW1325Ø
130 290,00 €	080 475,00 €	080 409,00 €	080 372,00 €	080 276,00 €	080 276,00 €	130 370,00 €
150 307,00 €	100 476,00 €	100 429,00 €	100 378,00 €	100 277,00 €	100 277,00 €	150 388,00 €
160 312,00 €	115 484,00 €	115 447,00 €	115 379,00 €	115 278,00 €	115 278,00 €	160 394,00 €
180 322,00 €	130 492,00 €	130 487,00 €	130 397,00 €	130 291,00 €	130 291,00 €	180 401,00 €
200 335,00 €	150 511,00 €	150 512,00 €	150 417,00 €	150 308,00 €	150 308,00 €	200 416,00 €
	160 516,00 €	160 548,00 €	160 431,00 €	160 314,00 €	160 314,00 €	250 440,00 €
	180 526,00 €	180 579,00 €	180 449,00 €	180 320,00 €	180 320,00 €	
	200 544,00 €	200 608,00 €	200 468,00 €	200 337,00 €	200 337,00 €	
	225 558,00 €	225 638,00 €	225 488,00 €	225 348,00 €	225 348,00 €	
	250 575,00 €	250 670,00 €	250 508,00 €	250 361,00 €	250 361,00 €	
	300 601,00 €	300 752,00 €	300 544,00 €	300 387,00 €	300 387,00 €	
				350 410,00 €	350 410,00 €	
				400 577,00 €	400 577,00 €	
				450 600,00 €	450 600,00 €	
				500 648,00 €	500 648,00 €	
				600 685,00 €	600 685,00 €	

Inspection length
Design, backstop and
wall sleeve for FERRO,
120mm insert/Soot
tray removable (up to
600°C/N1)

Design Plus Inspection
length with door, base
plate and drain at
bottom, indoors only
(up to 600°C/N1)

Inspection length
with integrated base
plate and condensate
drain at bottom,
outdoors (up to
600°C/N1)

Draught limiter for
external use, suitable
for DW10

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping
(stainless steel)


Draught regulator
connection for
ZUK250 (SG/-E)



*5



*3



DW1805Ø	DW382Ø	DW382AØ	ZUK130DW	ZUK250SG	ZUK250SG-E	DW1756Ø
130 558,00 €	080 333,00 €	080 333,00 €	344,00 €	2.025,00 €	2.420,00 €	250 929,00 €
150 591,00 €	100 336,00 €	100 336,00 €				300 1.033,00 €
160 607,00 €	115 337,00 €	115 337,00 €				350 1.072,00 €
180 618,00 €	130 354,00 €	130 354,00 €				400 1.273,00 €
200 665,00 €	150 372,00 €	150 372,00 €				450 1.330,00 €
250 750,00 €	160 384,00 €	160 384,00 €				500 1.427,00 €
	180 401,00 €	180 401,00 €				600 1.529,00 €
	200 417,00 €	200 417,00 €				
	225 434,00 €	225 434,00 €				
	250 452,00 €	250 452,00 €				
	300 484,00 €	300 484,00 €				
	350 586,00 €	350 586,00 €				
	400 762,00 €	400 762,00 €				
	450 801,00 €	450 801,00 €				
	500 861,00 €	500 861,00 €				
	600 912,00 €	600 912,00 €				

- *1 A clamping band DW41 must be ordered for directly mounted chimneys
- *2 For the weight of the draught controller of approx. 28 kg, a separate anchorage has to be provided!
- *3 Only suitable for mounting with a cantilever
- *4 Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.
- *5 Use in coordination with the authorized district chimney sweep.

Draught limiter rectangular stainless steel 220x160mm suitable for DW10



€ NET


T-45° with drip nose




T-87° with drip nose




T-90° with drip nose



T-90°, inside and outside extruded



T-87° with cleaning opening on the opposite side, at the same height (up to 600°C/NI)



*5

T-90° with cleaning opening on the opposite side, at the same height (up to 600°C/NI)



ZUTE336	DW12Ø	DW11Ø	DW317Ø	DW2866Ø	DW421Ø	DW309Ø
62,00 €	080 358,00 € 100 360,00 € 115 361,00 € 130 387,00 € 150 414,00 € 160 429,00 € 180 447,00 € 200 586,00 € 225 656,00 € 250 726,00 € 300 828,00 € 350 900,00 € 400 1.253,00 € 450 1.351,00 € 500 1.492,00 € 600 1.659,00 €	080 238,00 € 100 239,00 € 115 244,00 € 130 250,00 € 150 291,00 € 160 301,00 € 180 316,00 € 200 391,00 € 225 439,00 € 250 494,00 € 300 594,00 € 350 634,00 € 400 834,00 € 450 893,00 € 500 989,00 € 600 1.092,00 €	080 238,00 € 100 239,00 € 115 244,00 € 130 250,00 € 150 291,00 € 160 301,00 € 180 316,00 € 200 391,00 € 225 439,00 € 250 494,00 € 300 594,00 € 350 634,00 € 400 834,00 € 450 893,00 € 500 989,00 € 600 1.092,00 €	130 217,00 € 150 250,00 € 180 269,00 € 200 331,00 €	080 459,00 € 115 464,00 € 130 472,00 € 150 514,00 € 160 523,00 € 180 540,00 € 200 671,00 € 225 719,00 € 250 773,00 € 300 873,00 €	080 459,00 € 100 460,00 € 115 464,00 € 130 472,00 € 150 514,00 € 160 523,00 € 180 540,00 € 200 671,00 € 225 719,00 € 250 773,00 € 300 873,00 €

Length 1000mm

Length 500mm

Length 250mm

Length 2000mm with static locking band

Length 1000mm incl. static locking band

Length 500mm incl. static locking band

Length 1000mm with adjustable wall sleeve for FERRO



*4


§ 19 (BImSchV)



§ 19 (BImSchV)



§ 19 (BImSchV)



DW13Ø	DW14Ø	DW15Ø	DW339Ø	DW3013-2Ø	DW3014-2Ø	DW262Ø
080 169,00 € 100 170,00 € 115 171,00 € 130 180,00 € 150 206,00 € 160 222,00 € 180 233,00 € 200 260,00 € 225 307,00 € 250 347,00 € 300 423,00 € 350 558,00 € 400 632,00 € 450 663,00 € 500 732,00 € 600 840,00 €	080 92,00 € 100 93,00 € 115 99,00 € 130 103,00 € 150 116,00 € 160 125,00 € 180 137,00 € 200 145,00 € 225 165,00 € 250 183,00 € 300 242,00 € 350 305,00 € 400 419,00 € 450 459,00 € 500 480,00 € 600 544,00 €	080 70,00 € 100 72,00 € 115 74,00 € 130 75,00 € 150 84,00 € 160 87,00 € 180 92,00 € 200 109,00 € 225 123,00 € 250 137,00 € 300 185,00 € 350 205,00 € 400 338,00 € 450 356,00 € 500 381,00 € 600 428,00 €	130 545,00 € 150 605,00 € 160 647,00 € 180 690,00 € 200 767,00 €	080 215,00 € 100 221,00 € 115 225,00 € 130 235,00 € 150 263,00 € 160 282,00 € 180 302,00 € 200 337,00 €	080 138,00 € 100 143,00 € 115 153,00 € 130 158,00 € 150 173,00 € 160 185,00 € 180 205,00 € 200 221,00 €	080 243,00 € 100 244,00 € 115 245,00 € 130 262,00 € 150 291,00 € 160 308,00 € 180 333,00 € 200 353,00 € 225 395,00 € 250 436,00 € 300 524,00 €



System DW-FU



Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Inspection length
for oil or gas, for
horizontal use (up
to 400°C/Nl)


Inspection length
for solid fuels (up
to 600°C/Nl)

Inspection length
with inner and
outer door (up to
600°C/Nl)

Length 1000mm
double female incl.
2 clamping bands

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced



DW2610		DW2940		DW294G0		CHFUDW680		DW29090		DW210		DW220	
080	156,00 €	080	226,00 €	080	242,00 €	080	272,00 €	080	179,00 €	080	51,00 €	080	84,00 €
100	157,00 €	100	227,00 €	100	243,00 €	100	273,00 €	100	180,00 €	100	52,00 €	100	85,00 €
115	158,00 €	115	232,00 €	115	252,00 €	115	285,00 €	115	181,00 €	115	54,00 €	115	85,00 €
130	167,00 €	130	250,00 €	130	262,00 €	130	295,00 €	130	189,00 €	130	57,00 €	130	86,00 €
150	182,00 €	150	265,00 €	150	280,00 €	150	313,00 €	150	218,00 €	150	58,00 €	150	87,00 €
160	194,00 €	160	273,00 €	160	288,00 €	160	320,00 €	160	234,00 €	160	59,00 €	160	87,00 €
180	204,00 €	180	285,00 €	180	299,00 €	180	333,00 €	180	245,00 €	180	61,00 €	180	90,00 €
200	218,00 €	200	291,00 €	200	307,00 €	200	354,00 €	200	274,00 €	200	62,00 €	200	93,00 €
225	239,00 €	225	310,00 €	225	323,00 €	225	376,00 €	225	322,00 €	225	63,00 €	225	98,00 €
250	261,00 €	250	329,00 €	250	341,00 €	250	393,00 €	250	365,00 €	250	67,00 €		
300	322,00 €	300	378,00 €	300	391,00 €	300	439,00 €	300	443,00 €	300	78,00 €		
		350	421,00 €	350	435,00 €	350	506,00 €	350	586,00 €	350	81,00 €		
		400	460,00 €	400	476,00 €	400	522,00 €	400	664,00 €	400	86,00 €		
		450	531,00 €	450	545,00 €	450	590,00 €	450	696,00 €	450	102,00 €		
		500	602,00 €	500	617,00 €	500	663,00 €	500	768,00 €	500	124,00 €		
		600	678,00 €	600	691,00 €	600	734,00 €	600	883,00 €	600	129,00 €		

Wall bracket adjust-
table 50-150mm,
double-braced

Wall bracket adjust-
table 50-250mm,
single-braced






Wall bracket adjust-
table 50-250mm,
double-braced

Wall bracket adjust-
table 250-360mm,
single-braced

Adjustable wall bra-
cket 250-360mm,
double-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, single-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, double-
braced



DW220		DW230		DW230		DW240		DW240		DW200		DW200	
250	101,00 €	080	98,00 €	250	114,00 €	080	131,00 €	250	150,00 €	080	91,00 €	250	120,00 €
300	116,00 €	100	99,00 €	300	130,00 €	100	131,00 €	300	166,00 €	100	93,00 €	300	139,00 €
350	122,00 €	115	99,00 €	350	133,00 €	115	131,00 €	350	169,00 €	115	93,00 €	350	173,00 €
400	138,00 €	130	101,00 €	400	167,00 €	130	135,00 €	400	203,00 €	130	101,00 €	400	273,00 €
450	173,00 €	150	103,00 €	450	215,00 €	150	137,00 €	450	250,00 €	150	101,00 €	450	320,00 €
500	193,00 €	160	103,00 €	500	246,00 €	160	138,00 €	500	280,00 €	160	102,00 €	500	333,00 €
600	258,00 €	180	105,00 €	600	301,00 €	180	139,00 €	600	313,00 €	180	103,00 €	600	361,00 €
		200	109,00 €			200	145,00 €			200	105,00 €		
		225	110,00 €			225	146,00 €			225	109,00 €		

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm





Extension 30x30mm for TW20 l=500mm

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 50-360mm



DW24MGØ		DW86		DW85		DW45Ø		DW46Ø		DW47Ø		DW48Ø	
080	248,00 €		81,00 €		59,00 €	130	92,00 €	130	163,00 €	130	202,00 €	225	259,00 €
100	249,00 €					150	98,00 €	150	181,00 €	150	204,00 €	250	275,00 €
115	250,00 €					160	99,00 €	160	182,00 €	160	205,00 €	300	277,00 €
130	251,00 €					180	99,00 €	180	203,00 €	180	206,00 €	350	284,00 €
150	252,00 €					200	107,00 €	200	205,00 €	200	209,00 €	400	306,00 €
160	253,00 €					225	122,00 €	225	218,00 €	225	221,00 €	450	343,00 €
180	254,00 €					250	126,00 €	250	227,00 €	250	233,00 €	500	354,00 €
200	258,00 €					300	140,00 €	300	230,00 €	300	251,00 €	600	453,00 €
225	260,00 €					350	155,00 €	350	238,00 €	350	252,00 €		
250	262,00 €					400	183,00 €	400	256,00 €	400	269,00 €		
						450	228,00 €	450	284,00 €	450	300,00 €		
						500	248,00 €	500	310,00 €	500	324,00 €		
						600	269,00 €	600	358,00 €	600	370,00 €		

Adjustable wall bracket Design Plus 50-150mm

Adjustable wall bracket Design Plus 50-250mm




Adjustable wall bracket Design Plus 250-360mm

Wall part of DW20 adjustable for wall bracket 250mm and above, single-braced

Wall part of DW20 adjustable for wall bracket 250mm and above, double-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced



DW386Ø		DW387Ø		DW389Ø		DW20-1Ø		DW20-1Ø		DW22-1Ø		DW22-1Ø	
080	84,00 €	080	94,00 €	080	130,00 €	080	57,00 €	250	62,00 €	080	51,00 €	250	53,00 €
100	85,00 €	100	98,00 €	100	131,00 €	100	57,00 €	300	72,00 €	100	51,00 €	300	61,00 €
115	86,00 €	115	99,00 €	115	132,00 €	115	57,00 €	350	87,00 €	115	51,00 €	350	63,00 €
130	87,00 €	130	101,00 €	130	135,00 €	130	57,00 €	400	138,00 €	130	51,00 €	400	72,00 €
150	90,00 €	150	102,00 €	150	137,00 €	150	57,00 €	450	162,00 €	150	51,00 €	450	87,00 €
160	91,00 €	160	103,00 €	160	138,00 €	160	57,00 €	500	169,00 €	160	51,00 €	500	99,00 €
180	92,00 €	180	105,00 €	180	139,00 €	180	57,00 €	600	226,00 €	180	51,00 €	600	131,00 €
200	93,00 €	200	109,00 €	200	145,00 €	200	57,00 €			200	51,00 €		
225	98,00 €	225	111,00 €	225	146,00 €	225	57,00 €			225	51,00 €		
250	101,00 €	250	114,00 €	250	150,00 €								



System DW-FU



Wall part of DW23 for adjustable wall bracket 50-250mm, single-braced



Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Front part of the wall bracket incl. bands

Mat for sound decoupling suitable for DW21



Rgr. ZUAC

DW23-1Ø		DW23-1Ø		DW24-1Ø		DW24-1Ø		DW332Ø		for Ø		
080	51,00 €	250	53,00 €	080	57,00 €	250	62,00 €	080	67,00 €	080-115	ZUAC2242-1	54,00 €
100	51,00 €	300	61,00 €	100	57,00 €	300	72,00 €	100	68,00 €	130	ZUAC2242-2	59,00 €
115	51,00 €	350	63,00 €	115	57,00 €	350	87,00 €	115	72,00 €	150-160	ZUAC2242-3	61,00 €
130	51,00 €	400	72,00 €	130	57,00 €	400	138,00 €	130	74,00 €	180	ZUAC2242-4	62,00 €
150	51,00 €	450	87,00 €	150	57,00 €	450	162,00 €	150	75,00 €	200-225	ZUAC2242-5	67,00 €
160	51,00 €	500	99,00 €	160	57,00 €	500	169,00 €	160	76,00 €	250	ZUAC2242-6	68,00 €
180	51,00 €	600	131,00 €	180	57,00 €	600	226,00 €	180	77,00 €	300-350	ZUAC2242-7	81,00 €
200	51,00 €			200	57,00 €			200	78,00 €	400-450	ZUAC2242-8	84,00 €
225	51,00 €			225	57,00 €			225	91,00 €	500	ZUAC2242-9	86,00 €
								250	98,00 €	600	ZUAC2242-10	91,00 €
								300	109,00 €			
								350	110,00 €			
								400	116,00 €			
								450	130,00 €			
								500	153,00 €			
								600	157,00 €			

Mat for sound decoupling suitable for DW22 and DW23, for Ø080-225mm

Mat for sound decoupling suitable for DW24 and DW20, for Ø080-225mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW389, for Ø080-250mm



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC

ZUAC2243		ZUAC2244		for Ø		ZUAC2246		ZUAC2247		ZUAC2272	
	62,00 €		63,00 €	250	ZUAC2245-2 83,00 €		50,00 €		81,00 €		62,00 €
				300-350	ZUAC2245-3 85,00 €						
				400-450	ZUAC2245-4 127,00 €						
				500	ZUAC2245-5 129,00 €						
				600	ZUAC2245-6 130,00 €						

- *1 When ordering, please specify the desired number of degrees at the opposite angle to the roof pitch. For solid fuels, the maximum offset is 30°. For larger offsets, please contact our technical department.

Mat for sound decoupling suitable for DW386 and DW387, for Ø080-250mm




Fig. ZUAC

Elbow 15°




Elbow 30°




Elbow 42°




Elbow 45°



Elbow 60°




Elbow 87°



ZUAC2273	DW16Ø		DW17Ø		DW2231Ø		DW18Ø		DW84Ø		DW64Ø	
64,00 €	080	92,00 €	080	98,00 €	080	106,00 €	080	106,00 €	080	157,00 €	080	212,00 €
	100	93,00 €	100	100,00 €	100	107,00 €	100	107,00 €	100	158,00 €	100	213,00 €
	115	98,00 €	115	101,00 €	115	109,00 €	115	109,00 €	115	162,00 €	115	215,00 €
	130	100,00 €	130	105,00 €	130	110,00 €	130	110,00 €	130	166,00 €	130	221,00 €
	150	110,00 €	150	115,00 €	150	116,00 €	150	116,00 €	150	172,00 €	150	227,00 €
	160	115,00 €	160	120,00 €	160	122,00 €	160	122,00 €	160	179,00 €	160	239,00 €
	180	122,00 €	180	125,00 €	180	129,00 €	180	129,00 €	180	185,00 €	180	250,00 €
	200	126,00 €	200	131,00 €	200	145,00 €	200	145,00 €	200	215,00 €	200	256,00 €
	225	130,00 €	225	135,00 €	225	157,00 €	225	157,00 €	225	221,00 €	225	277,00 €
	250	132,00 €	250	138,00 €	250	167,00 €	250	167,00 €	250	250,00 €	250	291,00 €
	300	179,00 €	300	200,00 €	300	235,00 €	300	235,00 €	300	295,00 €	300	361,00 €
	350	227,00 €	350	250,00 €	350	282,00 €	350	282,00 €	350	321,00 €	350	448,00 €
	400	307,00 €	400	334,00 €	400	354,00 €	400	354,00 €	400	360,00 €	400	482,00 €
	450	352,00 €	450	387,00 €	450	439,00 €	450	439,00 €	450	448,00 €	450	511,00 €
	500	439,00 €	500	483,00 €	500	522,00 €	500	522,00 €	500	511,00 €	500	691,00 €
	600	505,00 €	600	554,00 €	600	603,00 €	600	603,00 €	600	617,00 €	600	923,00 €

Elbow 90°




Elbow configurable 1°-44°




*1

§ 19 (BIMBAV)


Elbow 87° with inspection door, for oil and gas (up to 400°C/N1)




Elbow 90° with inspection door, for oil and gas (up to 400°C/N1)



Elbow 87° with inspection door for solid fuels



Elbow 90° with inspection door for solid fuels (201-600°C/N1)



Elbow 90° with inspection door and design lid for solid fuels, indoors (up to 600°C/N1)




DW60Ø		DW2801Ø		DW67Ø		DW19Ø		DW67GØ		DW19GØ		DW1228Ø	
080	212,00 €	080	167,00 €	080	307,00 €	080	307,00 €	080	320,00 €	080	320,00 €	080	321,00 €
100	213,00 €	100	169,00 €	100	308,00 €	100	308,00 €	100	321,00 €	100	321,00 €	100	322,00 €
115	215,00 €	115	171,00 €	115	309,00 €	115	309,00 €	115	322,00 €	115	322,00 €	115	323,00 €
130	221,00 €	130	172,00 €	130	314,00 €	130	314,00 €	130	329,00 €	130	329,00 €	130	332,00 €
150	227,00 €	150	179,00 €	150	323,00 €	150	323,00 €	150	338,00 €	150	338,00 €	150	340,00 €
160	239,00 €	160	182,00 €	160	334,00 €	160	334,00 €	160	347,00 €	160	347,00 €	160	351,00 €
180	250,00 €	180	190,00 €	180	341,00 €	180	341,00 €	180	356,00 €	180	356,00 €	180	360,00 €
200	256,00 €	200	205,00 €	200	380,00 €	200	380,00 €	200	393,00 €	200	393,00 €	200	400,00 €
225	277,00 €	225	219,00 €	225	383,00 €	225	383,00 €	225	395,00 €	225	395,00 €	225	402,00 €
250	291,00 €	250	228,00 €	250	388,00 €	250	388,00 €	250	402,00 €	250	402,00 €	250	407,00 €
300	361,00 €	300	357,00 €	300	392,00 €	300	392,00 €	300	405,00 €	300	405,00 €	300	410,00 €
350	448,00 €	350	403,00 €	350	482,00 €	350	482,00 €	350	495,00 €	350	495,00 €	350	506,00 €
400	482,00 €	400	476,00 €	400	578,00 €	400	578,00 €	400	594,00 €	400	594,00 €	400	607,00 €
450	511,00 €	450	561,00 €	450	600,00 €	450	600,00 €	450	615,00 €	450	615,00 €	450	631,00 €
500	691,00 €	500	643,00 €	500	737,00 €	500	737,00 €	500	753,00 €	500	753,00 €	500	776,00 €
600	923,00 €	600	726,00 €	600	991,00 €	600	991,00 €	600	1.005,00 €	600	1.005,00 €	600	1.048,00 €



System DW-FU



End cap Bonnet type „Jet“ incl. end cap Bonnet type „Holland“ with rotatable inspection plate Muzzle closure with louvre hood Rain cap Rain cap with end terminal Rain cap with spark protection grid



Rgr. ZUB



Rgr. ZUB








NEW




DW32Ø	JETØ	DW92HSØ	DW337Ø	DW33Ø	DW1076Ø	DW33AØ
080 81,00 €	130 510,00 €	080 239,00 €	080 302,00 €	080 58,00 €	080 137,00 €	080 122,00 €
100 85,00 €	150 528,00 €	100 239,00 €	100 312,00 €	100 59,00 €	100 139,00 €	100 124,00 €
115 90,00 €	160 552,00 €	115 242,00 €	115 325,00 €	115 63,00 €	115 147,00 €	115 126,00 €
130 92,00 €	180 571,00 €	130 243,00 €	130 329,00 €	130 67,00 €	130 155,00 €	130 129,00 €
150 103,00 €	200 605,00 €	150 245,00 €	150 348,00 €	150 72,00 €	150 170,00 €	150 167,00 €
160 106,00 €	225 680,00 €	160 258,00 €	160 368,00 €	160 74,00 €	160 171,00 €	160 169,00 €
180 107,00 €	250 758,00 €	180 273,00 €	180 388,00 €	180 75,00 €	180 173,00 €	180 171,00 €
200 110,00 €	300 1.002,00 €	200 284,00 €	200 411,00 €	200 86,00 €	200 194,00 €	200 218,00 €
225 116,00 €		225 354,00 €	225 426,00 €	225 92,00 €	225 205,00 €	225 222,00 €
250 130,00 €		250 387,00 €	250 445,00 €	250 105,00 €	250 229,00 €	250 233,00 €
300 155,00 €		300 516,00 €	300 482,00 €	300 120,00 €	300 270,00 €	300 250,00 €
350 181,00 €		350 585,00 €		350 125,00 €	350 305,00 €	350 289,00 €
400 215,00 €		400 640,00 €		400 137,00 €	400 347,00 €	400 300,00 €
450 270,00 €					450 423,00 €	
500 332,00 €					500 500,00 €	
600 500,00 €					600 706,00 €	

Storm collar Storm collar „Special“ Storm collar „Special“ with rear ventilation Storm collar with edge Storm collar with edge and spacers for rear ventilation Flashing kit 5-15° with storm collar Flashing kit 16-25° with storm collar




DW31Ø	DW80Ø	DW80HLØ	DW307Ø	DW2856Ø	DW81Ø	DW82Ø
080 22,00 €	080 120,00 €	080 124,00 €	080 35,00 €	080 40,00 €	080 155,00 €	080 179,00 €
100 24,00 €	100 132,00 €	100 137,00 €	100 38,00 €	100 44,00 €	100 194,00 €	100 213,00 €
115 26,00 €	115 135,00 €	115 139,00 €	115 39,00 €	115 45,00 €	115 196,00 €	115 218,00 €
130 27,00 €	130 140,00 €	130 146,00 €	130 40,00 €	130 46,00 €	130 200,00 €	130 221,00 €
150 29,00 €	150 151,00 €	150 155,00 €	150 42,00 €	150 47,00 €	150 220,00 €	150 244,00 €
160 31,00 €	160 155,00 €	160 158,00 €	160 43,00 €	160 50,00 €	160 229,00 €	160 252,00 €
180 32,00 €	180 159,00 €	180 166,00 €	180 45,00 €	180 52,00 €	180 246,00 €	180 262,00 €
200 35,00 €	200 171,00 €	200 176,00 €	200 47,00 €	200 53,00 €	200 285,00 €	200 295,00 €
225 36,00 €	225 177,00 €	225 182,00 €	225 47,00 €	225 55,00 €	225 312,00 €	225 316,00 €
250 37,00 €	250 183,00 €	250 193,00 €	250 51,00 €	250 57,00 €	250 329,00 €	250 336,00 €
300 43,00 €	300 226,00 €	300 232,00 €	300 67,00 €	300 74,00 €	300 354,00 €	300 363,00 €
350 53,00 €	350 254,00 €	350 262,00 €	350 83,00 €	350 90,00 €	350 448,00 €	350 468,00 €
400 70,00 €	400 308,00 €	400 316,00 €	400 110,00 €	400 116,00 €	400 802,00 €	400 816,00 €
450 75,00 €	450 354,00 €	450 365,00 €	450 116,00 €	450 124,00 €	450 891,00 €	450 903,00 €
500 81,00 €	500 389,00 €	500 402,00 €	500 130,00 €	500 135,00 €	500 1.008,00 €	500 1.059,00 €
600 126,00 €	600 431,00 €	600 443,00 €	600 198,00 €	600 204,00 €	600 1.152,00 €	600 1.180,00 €


Flashing kit 26-35°
with storm collar




Flashing kit 36-45°
with storm collar




Flat flashing conical
with storm collar




Cylindrical flat
flashing with storm
collar




Flashing kit 5-15°
lead base with
storm collar



Flashing kit 16-25°
lead base with
storm collar




Flashing kit 26-35°
lead base with
storm collar, cone
150mm




DW39Ø		DW83Ø		DW52Ø		DW52ØZYØ		DW53Ø		DW59Ø		DW38Ø	
080	205,00 €	080	228,00 €	080	111,00 €	080	111,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	232,00 €	100	254,00 €	100	115,00 €	100	115,00 €	100	212,00 €	100	212,00 €	100	212,00 €
115	242,00 €	115	259,00 €	115	116,00 €	115	116,00 €	115	217,00 €	115	217,00 €	115	217,00 €
130	248,00 €	130	272,00 €	130	118,00 €	130	118,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	265,00 €	150	290,00 €	150	124,00 €	150	124,00 €	150	244,00 €	150	244,00 €	150	244,00 €
160	274,00 €	160	298,00 €	160	130,00 €	160	130,00 €	160	251,00 €	160	251,00 €	160	251,00 €
180	285,00 €	180	308,00 €	180	138,00 €	180	138,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	306,00 €	200	315,00 €	200	170,00 €	200	170,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	324,00 €	225	333,00 €	225	179,00 €	225	179,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	341,00 €	250	352,00 €	250	193,00 €	250	193,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	372,00 €	300	383,00 €	300	235,00 €	300	235,00 €	300	310,00 €	300	310,00 €	300	310,00 €
350	491,00 €	350	511,00 €	350	298,00 €	350	298,00 €	350	322,00 €	350	322,00 €	350	322,00 €
400	828,00 €	400	843,00 €	400	380,00 €	400	380,00 €	400	341,00 €	400	341,00 €	400	341,00 €
450	916,00 €	450	932,00 €	450	438,00 €	450	438,00 €	450	368,00 €	450	368,00 €	450	368,00 €
500	1.108,00 €	500	1.159,00 €	500	510,00 €	500	510,00 €	500	431,00 €	500	431,00 €	500	431,00 €
600	1.208,00 €	600	1.238,00 €	600	615,00 €	600	615,00 €	600	491,00 €	600	491,00 €	600	491,00 €

DW-FU

Flashing kit 36-45°
lead base with
storm collar




Flashing kit 5-15°
lead base with
storm collar, cone
150mm




§ 19
(BauGefV)

Flashing kit 16-25°
lead base with
storm collar, cone
150mm




§ 19
(BauGefV)

Flashing kit 26-35°
lead base with
storm collar, cone
150mm




§ 19
(BauGefV)

Flashing kit 36-45°
lead base with
storm collar, cone
150mm




§ 19
(BauGefV)

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DW54Ø		DW2935Ø		DW2937Ø		DW2934Ø		DW2936Ø		DW2556-1Ø		DW2556-2Ø	
080	197,00 €	080	192,00 €	080	192,00 €	080	192,00 €	080	193,00 €	080	197,00 €	080	197,00 €
100	212,00 €	100	202,00 €	100	204,00 €	100	204,00 €	100	205,00 €	100	212,00 €	100	212,00 €
115	217,00 €	115	206,00 €	115	209,00 €	115	212,00 €	115	215,00 €	115	217,00 €	115	217,00 €
130	224,00 €	130	216,00 €	130	216,00 €	130	215,00 €	130	218,00 €	130	224,00 €	130	224,00 €
150	244,00 €	150	235,00 €	150	234,00 €	150	234,00 €	150	235,00 €	150	244,00 €	150	244,00 €
160	251,00 €	160	242,00 €	160	242,00 €	160	236,00 €	160	242,00 €	160	251,00 €	160	251,00 €
180	260,00 €	180	251,00 €	180	250,00 €	180	250,00 €	180	251,00 €	180	260,00 €	180	260,00 €
200	268,00 €	200	258,00 €	200	255,00 €	200	256,00 €	200	258,00 €	200	268,00 €	200	268,00 €
225	295,00 €	225	279,00 €	225	286,00 €	225	271,00 €	225	284,00 €	225	295,00 €	225	295,00 €
250	301,00 €	250	288,00 €	250	292,00 €	250	287,00 €	250	289,00 €	250	301,00 €	250	301,00 €
300	310,00 €									300	310,00 €	300	310,00 €
350	322,00 €												
400	341,00 €												
450	368,00 €												
500	431,00 €												
600	491,00 €												



Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar








Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar



DW2556-3Ø	DW2558-1Ø	DW2558-2Ø	DW2558-3Ø	DW2557-1Ø	DW2557-2Ø	DW2557-3Ø
080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar




Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)

Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre ce-
ment corrugated roof,
outer Ø 150-300mm
(up to 400°C)

Ceiling plate 0°
one-piece

Ceiling plate 1-65°
one-piece



DW2551-1Ø	DW2551-2Ø	DW2551-3Ø	ZUAC2700	ZUAC2701	DW70Ø	DW71Ø
080 197,00 €	080 197,00 €	080 197,00 €	259,00 €	259,00 €	080 66,00 €	080 72,00 €
100 212,00 €	100 212,00 €	100 212,00 €			100 72,00 €	100 77,00 €
115 217,00 €	115 217,00 €	115 217,00 €			115 74,00 €	115 78,00 €
130 224,00 €	130 224,00 €	130 224,00 €			130 75,00 €	130 81,00 €
150 244,00 €	150 244,00 €	150 244,00 €			150 77,00 €	150 85,00 €
160 251,00 €	160 251,00 €	160 251,00 €			160 78,00 €	160 86,00 €
180 260,00 €	180 260,00 €	180 260,00 €			180 81,00 €	180 87,00 €
200 268,00 €	200 268,00 €	200 268,00 €			200 85,00 €	200 93,00 €
225 295,00 €	225 295,00 €	225 295,00 €			225 98,00 €	225 106,00 €
250 301,00 €	250 301,00 €	250 301,00 €			250 107,00 €	250 116,00 €
300 310,00 €	300 310,00 €	300 310,00 €			300 124,00 €	300 137,00 €
					350 150,00 €	350 165,00 €
					400 156,00 €	400 172,00 €
					450 167,00 €	450 185,00 €
					500 179,00 €	500 200,00 €
					600 203,00 €	600 225,00 €

- *1 For wall/ceiling panels, please state the number in °.

Ceiling plate 0°, two-piece



Ceiling plate 1-65° two-piece



*1

Ventilated ceiling plate, 0°, one-piece



Ventilated ceiling plate, 1-65°, one-piece



Ventilated split ceiling plate 0°, two-piece




*1

Ventilated split ceiling plate 1-65°, two-piece




*1

Ceiling plate with seal to stop steam 0-20° (up to 450°C/N1)




DW74Ø		DW75Ø		DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW1702Ø	
080	72,00 €	080	79,00 €	080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	98,00 €
100	78,00 €	100	87,00 €	100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	102,00 €
115	81,00 €	115	91,00 €	115	111,00 €	115	118,00 €	115	120,00 €	115	127,00 €	115	106,00 €
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	111,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	137,00 €
160	100,00 €	160	110,00 €	160	118,00 €	160	125,00 €	160	137,00 €	160	149,00 €	160	139,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	149,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	157,00 €
225	116,00 €	225	129,00 €	225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	169,00 €
250	120,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	206,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	232,00 €
350	158,00 €	350	174,00 €	350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €		
400	166,00 €	400	183,00 €	400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €		
450	181,00 €	450	202,00 €	450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €		
500	202,00 €	500	222,00 €	500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €		
600	212,00 €	600	232,00 €	600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €		

Ceiling plate with seal to stop steam 21-40° (up to 450°C/N1)



Ceiling plate with seal to stop steam 41-55° (up to 450°C/N1)



Ceiling plate 0-30° two-piece



Ceiling plate 31-45° two-piece



Ventilated split ceiling plate 0-30°, two-piece



Ventilated split ceiling plate 31-45°, two-piece



Airtight sealing collars 0°-30° for chimneys up to T400



DW1703Ø		DW1704Ø		DW99VØ		DW98VØ		DW99VHLØ		DW98VHLØ		ZUTE2195Ø	
080	118,00 €	080	137,00 €	080	58,00 €	080	72,00 €	080	94,00 €	080	110,00 €	180-195	84,00 €
100	125,00 €	100	146,00 €	100	66,00 €	100	77,00 €	100	103,00 €	100	115,00 €	200-225	92,00 €
115	130,00 €	115	153,00 €	115	67,00 €	115	78,00 €	115	105,00 €	115	116,00 €	230-245	99,00 €
130	137,00 €	130	157,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	250-270	105,00 €
150	166,00 €	150	179,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €		
160	170,00 €	160	183,00 €	160	74,00 €	160	86,00 €	160	111,00 €	160	125,00 €		
180	179,00 €	180	195,00 €	180	75,00 €	180	87,00 €	180	113,00 €	180	126,00 €		
200	189,00 €	200	203,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €		
225	201,00 €	225	215,00 €	225	92,00 €	225	106,00 €	225	130,00 €	225	145,00 €		
250	244,00 €	250	265,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €		
300	264,00 €	300	295,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €		
				350	153,00 €	350	165,00 €	350	191,00 €	350	202,00 €		
				400	159,00 €	400	172,00 €	400	198,00 €	400	210,00 €		
				450	172,00 €	450	185,00 €	450	210,00 €	450	224,00 €		
				500	185,00 €	500	200,00 €	500	224,00 €	500	238,00 €		
				600	213,00 €	600	225,00 €	600	251,00 €	600	262,00 €		

Airtight sealing collars 30°-45° for chimneys up to T400

Adaptor EW male/DW-FU





Adaptor EW-FU with female socket/DW-FU

Adaptor DW-FU/EW male

Adaptor DW-FU/EW-FU with female socket

Adaptor EW-FU/DW-FU with integrated wall sleeve straight for FERRO


Adaptor FERRO-LUX/DW-FU




ZUTE2232Ø	DW37Ø	DW37MØ	DW37AØ	DW37AMØ	DW37GWFØ	DW37FØ
200-225 111,00 €	080 53,00 €	080 61,00 €	080 53,00 €	080 61,00 €	080 103,00 €	080 61,00 €
230-245 125,00 €	100 54,00 €	100 62,00 €	100 54,00 €	100 62,00 €	100 105,00 €	100 62,00 €
250-270 135,00 €	115 57,00 €	115 63,00 €	115 57,00 €	115 63,00 €	115 106,00 €	115 63,00 €
	130 58,00 €	130 64,00 €	130 58,00 €	130 64,00 €	130 109,00 €	130 64,00 €
	150 59,00 €	150 66,00 €	150 59,00 €	150 66,00 €	150 111,00 €	150 66,00 €
	160 61,00 €	160 67,00 €	160 61,00 €	160 67,00 €	160 114,00 €	160 67,00 €
	180 62,00 €	180 68,00 €	180 62,00 €	180 68,00 €	180 120,00 €	180 68,00 €
	200 63,00 €	200 69,00 €	200 63,00 €	200 69,00 €	200 130,00 €	200 69,00 €
	225 67,00 €	225 72,00 €	225 67,00 €	225 72,00 €	225 137,00 €	225 72,00 €
	250 69,00 €	250 74,00 €	250 69,00 €	250 74,00 €	250 145,00 €	250 74,00 €
	300 74,00 €	300 79,00 €	300 74,00 €	300 79,00 €		
	350 81,00 €	350 87,00 €	350 81,00 €	350 87,00 €		
	400 102,00 €	400 107,00 €	400 102,00 €	400 107,00 €		
	450 120,00 €	450 125,00 €	450 120,00 €	450 125,00 €		
	500 130,00 €	500 137,00 €	500 130,00 €	500 137,00 €		
	600 173,00 €	600 179,00 €	600 173,00 €	600 179,00 €		

Connection piece with integrated wall sleeve

Connection piece with integrated FERRO-wall sleeve



Rgr. EW



ZUWA757Ø-Ø				ZUWA757FØ-Ø			
A 100 90,00 €	A 150 99,00 €	A 200 111,00 €	A 100 98,00 €	A 150 102,00 €	A 180 107,00 €	A 200 123,00 €	
B 080	B 110	B 130	B 080	B 100	B 080	B 160	
A 120 92,00 €	A 150 100,00 €	A 200 113,00 €	A 115 98,00 €	A 150 103,00 €	A 180 108,00 €	A 200 124,00 €	
B 080	B 120	B 150	B 080	B 110	B 100	B 180	
A 120 92,00 €	A 150 103,00 €	A 200 115,00 €	A 115 99,00 €	A 150 103,00 €	A 180 115,00 €	A 250 130,00 €	
B 100	B 130	B 160	B 100	B 115	B 120	B 200	
A 130 93,00 €	A 160 105,00 €	A 200 116,00 €	A 120 99,00 €	A 150 107,00 €	A 180 114,00 €		
B 080	B 120	B 180	B 080	B 120	B 130		
A 130 93,00 €	A 180 109,00 €	A 225 122,00 €	A 120 99,00 €	A 150 110,00 €	A 180 115,00 €		
B 100	B 120	B 200	B 100	B 130	B 150		
A 130 98,00 €	A 180 107,00 €	A 250 124,00 €	A 130 100,00 €	A 160 103,00 €	A 180 116,00 €		
B 110	B 130	B 200	B 080	B 080	B 160		
A 140 98,00 €	A 180 109,00 €		A 130 100,00 €	A 160 107,00 €	A 200 115,00 €		
B 110	B 150		B 100	B 100	B 100		
A 150 94,00 €	A 180 110,00 €		A 140 103,00 €	A 160 111,00 €	A 200 115,00 €		
B 080	B 160		B 120	B 120	B 120		
A 150 98,00 €	A 200 109,00 €		A 150 101,00 €	A 160 113,00 €	A 200 118,00 €		
B 100	B 120		B 080	B 130	B 150		

- *1 Deflector hoods for higher requirements available on request.

Isotherm tape
40mm, price per
metre



€
NET

Closing cap plastic
for drain 1/2" (up to
200°C)




€
NET

Adjustable rafter
bracket 500-
900mm



Light rafter bracket



Support 800-
1200mm



Support with joint
800-1200mm, sing-
le-braced




Support with joint
800-1200mm, dou-
ble-braced



750ISO40	750ADK1/2	DW55Ø		DW55LØ		DW40Ø		DW40MGØ		DW40MGØ	
5,00 €	5,00 €	080	158,00 €	080	84,00 €	080	105,00 €	080	219,00 €	250	230,00 €
		100	165,00 €	100	85,00 €	100	106,00 €	100	220,00 €	300	249,00 €
		115	166,00 €	115	86,00 €	115	107,00 €	115	221,00 €	350	253,00 €
		130	169,00 €	130	87,00 €	130	109,00 €	130	222,00 €	400	256,00 €
		150	172,00 €	150	90,00 €	150	110,00 €	150	224,00 €	450	269,00 €
		160	194,00 €	160	91,00 €	160	111,00 €	160	225,00 €	500	288,00 €
		180	200,00 €	180	109,00 €	180	113,00 €	180	226,00 €	600	295,00 €
		200	217,00 €	200	111,00 €	200	114,00 €	200	228,00 €		
		225	246,00 €	225	113,00 €	225	115,00 €	225	229,00 €		
		250	251,00 €	250	116,00 €	250	116,00 €				
		300	256,00 €	300	118,00 €	300	132,00 €				
		350	329,00 €	350	122,00 €	350	138,00 €				
		400	354,00 €	400	133,00 €	400	142,00 €				
		450	397,00 €			450	154,00 €				
		500	440,00 €			500	172,00 €				
		600	528,00 €			600	179,00 €				

3-point guy wire
bracket



Mounting set for
3-point guy wire
bracket (galvani-
sed)



Rgr.
KEEW

Anchor cable (gal-
vanised)



Rgr.
KEEW

Deflector hood with
drain incl. end cap
(up to 250°C, max.
exhaust gas speed
15 m/s)



*1

Stopcock, 1/2"
threaded outside
(1/2" female socket
FU126 not included)



Rgr.
EW

Ceiling suspension
for M8 threaded
rods



Rgr.
EW

DW42Ø	KEEW237	KEEW242	DW34Ø	FU47	DW61Ø	VL314
080 39,00 €	58,00 €	14,00 €	080 482,00 €	32,00 €	080 62,00 €	20,00 €
100 40,00 €			100 484,00 €		100 67,00 €	
115 40,00 €			115 496,00 €		115 68,00 €	
130 42,00 €			130 510,00 €		130 69,00 €	
150 42,00 €			150 544,00 €		150 70,00 €	
160 42,00 €			160 563,00 €		160 72,00 €	
180 43,00 €			180 586,00 €		180 74,00 €	
200 44,00 €			200 629,00 €		200 75,00 €	
225 45,00 €			225 669,00 €		225 76,00 €	
250 46,00 €			250 702,00 €		250 77,00 €	
300 61,00 €			300 933,00 €		300 84,00 €	
350 72,00 €			350 1.037,00 €		350 98,00 €	
400 75,00 €			400 1.161,00 €		400 110,00 €	
450 78,00 €			450 1.305,00 €		450 130,00 €	
500 86,00 €			500 1.760,00 €		500 165,00 €	
600 100,00 €			600 2.551,00 €		600 202,00 €	



System DW-FU



Ceiling suspension
for perforated sheet
metal

2-piece wall bracket
for M10 threaded
rod


Threaded rod M10,
stainless steel
l=1000mm

Two-piece mount-
ing clamp for 1/2"
pipe

Lightning protec-
tion clamp

Closing lid with
handle for DW11

Removable soot
collector with con-
densate drain



DW62Ø		614-ZUWA1379Ø		VL316	614-ZUWA1711Ø		DW69Ø		DW43Ø		DW44Ø	
080	58,00 €	145	48,00 €	22,00 €	145	53,00 €	080	39,00 €	080	77,00 €	080	105,00 €
100	62,00 €	165	51,00 €		165	58,00 €	100	40,00 €	100	78,00 €	100	106,00 €
115	63,00 €	180	62,00 €		180	71,00 €	115	42,00 €	115	79,00 €	115	109,00 €
130	64,00 €	195	68,00 €		195	79,00 €	130	43,00 €	130	81,00 €	130	114,00 €
150	66,00 €	215	75,00 €		215	86,00 €	150	44,00 €	150	83,00 €	150	120,00 €
160	67,00 €	225	81,00 €		225	93,00 €	160	45,00 €	160	85,00 €	160	123,00 €
180	68,00 €	245	87,00 €		245	101,00 €	180	46,00 €	180	91,00 €	180	129,00 €
200	69,00 €	265	93,00 €		265	110,00 €	200	47,00 €	200	101,00 €	200	137,00 €
225	70,00 €	290	96,00 €		290	110,00 €	225	51,00 €	225	110,00 €	225	151,00 €
250	72,00 €	315	106,00 €		315	122,00 €	250	52,00 €	250	116,00 €	250	165,00 €
300	81,00 €	365	113,00 €		365	132,00 €	300	61,00 €	300	139,00 €	300	203,00 €
350	90,00 €	415	130,00 €		415	149,00 €	350	72,00 €	350	147,00 €	350	228,00 €
400	102,00 €	465	141,00 €		465	165,00 €	400	75,00 €	400	163,00 €	400	269,00 €
450	115,00 €	515	155,00 €		515	177,00 €	450	78,00 €	450	173,00 €	450	312,00 €
500	140,00 €	565	171,00 €		565	196,00 €	500	86,00 €	500	193,00 €	500	360,00 €
600	181,00 €	665	198,00 €		665	212,00 €	600	100,00 €	600	205,00 €	600	441,00 €

Length 250mm
with test point, 1/2"
female socket and
screw

Drain length
250mm for horizon-
tal and vertical
installation, 1/2"
threaded nipple

Adjustable length
for connection line
320-460mm (up to
600°C/NI)

Locking band (spa-
re part)

Locking band static
h=400mm

Folding clamp for
2-point guy wire
bracket

Roof hook for
mounting guy wire
brackets, 2 pieces



DW51Ø		DW1494Ø		DW50Ø		DW41Ø		DW3041S-2Ø		ZUDA1069	ZUDA1070
080	116,00 €	080	210,00 €	080	166,00 €	080	20,00 €	130	79,00 €	35,00 €	34,00 €
100	118,00 €	100	220,00 €	100	172,00 €	100	21,00 €	150	83,00 €		
115	120,00 €	115	227,00 €	115	179,00 €	115	22,00 €	160	87,00 €		
130	129,00 €	130	244,00 €	130	185,00 €	130	23,00 €	180	98,00 €		
150	132,00 €	150	254,00 €	150	217,00 €	150	26,00 €	200	107,00 €		
160	139,00 €	160	265,00 €	160	232,00 €	160	27,00 €				
180	151,00 €	180	285,00 €	180	252,00 €	180	28,00 €				
200	158,00 €	200	302,00 €	200	291,00 €	200	31,00 €				
225	179,00 €	225	333,00 €	225	339,00 €	225	32,00 €				
250	200,00 €	250	361,00 €	250	384,00 €	250	34,00 €				
300	252,00 €	300	436,00 €	300	530,00 €	300	35,00 €				
350	308,00 €	350	512,00 €	350	666,00 €	350	36,00 €				
400	419,00 €	400	643,00 €	400	1.033,00 €	400	37,00 €				
450	460,00 €	450	706,00 €	450	1.102,00 €	450	38,00 €				
500	472,00 €	500	735,00 €	500	1.166,00 €	500	39,00 €				
600	538,00 €	600	845,00 €	600	1.319,00 €	600	43,00 €				


- ^{*1} Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.
- ^{*2} When ordering, please specify the system diameter and distance from the wall!

Roof hook for mounting wall brackets on pitched roofs




§ 19
BIM-SCHÜTZE

Roof hook for mounting wall brackets on pitched roofs (adjustable)



§ 19
BIM-SCHÜTZE

2-point guy wire bracket



§ 19
BIM-SCHÜTZE

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/ Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
BIM-SCHÜTZE

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/ Ø42.4x2mm (for all wind load zones)



§ 19
BIM-SCHÜTZE

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/ Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
BIM-SCHÜTZE


Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/ Ø42.4x2mm (for all wind load zones)



§ 19
BIM-SCHÜTZE

DW2800Ø		DW2877Ø		DW1057Ø		ZUDA904-2000	ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000
080	103,00 €	080	274,00 €	080	39,00 €	198,00 €	313,00 €	227,00 €	358,00 €
100	103,00 €	100	275,00 €	100	40,00 €				
115	105,00 €	115	277,00 €	115	40,00 €				
130	110,00 €	130	282,00 €	130	42,00 €				
150	111,00 €	150	284,00 €	150	42,00 €				
160	111,00 €	160	285,00 €	160	42,00 €				
180	114,00 €	180	286,00 €	180	43,00 €				
200	122,00 €	200	295,00 €	200	44,00 €				
				225	44,00 €				
				250	45,00 €				
				300	61,00 €				
				350	72,00 €				
				400	75,00 €				

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)



§ 19
BIM-SCHÜTZE

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)



§ 19
BIM-SCHÜTZE

Stainless steel cantilever with sliding static wall bracket

^{*2}

§ 19
BIM-SCHÜTZE



ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
313,00 €	487,00 €	080 774,00 €
		100 776,00 €
		115 778,00 €
		130 781,00 €
		150 784,00 €