



DESCRIPTION

Double wall, pressure-tight stainless steel exhaust system with gaskets in the outer casing, which allow stress-free thermal expansion of the inner tube hence no compensators needed.

MATERIAL

Inside: 1.4404 (316L)

Outside: 1.4301 (304)

FINISHING

Highly polished

Optional: matt

WALL THICKNESS

Inside: 0.5 mm

Outside: 0.6 mm

INSIDE DIAMETER

100 - 600 mm

INSULATION

Mineral insulation 32.5 mm thick

Optional: DW-POWER 57 = 57.5 mm insulation

CONNECTION

Push-fit connection (outer pipe)

LOCKING BAND

Included

ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: DWPWR05250)



CHARACTERISTICS

- Easy to install and disassemble
- For high temperatures up to 600°C
- Pressure-tight up to 5000 Pa
- Saltwater-resistant components (available for an additional charge)
- Gaskets in the outer casing
- Stress-free thermal expansion of the inner tube possible
- Not suitable for condensing operation
- Not suitable for condensing operation (e.g. CHP)

APPLICATION AREAS

- Gas and diesel generators (without heat exchanger)
- Emergency generators / emergency power systems
- Industrial processes

CE MARK NUMBER

0036 CPR 9174 139

CE CLASSIFICATION - DIN EN 1856-1

T600 - H1 - D - V2 - L50050 - Oxx

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CE MARK NUMBER

0036 CPR 9174 166

CE CLASSIFICATION - DIN EN 1856-2

T600 - H1 - D - V2 - L50050 - O100M



System DW-POWER 32



Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



*1



DW391	DW392	DW393	DW407	DWPWR1144Ø	DWPWR03Ø	DWPWR04Ø
122,00 €	137,00 €	167,00 €	274,00 €	100 123,00 €	100 203,00 €	100 278,00 €
				130 133,00 €	130 210,00 €	130 285,00 €
				150 133,00 €	150 215,00 €	150 286,00 €
				180 136,00 €	180 242,00 €	180 305,00 €
				200 137,00 €	200 259,00 €	200 311,00 €
				250 166,00 €	250 261,00 €	250 313,00 €
				300 183,00 €	300 397,00 €	300 420,00 €
				350 211,00 €	350 400,00 €	350 432,00 €
				400 249,00 €	400 409,00 €	400 440,00 €
				450 293,00 €	450 427,00 €	450 504,00 €
				500 339,00 €	500 436,00 €	500 569,00 €
				600 339,00 €	600 517,00 €	600 709,00 €

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-POWER 32

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Gesamtlänge
der Wandstütze
750 mm

Total length of
the wall support
750 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 115 mm)
= max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
		180	240	180	490	180	770
		200	220	200	470	200	750
		250	170	250	420	250	700
				300	370	300	650
				350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Not suitable for use in the maritime sector

Base plate with 1/2
„ threaded nipple
and condensate
drain at the bottom

Base plate for inter-
mediate support




Base plate with
plug-in ring for bra-
cket with support

Inspection length
with round opening
(up to 600°C/ NI)

T-90°

T-45°

Length 1000mm



DWPWR05Ø		DWPWR07Ø		DWPWR2803Ø		DWPWR10HTDØ		DWPWR317Ø		DWPWR12Ø		DWPWR13Ø	
100	82,00 €	100	88,00 €	100	64,00 €	100	485,00 €	100	201,00 €	100	304,00 €	100	143,00 €
130	88,00 €	130	100,00 €	130	67,00 €	130	493,00 €	130	210,00 €	130	324,00 €	130	155,00 €
150	92,00 €	150	112,00 €	150	68,00 €	150	543,00 €	150	246,00 €	150	348,00 €	150	175,00 €
180	107,00 €	180	131,00 €	180	69,00 €	180	605,00 €	180	268,00 €	180	375,00 €	180	197,00 €
200	112,00 €	200	136,00 €	200	70,00 €	200	621,00 €	200	329,00 €	200	493,00 €	200	220,00 €
250	123,00 €	250	175,00 €	250	74,00 €	250	707,00 €	250	416,00 €	250	609,00 €	250	290,00 €
300	133,00 €	300	187,00 €	300	79,00 €	300	733,00 €	300	499,00 €	300	696,00 €	300	357,00 €
350	215,00 €	350	209,00 €	350	83,00 €	350	775,00 €	350	536,00 €	350	756,00 €	350	470,00 €
400	268,00 €	400	308,00 €	400	108,00 €	400	964,00 €	400	702,00 €	400	1.054,00 €	400	532,00 €
450	316,00 €	450	358,00 €	450	137,00 €	450	1.019,00 €	450	759,00 €	450	1.106,00 €	450	577,00 €
500	378,00 €	500	402,00 €	500	138,00 €	500	1.059,00 €	500	832,00 €	500	1.255,00 €	500	616,00 €
600	457,00 €	600	464,00 €	600	150,00 €	600	1.175,00 €	600	920,00 €	600	1.395,00 €	600	705,00 €

DW-POWER 32

Length 500mm

Length 250mm


Length 1000mm
shortable

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Wall bracket adjus-
table 50-150mm,
double-braced

Wall bracket adjus-
table 50-250mm,
single-braced



DWPWR14Ø		DWPWR15Ø		DWPWR2946Ø		DW21Ø		DW22Ø		DW22Ø		DW23Ø	
100	80,00 €	100	59,00 €	100	143,00 €	100	52,00 €	100	85,00 €	200	93,00 €	100	99,00 €
130	88,00 €	130	63,00 €	130	155,00 €	130	57,00 €	130	86,00 €	250	101,00 €	130	101,00 €
150	100,00 €	150	71,00 €	150	175,00 €	150	58,00 €	150	87,00 €	300	116,00 €	150	103,00 €
180	116,00 €	180	79,00 €	180	197,00 €	180	61,00 €	180	90,00 €	350	122,00 €	180	105,00 €
200	123,00 €	200	92,00 €	200	220,00 €	200	62,00 €			400	138,00 €		
250	157,00 €	250	116,00 €	250	290,00 €	250	67,00 €			450	173,00 €		
300	202,00 €	300	158,00 €	300	357,00 €	300	78,00 €			500	193,00 €		
350	254,00 €	350	174,00 €	350	470,00 €	350	81,00 €			600	258,00 €		
400	353,00 €	400	284,00 €	400	532,00 €	400	86,00 €						
450	380,00 €	450	306,00 €	450	578,00 €	450	102,00 €						
500	401,00 €	500	321,00 €	500	616,00 €	500	124,00 €						
600	457,00 €	600	361,00 €	600	705,00 €	600	129,00 €						



System DW-POWER 32



Wall bracket adjustable 50-250mm, double-braced

Wall bracket adjustable 250-360mm, single-braced

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm, single-braced

Wall and head piece for wall bracket, wall distance min 250mm, double-braced

Extension 30x30mm for DW20 l=500mm

Extension 30x30mm for DW20 l=1000mm

						
DW23Ø	DW24Ø	DW24Ø	DW20Ø	DW20Ø	DW85	DW86
200 109,00 €	100 131,00 €	200 145,00 €	100 93,00 €	200 105,00 €	59,00 €	81,00 €
250 114,00 €	130 135,00 €	250 150,00 €	130 101,00 €	250 120,00 €		
300 130,00 €	150 137,00 €	300 166,00 €	150 101,00 €	300 139,00 €		
350 133,00 €	180 139,00 €	350 169,00 €	180 103,00 €	350 173,00 €		
400 167,00 €		400 203,00 €		400 273,00 €		
450 215,00 €		450 250,00 €		450 320,00 €		
500 246,00 €		500 280,00 €		500 333,00 €		
600 301,00 €		600 313,00 €		600 361,00 €		

Wall bracket static, 50mm





Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 250-360mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece


					
DW45Ø	DW46Ø	DW47Ø	DW48Ø	for Ø	ZUAC2246
100 87,00 €	100 163,00 €	100 196,00 €	100 205,00 €	250 ZUAC2245-2 83,00 €	50,00 €
130 92,00 €	130 163,00 €	130 202,00 €	130 222,00 €	300-350 ZUAC2245-3 85,00 €	
150 98,00 €	150 181,00 €	150 204,00 €	150 224,00 €	400-450 ZUAC2245-4 127,00 €	
180 99,00 €	180 203,00 €	180 206,00 €	180 233,00 €	500 ZUAC2245-5 129,00 €	
200 107,00 €	200 205,00 €	200 209,00 €	200 250,00 €	600 ZUAC2245-6 130,00 €	
250 126,00 €	250 227,00 €	250 233,00 €	250 275,00 €		
300 140,00 €	300 230,00 €	300 251,00 €	300 277,00 €		
350 155,00 €	350 238,00 €	350 252,00 €	350 284,00 €		
400 183,00 €	400 256,00 €	400 269,00 €	400 306,00 €		
450 228,00 €	450 284,00 €	450 300,00 €	450 343,00 €		
500 248,00 €	500 310,00 €	500 324,00 €	500 354,00 €		
600 269,00 €	600 358,00 €	600 370,00 €	600 453,00 €		

- ^{*1} Not suitable for use in the maritime sector

Mat for sound de-coupling suitable for DW45 DW46, DW47 and DW48, 1 piece



Elbow 15°




Elbow 30°




Elbow 45°




Elbow 90°



Elbow 87° with support



Elbow 90° with support



ZUAC2247	DWPWR160		DWPWR170		DWPWR180		DWPWR600		DWPWR570		DWPWR19930	
81,00 €	100	80,00 €	100	84,00 €	100	90,00 €	100	179,00 €	100	216,00 €	100	216,00 €
	130	84,00 €	130	88,00 €	130	94,00 €	130	185,00 €	130	228,00 €	130	228,00 €
	150	93,00 €	150	98,00 €	150	99,00 €	150	191,00 €	150	265,00 €	150	265,00 €
	180	102,00 €	180	104,00 €	180	105,00 €	180	211,00 €	180	286,00 €	180	286,00 €
	200	106,00 €	200	111,00 €	200	123,00 €	200	216,00 €	200	358,00 €	200	358,00 €
	250	112,00 €	250	117,00 €	250	141,00 €	250	246,00 €	250	454,00 €	250	454,00 €
	300	152,00 €	300	167,00 €	300	200,00 €	300	306,00 €	300	545,00 €	300	545,00 €
	350	191,00 €	350	211,00 €	350	239,00 €	350	378,00 €	350	605,00 €	350	605,00 €
	400	257,00 €	400	282,00 €	400	299,00 €	400	404,00 €	400	691,00 €	400	691,00 €
	450	307,00 €	450	338,00 €	450	362,00 €	450	485,00 €	450	774,00 €	450	774,00 €
	500	368,00 €	500	406,00 €	500	438,00 €	500	581,00 €	500	864,00 €	500	864,00 €
	600	423,00 €	600	468,00 €	600	508,00 €	600	775,00 €	600	1.038,00 €	600	1.037,00 €

DW-POWER 32


Coupling elbow 90° with inspection, suitable for DWPWR07



Elbow 90° with inspection door (251-600°/H1)



End cap




End cap with deflector hood and inspection door (up to 600°C/H1)




Storm collar



Storm collar with edge



Storm collar „Special“



DWPWR63HTDØ		DWPWR19HTDØ		DWPWR32Ø		DWPWR34Ø		DW31Ø		DW307Ø		DW80Ø	
100	461,00 €	100	398,00 €	100	72,00 €	100	406,00 €	100	24,00 €	100	38,00 €	100	132,00 €
130	472,00 €	130	405,00 €	130	79,00 €	130	430,00 €	130	27,00 €	130	40,00 €	130	140,00 €
150	512,00 €	150	440,00 €	150	87,00 €	150	458,00 €	150	29,00 €	150	42,00 €	150	151,00 €
180	570,00 €	180	493,00 €	180	88,00 €	180	493,00 €	180	32,00 €	180	45,00 €	180	159,00 €
200	612,00 €	200	525,00 €	200	93,00 €	200	531,00 €	200	35,00 €	200	47,00 €	200	171,00 €
250	697,00 €	250	610,00 €	250	110,00 €	250	590,00 €	250	37,00 €	250	51,00 €	250	183,00 €
300	800,00 €	300	716,00 €	300	131,00 €	300	784,00 €	300	43,00 €	300	67,00 €	300	226,00 €
350	915,00 €	350	823,00 €	350	156,00 €	350	870,00 €	350	53,00 €	350	83,00 €	350	254,00 €
400	1.135,00 €	400	1.045,00 €	400	182,00 €	400	978,00 €	400	70,00 €	400	110,00 €	400	308,00 €
450	1.249,00 €	450	1.147,00 €	450	228,00 €	450	1.193,00 €	450	75,00 €	450	116,00 €	450	354,00 €
500	1.378,00 €	500	1.218,00 €	500	278,00 €	500	1.480,00 €	500	81,00 €	500	130,00 €	500	389,00 €
600	1.528,00 €	600	1.427,00 €	600	422,00 €	600	2.144,00 €	600	126,00 €	600	198,00 €	600	431,00 €



System DW-POWER 32



Storm collar
„Special“ with rear
ventilation

Flashing kit 5-15°
with storm collar


Flashing kit 16-25°
with storm collar

Flashing kit 26-35°
with storm collar


Flashing kit 36-45°
with storm collar

Flat flashing conical
with storm collar


Cylindrical flat
flashing with storm
collar




Rgr.
DW




Rgr.
DW




Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW

DW80HLØ		DW81Ø		DW82Ø		DW39Ø		DW83Ø		DW52Ø		DW52ØZY	
100	137,00 €	100	194,00 €	100	213,00 €	100	232,00 €	100	254,00 €	100	115,00 €	100	115,00 €
130	146,00 €	130	200,00 €	130	221,00 €	130	248,00 €	130	272,00 €	130	118,00 €	130	118,00 €
150	155,00 €	150	220,00 €	150	244,00 €	150	265,00 €	150	290,00 €	150	124,00 €	150	124,00 €
180	166,00 €	180	246,00 €	180	262,00 €	180	285,00 €	180	308,00 €	180	138,00 €	180	138,00 €
200	176,00 €	200	285,00 €	200	295,00 €	200	306,00 €	200	315,00 €	200	170,00 €	200	170,00 €
250	193,00 €	250	329,00 €	250	336,00 €	250	341,00 €	250	352,00 €	250	193,00 €	250	193,00 €
300	232,00 €	300	354,00 €	300	363,00 €	300	372,00 €	300	383,00 €	300	235,00 €	300	235,00 €
350	262,00 €	350	448,00 €	350	468,00 €	350	491,00 €	350	511,00 €	350	298,00 €	350	298,00 €
400	316,00 €	400	802,00 €	400	816,00 €	400	828,00 €	400	843,00 €	400	380,00 €	400	380,00 €
450	365,00 €	450	891,00 €	450	903,00 €	450	916,00 €	450	932,00 €	450	438,00 €	450	438,00 €
500	402,00 €	500	1.008,00 €	500	1.059,00 €	500	1.108,00 €	500	1.159,00 €	500	510,00 €	500	510,00 €
600	443,00 €	600	1.152,00 €	600	1.180,00 €	600	1.208,00 €	600	1.238,00 €	600	615,00 €	600	615,00 €

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar


Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar


Ceiling plate 0-30°
two-piece

Ceiling plate 31-45°
two-piece


Ventilated split
ceiling plate 0-30°,
two-piece




Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW

DW53Ø		DW59Ø		DW38Ø		DW54Ø		DW99VØ		DW98VØ		DW99VHLØ	
100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	66,00 €	100	77,00 €	100	103,00 €
130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	69,00 €	130	81,00 €	130	107,00 €
150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	72,00 €	150	85,00 €	150	110,00 €
180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	75,00 €	180	87,00 €	180	113,00 €
200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	81,00 €	200	93,00 €	200	120,00 €
250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	105,00 €	250	116,00 €	250	142,00 €
300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	124,00 €	300	137,00 €	300	162,00 €
350	322,00 €	350	322,00 €	350	322,00 €	350	322,00 €	350	153,00 €	350	165,00 €	350	191,00 €
400	341,00 €	400	341,00 €	400	341,00 €	400	341,00 €	400	159,00 €	400	172,00 €	400	198,00 €
450	368,00 €	450	368,00 €	450	368,00 €	450	368,00 €	450	172,00 €	450	185,00 €	450	210,00 €
500	431,00 €	500	431,00 €	500	431,00 €	500	431,00 €	500	185,00 €	500	200,00 €	500	224,00 €
600	491,00 €	600	491,00 €	600	491,00 €	600	491,00 €	600	213,00 €	600	225,00 €	600	251,00 €

- *1 Other flanges possible on customer request, prices on request

Ventilated split ceiling plate 31-45°, two-piece

Adaptor EW-KL/DW-POWER 32

Adaptor DW-POWER 32/EW-KL

Adaptor DW-POWER 32/Flange




Adaptor Flange/DW-POWER 32

Adaptor DW-POWER 32/DW-KL


Adaptor DW-POWER 32/DW-KL




Rgr. DW



*1



*1



DW98VHLØ	DWPWR37Ø	DWPWR37AØ	DWPWR856AØ	DWPWR856Ø	DWPWR2005Ø	DWPWR2006Ø
100 115,00 €	100 50,00 €	100 50,00 €	100 137,00 €	100 137,00 €	100 112,00 €	100 112,00 €
130 120,00 €	130 51,00 €	130 51,00 €	130 162,00 €	130 162,00 €	130 121,00 €	130 121,00 €
150 124,00 €	150 51,00 €	150 51,00 €	150 183,00 €	150 183,00 €	150 137,00 €	150 137,00 €
180 126,00 €	180 58,00 €	180 58,00 €	180 211,00 €	180 211,00 €	180 149,00 €	180 149,00 €
200 131,00 €	200 66,00 €	200 66,00 €	200 232,00 €	200 232,00 €	200 174,00 €	200 174,00 €
250 155,00 €	250 75,00 €	250 75,00 €	250 273,00 €	250 273,00 €	250 220,00 €	250 220,00 €
300 174,00 €	300 87,00 €	300 87,00 €	300 321,00 €	300 321,00 €	300 303,00 €	300 303,00 €
350 202,00 €	350 100,00 €	350 100,00 €	350 369,00 €	350 369,00 €	350 334,00 €	350 334,00 €
400 210,00 €	400 117,00 €	400 117,00 €	400 420,00 €	400 420,00 €	400 551,00 €	400 551,00 €
450 224,00 €	450 126,00 €	450 127,00 €	450 456,00 €	450 456,00 €	450 575,00 €	450 576,00 €
500 238,00 €	500 140,00 €	500 140,00 €	500 501,00 €	500 501,00 €	500 621,00 €	500 621,00 €
600 262,00 €	600 176,00 €	600 177,00 €	600 675,00 €	600 675,00 €	600 744,00 €	600 744,00 €

DW-POWER 32

Length 250mm with test point, 1/2" female socket and screw

Length 500mm with 2 test points 1" (90° radially offset) and 2 test points 3" (90° radially offset) incl. locking band


Length 250mm with drain ring and 1/2" nozzle with screw

Removable soot collector with condensate drain and locking band 2.0, assembly on DWPWR07

Adjustable rafter bracket 500-900mm

Ceiling suspension with sound absorbing layer for threaded rod M8, up to max. 23 kg

Support 800-1200mm



Rgr. DW



Rgr. DW



Rgr. DW

DWPWR51Ø	DWPWR2637Ø	DWPWR1494Ø	DWPWR44Ø	DW55Ø	DW61VØ	DW40Ø
100 100,00 €	150 323,00 €	100 184,00 €	100 154,00 €	100 165,00 €	100 92,00 €	100 106,00 €
130 108,00 €	180 340,00 €	130 203,00 €	130 163,00 €	130 169,00 €	130 93,00 €	130 109,00 €
150 112,00 €	200 347,00 €	150 215,00 €	150 179,00 €	150 172,00 €	150 94,00 €	150 110,00 €
180 127,00 €	250 368,00 €	180 241,00 €	180 195,00 €	180 200,00 €	180 98,00 €	180 113,00 €
200 134,00 €	300 394,00 €	200 253,00 €	200 219,00 €	200 217,00 €	200 99,00 €	200 114,00 €
250 167,00 €	350 429,00 €	250 306,00 €	250 274,00 €	250 251,00 €	250 101,00 €	250 116,00 €
300 212,00 €	400 452,00 €	300 367,00 €	300 336,00 €	300 256,00 €	300 111,00 €	300 132,00 €
350 259,00 €	450 485,00 €	350 431,00 €	350 386,00 €	350 329,00 €	350 123,00 €	350 138,00 €
400 353,00 €	500 519,00 €	400 543,00 €	400 531,00 €	400 354,00 €	400 137,00 €	400 142,00 €
450 391,00 €	600 568,00 €	450 585,00 €	450 584,00 €	450 397,00 €	450 156,00 €	450 154,00 €
500 397,00 €		500 620,00 €	500 638,00 €	500 440,00 €	500 191,00 €	500 172,00 €
600 452,00 €		600 711,00 €	600 765,00 €	600 528,00 €	600 226,00 €	600 179,00 €



System DW-POWER 32



Support with joint
800-1200mm, sing-
le-bracedd

Support with joint
800-1200mm, sing-
le-bracedd

3-point guy wire
bracket

Lightning protec-
tion clamp

Locking Band

Elbow 90° with 45°
diagonal cut and
bird guard


Elbow 135° with 45°
diagonal cut and
bird guard



Rgr.
DW






Rgr.
DW



Rgr.
DW



Rgr.
DW



DW40MGØ		DW40MGØ		DW42Ø		DW69Ø		DWPWR989Ø		DWPWR863Ø		DWPWR1021Ø	
100	220,00 €	200	228,00 €	100	40,00 €	100	40,00 €	100	17,00 €	100	443,00 €	100	526,00 €
130	222,00 €	250	230,00 €	130	42,00 €	130	43,00 €	130	17,00 €	130	465,00 €	130	550,00 €
150	224,00 €	300	249,00 €	150	42,00 €	150	44,00 €	150	17,00 €	150	481,00 €	150	570,00 €
180	226,00 €	350	253,00 €	180	43,00 €	180	46,00 €	180	17,00 €	180	525,00 €	180	621,00 €
		400	256,00 €	200	44,00 €	200	47,00 €	200	17,00 €	200	544,00 €	200	656,00 €
		450	269,00 €	250	46,00 €	250	52,00 €	250	17,00 €	250	617,00 €	250	748,00 €
		500	288,00 €	300	61,00 €	300	61,00 €	300	19,00 €	300	767,00 €	300	953,00 €
		600	295,00 €	350	72,00 €	350	72,00 €	350	21,00 €	350	1.005,00 €	350	1.227,00 €
				400	75,00 €	400	75,00 €	400	25,00 €	400	1.075,00 €	400	1.356,00 €
				450	78,00 €	450	78,00 €	450	27,00 €	450	1.298,00 €	450	1.641,00 €
				500	86,00 €	500	86,00 €	500	29,00 €	500	1.554,00 €	500	1.967,00 €
				600	100,00 €	600	100,00 €	600	42,00 €	600	1.865,00 €	600	2.360,00 €

Silicone lubricant
for fittings, 60g
tube



Rgr.
PP

750GLEI2815-2

6,00 €