



DESCRIPTION

The designer chimney: Double wall design chimney system made of stainless steel with a smooth tubular column and without locking bands

MATERIAL

Inside: 1.4404 (316L) / 1.4571 (316Ti)

Outside: 1.4301 (304)

Others on request

FINISHING

Brushed

Highly polished: on request,

Painted: reduced discount (see condition agreement)

(Replacement paint for touch up must be ordered separately:

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

130 - 300 mm

INSULATION

Mineral insulation 32.5 mm thick

CONNECTION


Push-fit connection (outer pipe)

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: DWV262180).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Elegant design with a smooth tubular column and brushed finish
- Cylindrical slip-on connector ends on the outer pipe eliminate the need for locking bands
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard fireplaces for oil, gas and solid fuels (natural wood, coke, peat, coal *)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 009

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T600 - N1 - D - V3 - L50050 - G50

T400 - N1 - W - V2 - L50050 - O20

T450 - N1 - W - V2 - L50050 - O50

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 048

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T600 - N1 - D - V3 - L50050 - G100M

T450 - N1 - W - V2 - L50050 - O50M



System DW-VISION



Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DWV010	DWV020	DWV490	DWV391	DWV392	DWV393	DWV407
130 90,00 €	130 132,00 €	130 182,00 €	139,00 €	157,00 €	193,00 €	314,00 €
150 101,00 €	150 166,00 €	150 227,00 €				
180 132,00 €	180 197,00 €	180 272,00 €				
200 149,00 €	200 330,00 €	200 558,00 €				
250 282,00 €	250 344,00 €	250 593,00 €				
300 313,00 €	300 363,00 €	300 634,00 €				

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-VISION

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
		250	170	250	420	250	700
				300	370	300	650



Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 610-1190mm,
drain at bottom, 1/2"
threaded nipple and
door for condensate
collector

Transparent PVC-
pipe Ø 26mm,
l=500mm to extend
the condensate
drain



€ NET



€ NET



€ NET



Rgr. ZUAC

ZUTE1425	ZUTE1426	ZUTE1427	DWV030	DWV040	DWV10170	ZUAC2253
12,00 €	12,00 €	12,00 €	130 273,00 €	130 375,00 €	130 488,00 €	26,00 €
			150 280,00 €	150 378,00 €	150 492,00 €	
			180 315,00 €	180 397,00 €	180 499,00 €	
			200 339,00 €	200 408,00 €	200 523,00 €	
			250 343,00 €	250 409,00 €	250 526,00 €	
			300 540,00 €	300 575,00 €		

- ^{*1} Only suitable for mounting with a cantilever
- ^{*2} Use in coordination with the authorized district chimney sweep.

Condensate collection bucket

Round base plate and drain and adjustable wall bracket up to 200mm (max. installation height 8m)







Base plate with condensate drain at the bottom and 1/2" nipple

Base plate with condensate side drain and 1/2" nipple

Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Base plate with removable soot collector

Base plate for intermediate support



ZUTE1255	DWV384Ø	DWV05Ø	DWV06Ø	DWV66Ø	DWV1592Ø	DWV07Ø
69,00 €	130 174,00 € 150 189,00 € 180 235,00 € 200 252,00 € 250 301,00 €	130 115,00 € 150 118,00 € 180 138,00 € 200 146,00 € 250 158,00 € 300 177,00 €	130 146,00 € 150 166,00 € 180 195,00 € 200 203,00 € 250 251,00 € 300 298,00 €	130 142,00 € 150 162,00 € 180 189,00 € 200 200,00 € 250 248,00 € 300 286,00 €	130 194,00 € 150 215,00 € 180 233,00 € 200 273,00 € 250 315,00 € 300 484,00 €	130 130,00 € 150 147,00 € 180 170,00 € 200 176,00 € 250 228,00 € 300 253,00 €

Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m

Base plate without drain



Inspection length (up to 600°C/N1)

Inspection length with integrated base plate and condensate drain at bottom (up to 600°C/N1)

Inspection length Design Plus, indoors only (up to 600°C/N1)

Inspection length with „Design Plus“ door for solid fuels, outdoors (up to 600°C/N1)

Inspection length Design Plus with backstop below inspection and removable soot collector (up to 600°C/N1)



DWV08Ø	DWV09Ø	DWV10Ø	DWV383Ø	DWV381Ø	DWV381AØ	DWV1325Ø
130 131,00 € 150 150,00 € 180 173,00 € 200 182,00 € 250 232,00 € 300 265,00 €	130 87,00 € 150 93,00 € 180 102,00 € 200 103,00 € 250 106,00 € 300 114,00 €	130 379,00 € 150 397,00 € 180 414,00 € 200 434,00 € 250 467,00 € 300 520,00 €	130 438,00 € 150 459,00 € 180 495,00 € 200 516,00 € 250 561,00 € 300 624,00 €	130 321,00 € 150 339,00 € 180 354,00 € 200 370,00 € 250 400,00 € 300 443,00 €	130 321,00 € 150 339,00 € 180 354,00 € 200 370,00 € 250 400,00 € 300 443,00 €	130 402,00 € 150 417,00 € 180 433,00 € 200 450,00 € 250 584,00 €

Inspection length Design with backstop, wall sleeve for FERRO, 120mm insert and soot collector (up to 600°C/N1)

Inspection length Design Plus with door, base plate and drain at bottom, indoors only (up to 600°C/N1)

Inspection length with integrated base plate and condensate drain, outdoors (up to 600°C/N1)

T-45° with drip nose

T-87° with drip nose

T-90° with drip nose


T-87° with cleaning opening on the opposite side, at the same height (up to 600°C/N1)



^{*2}



^{*1}



^{*2}

DWV1805Ø	DWV382Ø	DWV382AØ	DWV12Ø	DWV11Ø	DWV317Ø	DWV421Ø
130 602,00 € 150 639,00 € 180 671,00 € 200 719,00 € 250 915,00 €	130 391,00 € 150 410,00 € 180 440,00 € 200 459,00 € 250 498,00 € 300 554,00 €	130 391,00 € 150 410,00 € 180 440,00 € 200 459,00 € 250 498,00 € 300 554,00 €	130 427,00 € 150 458,00 € 180 492,00 € 200 646,00 € 250 801,00 € 300 953,00 €	130 273,00 € 150 320,00 € 180 347,00 € 200 432,00 € 250 544,00 € 300 683,00 €	130 273,00 € 150 320,00 € 180 347,00 € 200 432,00 € 250 544,00 € 300 683,00 €	130 520,00 € 150 568,00 € 180 595,00 € 200 738,00 € 250 852,00 € 300 1.002,00 €



System DW-VISION



T-90° with cleaning opening on the opposite side, at the same height, up to 600°C/Nl

Length 1000mm

Length 500mm

Length 250mm


Length 1000mm with adjustable wall sleeve for FERRO

Length 500mm with integrated wall sleeve shortenable for FERRO

Length 1000mm with holder for DW22-1 and DW23-2



*1



DWV3090	DWV130	DWV140	DWV150	DWV2620	DWV2610	DWV13930
130 520,00 €	130 195,00 €	130 110,00 €	130 79,00 €	130 302,00 €	130 183,00 €	130 308,00 €
150 568,00 €	150 222,00 €	150 124,00 €	150 87,00 €	150 336,00 €	150 202,00 €	150 337,00 €
180 595,00 €	180 250,00 €	180 146,00 €	180 100,00 €	180 383,00 €	180 224,00 €	180 364,00 €
200 738,00 €	200 277,00 €	200 155,00 €	200 115,00 €	200 405,00 €	200 239,00 €	200 394,00 €
250 852,00 €	250 370,00 €	250 198,00 €	250 146,00 €	250 500,00 €	250 289,00 €	
300 1.002,00 €	300 486,00 €	300 275,00 €	300 213,00 €	300 602,00 €	300 370,00 €	

Length 500mm with holder for DW22-1 and DW23-2

Length 250mm with holder for DW22-1 and DW23-1





Wall bracket 50mm

Adjustable wall bracket 50-150mm

Adjustable wall bracket 50-150mm

Wall bracket adjustable 50-250mm

Wall bracket adjustable 50-250mm



DWV13920	DWV14060	DWV210	DWV220	DWV220	DWV230	DWV230
130 225,00 €	130 225,00 €	130 63,00 €	130 101,00 €	250 115,00 €	130 115,00 €	250 130,00 €
150 239,00 €	150 239,00 €	150 64,00 €	150 102,00 €	300 132,00 €	150 116,00 €	300 150,00 €
180 260,00 €	180 260,00 €	180 66,00 €	180 105,00 €		180 122,00 €	
200 270,00 €	200 270,00 €	200 68,00 €	200 109,00 €		200 124,00 €	
		250 76,00 €				
		300 90,00 €				

Adjustable wall bracket 250-360mm

Wall bracket adjustable 250-360mm, double-braced



Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm



DWV240	DWV240	DWV200	DWV200	DWV24MG0	DW86	DW85
130 156,00 €	250 171,00 €	130 115,00 €	250 137,00 €	130 270,00 €	81,00 €	59,00 €
150 158,00 €	300 191,00 €	150 116,00 €	300 159,00 €	150 273,00 €		
180 159,00 €		180 118,00 €		180 275,00 €		
200 166,00 €		200 122,00 €		200 280,00 €		
				250 286,00 €		

- *1 Use in coordination with the authorized district chimney sweep.

Adjustable wall bracket Design Plus 50-150mm

Adjustable wall bracket Design Plus 50-250mm




Adjustable wall bracket Design Plus 250-360mm

Wall part of DW20 adjustable for wall bracket 250mm and above, single-braced

Wall part of DW20 adjustable for wall bracket 250mm and above, double-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced



DWV386Ø		DWV387Ø		DWV389Ø		DW20-1Ø		DW20-1Ø		DW22-1Ø		DW22-1Ø	
130	101,00 €	130	115,00 €	130	156,00 €	130	57,00 €	250	62,00 €	130	51,00 €	250	53,00 €
150	102,00 €	150	116,00 €	150	158,00 €	150	57,00 €	300	72,00 €	150	51,00 €	300	61,00 €
180	105,00 €	180	122,00 €	180	159,00 €	180	57,00 €			180	51,00 €		
200	109,00 €	200	124,00 €	200	166,00 €	200	57,00 €			200	51,00 €		
250	115,00 €	250	130,00 €	250	171,00 €								
				300	191,00 €								

Wall part of DW23 for adjustable wall bracket 50-250mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced




Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Elbow 15°

Elbow 30°

Elbow 45°



DW23-1Ø		DW23-1Ø		DW24-1Ø		DW24-1Ø		DWV16Ø		DWV17Ø		DWV18Ø	
130	51,00 €	250	53,00 €	130	57,00 €	250	62,00 €	130	109,00 €	130	115,00 €	130	122,00 €
150	51,00 €	300	61,00 €	150	57,00 €	300	72,00 €	150	120,00 €	150	125,00 €	150	127,00 €
180	51,00 €			180	57,00 €			180	132,00 €	180	137,00 €	180	139,00 €
200	51,00 €			200	57,00 €			200	137,00 €	200	145,00 €	200	158,00 €
								250	147,00 €	250	153,00 €	250	183,00 €
								300	205,00 €	300	227,00 €	300	272,00 €

Elbow 60°

Elbow 87°






Elbow 90°

Elbow 87° with inspection door (up to 600°/N1)

Elbow 90° with inspection door (up to 600°/N1)

Elbow 90° with inspection door and design lid for solid fuels (inside area) up to 600°C/N1

End cap



DWV84Ø		DWV64Ø		DWV60Ø		DWV67GØ		DWV19GØ		DWV1228Ø		DWV32Ø	
130	181,00 €	130	244,00 €	130	244,00 €	130	364,00 €	130	364,00 €	130	381,00 €	130	102,00 €
150	191,00 €	150	251,00 €	150	251,00 €	150	378,00 €	150	378,00 €	150	391,00 €	150	113,00 €
180	205,00 €	180	273,00 €	180	273,00 €	180	409,00 €	180	409,00 €	180	412,00 €	180	114,00 €
200	235,00 €	200	285,00 €	200	285,00 €	200	450,00 €	200	450,00 €	200	458,00 €	200	120,00 €
250	270,00 €	250	320,00 €	250	320,00 €	250	460,00 €	250	460,00 €	250	467,00 €	250	142,00 €
300	338,00 €	300	414,00 €	300	414,00 €	300	465,00 €	300	465,00 €	300	473,00 €	300	176,00 €



System DW-VISION



Rain cap

Rain cap with spark protection grid




Muzzle closure with louvre hood

Storm collar




Storm collar with edge

Storm collar with edge and spacers for rear ventilation

Flashing kit 5-15° with storm collar



NEW



DWV330	DWV33A0	DWV3370	DWV310	DWV3070	DWV28560	DWV810
130 76,00 €	130 138,00 €	130 344,00 €	130 32,00 €	130 44,00 €	130 54,00 €	130 228,00 €
150 81,00 €	150 177,00 €	150 361,00 €	150 34,00 €	150 45,00 €	150 55,00 €	150 252,00 €
180 86,00 €	180 181,00 €	180 434,00 €	180 35,00 €	180 53,00 €	180 59,00 €	180 284,00 €
200 101,00 €	200 228,00 €	200 445,00 €	200 36,00 €	200 54,00 €	200 62,00 €	200 325,00 €
250 122,00 €	250 250,00 €	250 458,00 €	250 38,00 €	250 57,00 €	250 66,00 €	250 379,00 €
300 137,00 €	300 288,00 €	300 524,00 €	300 47,00 €	300 76,00 €	300 84,00 €	300 408,00 €

Flashing kit 16-25° with storm collar

Flashing kit 26-35° with storm collar








Flashing kit 36-45° with storm collar

Flat flashing conical with storm collar

Cylindrical flat flashing with storm collar

Flashing kit 5-15° lead base with storm collar

Flashing kit 16-25° lead base with storm collar



DWV820	DWV390	DWV830	DWV520	DWV520ZY	DWV530	DWV590
130 253,00 €	130 285,00 €	130 313,00 €	130 135,00 €	130 135,00 €	130 256,00 €	130 256,00 €
150 280,00 €	150 307,00 €	150 334,00 €	150 142,00 €	150 142,00 €	150 277,00 €	150 277,00 €
180 305,00 €	180 325,00 €	180 354,00 €	180 158,00 €	180 158,00 €	180 301,00 €	180 301,00 €
200 338,00 €	200 351,00 €	200 362,00 €	200 196,00 €	200 196,00 €	200 308,00 €	200 308,00 €
250 387,00 €	250 394,00 €	250 404,00 €	250 220,00 €	250 220,00 €	250 346,00 €	250 346,00 €
300 417,00 €	300 428,00 €	300 438,00 €	300 270,00 €	300 270,00 €	300 352,00 €	300 352,00 €

Flashing kit 26-35° lead base with storm collar, cone 150mm

Flashing kit 36-45° lead base with storm collar






Flashing kit 5-15° with FastFlash plate elastomer black and storm collar

Flashing kit 5-15° with FastFlash plate elastomer red and storm collar



Flashing kit 5-15° with FastFlash plate elastomer grey and storm collar

Flashing kit 16-25° with FastFlash plate elastomer black and storm collar

Flashing kit 16-25° with FastFlash plate elastomer red and storm collar




NEW




DWV380	DWV540	DWV2556-10	DWV2556-20	DWV2556-30	DWV2558-10	DWV2558-20
130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €
150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €
180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €
200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €
250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €
300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €

- *1 For wall/ceiling panels, please state the number in °.


Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



DWV2558-3Ø	DWV2557-1Ø	DWV2557-2Ø	DWV2557-3Ø	DWV2551-1Ø	DWV2551-2Ø	DWV2551-3Ø
130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €
150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €
180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €
200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €
250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €
300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €

Flashing kit (Silicone)
incl. screws and sealing
compound, for metal
roof, outer Ø 150-
300mm (up to 400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre
cement corrugated
roof, outer Ø 150-
300mm (up to 400°C)



Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece




Ceiling plate 0°
two-piece



Ceiling plate 1-65°
two-piece



Ceiling plate 0-30°
two-piece




ZUAC2700	ZUAC2701	DWV70Ø	DWV71Ø	DWV74Ø	DWV75Ø	DWV99VØ
259,00 €	259,00 €	130 85,00 €	130 98,00 €	130 100,00 €	130 109,00 €	130 79,00 €
		150 87,00 €	150 100,00 €	150 113,00 €	150 124,00 €	150 81,00 €
		180 93,00 €	180 103,00 €	180 115,00 €	180 127,00 €	180 86,00 €
		200 100,00 €	200 109,00 €	200 130,00 €	200 145,00 €	200 93,00 €
		250 124,00 €	250 133,00 €	250 133,00 €	250 153,00 €	250 120,00 €
		300 140,00 €	300 157,00 €	300 154,00 €	300 170,00 €	300 140,00 €


Ceiling plate 31-45°
two-piece




Ceiling plate with
seal to stop steam
0-20° (up to
450°C/N1)



Ceiling plate with
seal to stop steam
21-40° (up to
450°C/N1)




Ceiling plate with
seal to stop steam
41-55° (up to
450°C/N1)




Airtight sealing
collars 0°-30° for
chimneys up to
T400



Airtight sealing
collars 30°-45° for
chimneys up to
T400



Adaptor EW male/
DW-VISION



DWV98VØ	DW1702Ø	DW1703Ø	DW1704Ø	ZUTE2195Ø	ZUTE2232Ø	DWV37Ø
130 98,00 €	130 111,00 €	130 137,00 €	130 157,00 €	180-195 84,00 €	200-225 111,00 €	130 62,00 €
150 100,00 €	150 137,00 €	150 166,00 €	150 179,00 €	200-225 92,00 €	230-245 125,00 €	150 64,00 €
180 103,00 €	180 149,00 €	180 179,00 €	180 195,00 €	230-245 99,00 €	250-270 135,00 €	180 66,00 €
200 109,00 €	200 157,00 €	200 189,00 €	200 203,00 €	250-270 105,00 €		200 68,00 €
250 133,00 €	250 206,00 €	250 244,00 €	250 265,00 €			250 72,00 €
300 157,00 €	300 232,00 €	300 264,00 €	300 295,00 €			300 84,00 €

Adaptor DW-VI-
SION/EW male

Adaptor EW-FU/
DW-VISION with
integrated wall
sleeve, straight






Adaptor FERRO/
DW-VISION

Isotherm tape
40mm, price per
metre

Closing cap plastic
for drain 1/2" (up to
200°C)

Closing lid with
handle for DWV11

Removable soot
collector with con-
densate drain and
locking band




DWV37AØ		DWV37GWFØ		DWV37FØ		750ISO40	750ADK1/2	DWV43Ø		DWV44Ø	
130	62,00 €	130	118,00 €	130	67,00 €	5,00 €	5,00 €	130	91,00 €	130	124,00 €
150	64,00 €	150	123,00 €	150	69,00 €			150	92,00 €	150	131,00 €
180	66,00 €	180	131,00 €	180	70,00 €			180	101,00 €	180	139,00 €
200	68,00 €	200	142,00 €	200	74,00 €			200	110,00 €	200	151,00 €
250	72,00 €	250	158,00 €	250	77,00 €			250	130,00 €	250	200,00 €
300	84,00 €							300	159,00 €	300	232,00 €

Drain/Measuring
length 250mm with
1/2" female socket
and plug screw

Adjustable length
for connection line
320-460mm (up to
600°C/N1)

Locking band as
optical protection
after cut-off



DWV51Ø		DWV50Ø		DWV41Ø	
130	139,00 €	130	204,00 €	130	32,00 €
150	146,00 €	150	238,00 €	150	34,00 €
180	166,00 €	180	276,00 €	180	35,00 €
200	173,00 €	200	321,00 €	200	36,00 €
250	239,00 €	250	419,00 €	250	37,00 €
300	290,00 €	300	610,00 €	300	38,00 €