



System DW-SILVER

DESCRIPTION

DW-SILVER is suitable for connecting fireplaces for gas, EL heating oil, wood pellets, wood chips and logs for both dry and wet operation

MATERIAL

Inside: 1.4539 (904L) only for components in contact with flue gas

Outside: 1.4301 (304)

Others on request

Also available as DW-KL-SILVER on request

FINISHING

Highly polished

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 300 mm

Others on request up to 1200 mm

INSULATION

Mineral insulation 32.5 mm thick, 50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Socket / bead with locking band

LOCKING BAND



Included. For a setup without a T-connection, an extra locking band must be ordered for the chimney top.

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: 301-DW03080).

Please refer to the respective code for deviations.



0,6 mm



32,5 mm



DW



25

CHARACTERISTICS

- Resistant to soot fire or moisture
- Particularly suitable for discharging flue gases from the combustion of pellets or wood chips in condensing operation
- Versatile exhaust system
- High flexibility, perfect also for difficult installation situations

APPLICATION AREAS

- Standard heating applications for oil and gas
- Natural wood pellets, chips and logs made from natural wood

CERTIFICATE NUMBER

Z - 7.1 - 3375

CE-CLASSIFICATIONS ACC. TO DIN 18160-1

T600 - N1 - W2¹⁾ - G50 - L00

¹⁾ for wood pellets made from natural wood
for wood chips made from natural wood
for natural firewood
for gas and fuel oil EL

CONNECTING PIPE

CERTIFICATE NUMBER

Z - 7.1 - 3375

T600 - N1 - W2 - G100M

- *1 From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
080	77,00 €	080	102,00 €	080	133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100	78,00 €	100	103,00 €	100	137,00 €				
115	79,00 €	115	105,00 €	115	145,00 €				
130	81,00 €	130	116,00 €	130	153,00 €				
150	86,00 €	150	145,00 €	150	191,00 €				
160	109,00 €	160	156,00 €	160	205,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
225	206,00 €	225	295,00 €	225	479,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-SILVER SYSTEM

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 65 mm) = max.
wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
160	125	160	275	160	525	160	805
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650





System DW-SILVER



Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple

Transparent PVC-
pipe Ø 26mm,
l=500mm to extend
the condensate
drain


Base plate with
condensate drain at
the bottom and 1/2"
nipple



€
NET




€
NET



€
NET



Rgr.
ZUAC



ZUTE1425	ZUTE1426	ZUTE1427	301-DW03Ø		301-DW04Ø		ZUAC2253	301-DW05Ø	
12,00 €	12,00 €	12,00 €	080	306,00 €	080	429,00 €	26,00 €	080	121,00 €
			100	318,00 €	100	432,00 €		100	128,00 €
			115	323,00 €	115	433,00 €		115	129,00 €
			130	325,00 €	130	441,00 €		130	137,00 €
			150	331,00 €	150	442,00 €		150	142,00 €
			160	354,00 €	160	453,00 €		160	150,00 €
			180	375,00 €	180	470,00 €		180	166,00 €
			200	401,00 €	200	479,00 €		200	172,00 €
			225	403,00 €	225	480,00 €		225	180,00 €
			250	406,00 €	250	481,00 €		250	189,00 €
			300	613,00 €	300	649,00 €		300	203,00 €

Base plate with
condensate side
drain and 1/2"
nipple

Base plate for
mounting on a bra-
cket with side drain
and 1/2 " threaded
nipple





Base plate for inter-
mediate support

Base plate for
chimney raise
with round insert
l=220mm, max.
height from base
plate 1,5m


Base plate for
chimney raise
with round insert
l=220mm, max.
height from base
plate 2,0m

Base plate for
chimney raise
with round insert
l=220mm, max.
height from base
plate 3,0m


Inspection length
(up to 600°C/
N1) suitable for
DW08-3



*1



\$19
Rmcsdy



*1

\$19
Rmcsdy



*1

\$19
Rmcsdy

301-DW06Ø		301-DW66Ø		301-DW07Ø		301-DW08Ø		301-DW08-2Ø		301-DW08-3Ø		301-DW10-3Ø	
080	149,00 €	080	150,00 €	080	130,00 €	080	134,00 €	080	337,00 €	080	350,00 €	080	441,00 €
100	151,00 €	100	151,00 €	100	134,00 €	100	137,00 €	100	344,00 €	100	358,00 €	100	470,00 €
115	154,00 €	115	162,00 €	115	138,00 €	115	140,00 €	115	362,00 €	115	377,00 €	115	491,00 €
130	172,00 €	130	169,00 €	130	154,00 €	130	156,00 €	130	389,00 €	130	403,00 €	130	545,00 €
150	197,00 €	150	192,00 €	150	173,00 €	150	179,00 €	150	433,00 €	150	450,00 €	150	576,00 €
160	215,00 €	160	207,00 €	160	190,00 €	160	194,00 €	160	466,00 €	160	484,00 €	160	627,00 €
180	227,00 €	180	223,00 €	180	202,00 €	180	206,00 €	180	498,00 €	180	520,00 €	180	669,00 €
200	238,00 €	200	233,00 €	200	207,00 €	200	216,00 €	200	563,00 €	200	585,00 €	200	708,00 €
225	273,00 €	225	264,00 €	225	236,00 €	225	251,00 €	225	635,00 €	225	660,00 €	225	748,00 €
250	302,00 €	250	293,00 €	250	268,00 €	250	276,00 €	250	687,00 €	250	717,00 €	250	791,00 €
300	336,00 €	300	325,00 €	300	289,00 €	300	299,00 €	300	760,00 €	300	790,00 €	300	903,00 €

- ^{*1} Also available with a square insert on request
- ^{*2} For the weight of the draught controller of approx. 28 kg, a separate anchorage has to be provided!
- ^{*3} Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.

Inspection length
(up to 600°C/N1)

Inspection element
93° (up to 600°C/N1)
with round opening,
including clamping
band and sealing
cover

Draught limiter for
external use, suitable
for DW10

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping
(stainless steel)

Draught regulator
connecting piece
for ZUK250 (SG/E)

T-87° with drip
nose



NEW





€ NET



€ NET



€ NET



301-DW10Ø	301-DW3055Ø	ZUK130DW	ZUK250SG	ZUK250SG-E	301-DW1756Ø	301-DW11Ø
080 420,00 €	350 812,00 €	344,00 €	2.025,00 €	2.420,00 €	250 1.208,00 €	080 310,00 €
100 423,00 €	400 1.247,00 €				300 1.343,00 €	100 311,00 €
115 437,00 €	450 1.356,00 €					115 318,00 €
130 444,00 €	500 1.875,00 €					130 325,00 €
150 470,00 €	600 1.945,00 €					150 379,00 €
160 478,00 €						160 392,00 €
180 492,00 €						180 411,00 €
200 513,00 €						200 509,00 €
225 532,00 €						225 571,00 €
250 554,00 €						250 643,00 €
300 589,00 €						300 773,00 €

DW-SILVER

T-45° with drip
nose

Length 1000mm

Length 500mm

Length 250mm

Length 2000mm
with static locking
band

Length 1000mm
incl. static locking
band

Length 500mm incl.
static locking band



§ 19
(BIMBAV)



§ 19
(BIMBAV)



§ 19
(BIMBAV)

301-DW12Ø	301-DW13Ø	301-DW14Ø	301-DW15Ø	301-DW339Ø	301-DW3013-2Ø	301-DW3014-2Ø
080 466,00 €	080 254,00 €	080 138,00 €	080 105,00 €	130 818,00 €	080 323,00 €	080 207,00 €
100 468,00 €	100 255,00 €	100 140,00 €	100 108,00 €	150 908,00 €	100 332,00 €	100 215,00 €
115 470,00 €	115 257,00 €	115 149,00 €	115 111,00 €	160 971,00 €	115 338,00 €	115 230,00 €
130 504,00 €	130 270,00 €	130 155,00 €	130 113,00 €	180 1.035,00 €	130 353,00 €	130 237,00 €
150 539,00 €	150 309,00 €	150 174,00 €	150 126,00 €	200 1.151,00 €	150 395,00 €	150 260,00 €
160 558,00 €	160 333,00 €	160 188,00 €	160 131,00 €		160 423,00 €	160 278,00 €
180 582,00 €	180 350,00 €	180 206,00 €	180 138,00 €		180 453,00 €	180 308,00 €
200 762,00 €	200 390,00 €	200 218,00 €	200 164,00 €		200 506,00 €	200 332,00 €
225 853,00 €	225 461,00 €	225 248,00 €	225 185,00 €			
250 944,00 €	250 521,00 €	250 275,00 €	250 206,00 €			
300 1.077,00 €	300 635,00 €	300 363,00 €	300 278,00 €			



System DW-SILVER



Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Length 1000mm
with adjustable wall
sleeve for FERRO





Length 1000mm
double female incl.
2 clamping bands

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Wall bracket adjus-
table 50-150mm,
double-braced

Wall bracket adjus-
table 50-250mm,
single-braced



301-DW261Ø		301-DW262Ø		301-DW2909Ø		DW21Ø		DW22Ø		DW22Ø		DW23Ø	
080	203,00 €	080	316,00 €	080	269,00 €	080	51,00 €	080	84,00 €	250	101,00 €	080	98,00 €
100	205,00 €	100	318,00 €	100	270,00 €	100	52,00 €	100	85,00 €	300	116,00 €	100	99,00 €
115	206,00 €	115	319,00 €	115	272,00 €	115	54,00 €	115	85,00 €			115	99,00 €
130	218,00 €	130	341,00 €	130	284,00 €	130	57,00 €	130	86,00 €			130	101,00 €
150	237,00 €	150	379,00 €	150	327,00 €	150	58,00 €	150	87,00 €			150	103,00 €
160	253,00 €	160	401,00 €	160	351,00 €	160	59,00 €	160	87,00 €			160	103,00 €
180	266,00 €	180	433,00 €	180	368,00 €	180	61,00 €	180	90,00 €			180	105,00 €
200	284,00 €	200	459,00 €	200	411,00 €	200	62,00 €	200	93,00 €			200	109,00 €
225	311,00 €	225	514,00 €	225	483,00 €	225	63,00 €	225	98,00 €			225	110,00 €
250	340,00 €	250	567,00 €	250	548,00 €	250	67,00 €						
300	419,00 €	300	682,00 €	300	665,00 €	300	78,00 €						

Wall bracket adjus-
table 50-250mm,
double-braced

Wall bracket adjus-
table 250-360mm,
single-braced


Adjustable wall bra-
cket 250-360mm,
double-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, single-bra-
ced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, double-
braced

Adjustable wall
bracket with joint,
140-300mm

Extension
30x30mm for
TW20 l=1000mm



DW23Ø		DW24Ø		DW24Ø		DW20Ø		DW20Ø		DW24MGØ		DW86	
250	114,00 €	080	131,00 €	250	150,00 €	080	91,00 €	250	120,00 €	080	248,00 €		81,00 €
300	130,00 €	100	131,00 €	300	166,00 €	100	93,00 €	300	139,00 €	100	249,00 €		
		115	131,00 €			115	93,00 €			115	250,00 €		
		130	135,00 €			130	101,00 €			130	251,00 €		
		150	137,00 €			150	101,00 €			150	252,00 €		
		160	138,00 €			160	102,00 €			160	253,00 €		
		180	139,00 €			180	103,00 €			180	254,00 €		
		200	145,00 €			200	105,00 €			200	258,00 €		
		225	146,00 €			225	109,00 €			225	260,00 €		
										250	262,00 €		

Extension
30x30mm for
TW20 l=500mm

Wall bracket static,
50mm


Wall bracket static,
adjustable 50-
150mm

Wall bracket static,
adjustable 50-
250mm


Wall bracket static,
adjustable 50-
360mm

Adjustable wall
bracket Design Plus
50-150mm


Adjustable wall
bracket Design Plus
50-250mm




§ 19
BIM-SCHNITT



§ 19
BIM-SCHNITT



§ 19
BIM-SCHNITT



DW85	DW45Ø	DW46Ø	DW47Ø	DW48Ø	DW386Ø	DW387Ø
59,00 €	225 122,00 € 250 126,00 € 300 140,00 €	225 218,00 € 250 227,00 € 300 230,00 €	225 221,00 € 250 233,00 € 300 251,00 €	225 259,00 € 250 275,00 € 300 277,00 €	080 84,00 € 100 85,00 € 115 86,00 € 130 87,00 € 150 90,00 € 160 91,00 € 180 92,00 € 200 93,00 € 225 98,00 € 250 101,00 €	080 94,00 € 100 98,00 € 115 99,00 € 130 101,00 € 150 102,00 € 160 103,00 € 180 105,00 € 200 109,00 € 225 111,00 € 250 114,00 €

DW-SILVER

Adjustable wall
bracket Design Plus
250-360mm

Wall part of DW20
adjustable for wall
bracket 250mm
and above, single-
braced





Wall part of DW20
adjustable for wall
bracket 250mm
and above, double-
braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
single-braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
double-braced

Wall part of DW23
for adjustable wall
bracket 50-250mm,
single-braced

Wall part of DW23
for adjustable wall
bracket 50-150mm,
double-braced



DW389Ø	DW20-1Ø	DW20-1Ø	DW22-1Ø	DW22-1Ø	DW23-1Ø	DW23-1Ø
080 130,00 € 100 131,00 € 115 132,00 € 130 135,00 € 150 137,00 € 160 138,00 € 180 139,00 € 200 145,00 € 225 146,00 € 250 150,00 €	080 57,00 € 100 57,00 € 115 57,00 € 130 57,00 € 150 57,00 € 160 57,00 € 180 57,00 € 200 57,00 € 225 57,00 €	250 62,00 € 300 72,00 €	080 51,00 € 100 51,00 € 115 51,00 € 130 51,00 € 150 51,00 € 160 51,00 € 180 51,00 € 200 51,00 € 225 51,00 €	250 53,00 € 300 61,00 €	080 51,00 € 100 51,00 € 115 51,00 € 130 51,00 € 150 51,00 € 160 51,00 € 180 51,00 € 200 51,00 € 225 51,00 €	250 53,00 € 300 61,00 €



System DW-SILVER



Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced





Front part of the wall bracket incl. bands

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°



DW24-1Ø		DW24-1Ø		DW332Ø		301-DW16Ø		301-DW17Ø		301-DW18Ø		301-DW64Ø	
080	57,00 €	250	62,00 €	080	67,00 €	080	120,00 €	080	128,00 €	080	138,00 €	080	276,00 €
100	57,00 €	300	72,00 €	100	68,00 €	100	121,00 €	100	130,00 €	100	140,00 €	100	277,00 €
115	57,00 €			115	72,00 €	115	128,00 €	115	132,00 €	115	142,00 €	115	280,00 €
130	57,00 €			130	74,00 €	130	130,00 €	130	137,00 €	130	143,00 €	130	288,00 €
150	57,00 €			150	75,00 €	150	143,00 €	150	150,00 €	150	151,00 €	150	296,00 €
160	57,00 €			160	76,00 €	160	150,00 €	160	156,00 €	160	159,00 €	160	311,00 €
180	57,00 €			180	77,00 €	180	159,00 €	180	163,00 €	180	168,00 €	180	325,00 €
200	57,00 €			200	78,00 €	200	164,00 €	200	171,00 €	200	189,00 €	200	333,00 €
225	57,00 €			225	91,00 €	225	169,00 €	225	176,00 €	225	205,00 €	225	361,00 €
				250	98,00 €	250	172,00 €	250	180,00 €	250	218,00 €	250	379,00 €
				300	109,00 €	300	233,00 €	300	260,00 €	300	306,00 €	300	470,00 €

Elbow 90°

Elbow configurable 1°-44°


Elbow 87° with inspection door for solid fuels

Elbow 90° with inspection door for solid fuels (201-600°C/NI)


End cap (up to 600°C/HI)

Rain cap

Rain cap with spark protection grid



*1



301-DW60Ø		301-DW2801Ø		301-DW67GØ		301-DW19GØ		301-DW32Ø		DW33Ø		DW33AØ	
080	276,00 €	080	218,00 €	080	416,00 €	080	416,00 €	080	106,00 €	080	58,00 €	080	122,00 €
100	277,00 €	100	220,00 €	100	418,00 €	100	418,00 €	100	111,00 €	100	59,00 €	100	124,00 €
115	280,00 €	115	223,00 €	115	419,00 €	115	419,00 €	115	117,00 €	115	63,00 €	115	126,00 €
130	288,00 €	130	224,00 €	130	428,00 €	130	428,00 €	130	120,00 €	130	67,00 €	130	129,00 €
150	296,00 €	150	233,00 €	150	440,00 €	150	440,00 €	150	134,00 €	150	72,00 €	150	167,00 €
160	311,00 €	160	237,00 €	160	452,00 €	160	452,00 €	160	138,00 €	160	74,00 €	160	169,00 €
180	325,00 €	180	247,00 €	180	463,00 €	180	463,00 €	180	140,00 €	180	75,00 €	180	171,00 €
200	333,00 €	200	267,00 €	200	511,00 €	200	511,00 €	200	143,00 €	200	86,00 €	200	218,00 €
225	361,00 €	225	285,00 €	225	514,00 €	225	514,00 €	225	151,00 €	225	92,00 €	225	222,00 €
250	379,00 €	250	297,00 €	250	523,00 €	250	523,00 €	250	169,00 €	250	105,00 €	250	233,00 €
300	470,00 €	300	465,00 €	300	527,00 €	300	527,00 €	300	202,00 €	300	120,00 €	300	250,00 €


- ^{*1} When ordering, please specify the desired number of degrees at the opposite angle to the roof pitch. For solid fuels, the maximum offset is 30°. For larger offsets, please contact our technical department.

Storm collar




DW31Ø	
080	22,00 €
100	24,00 €
115	26,00 €
130	27,00 €
150	29,00 €
160	31,00 €
180	32,00 €
200	35,00 €
225	36,00 €
250	37,00 €
300	43,00 €

Storm collar „Special“



DW80Ø	
080	120,00 €
100	132,00 €
115	135,00 €
130	140,00 €
150	151,00 €
160	155,00 €
180	159,00 €
200	171,00 €
225	177,00 €
250	183,00 €
300	226,00 €

Storm collar „Special“ with rear ventilation




DW80HLØ	
080	124,00 €
100	137,00 €
115	139,00 €
130	146,00 €
150	155,00 €
160	158,00 €
180	166,00 €
200	176,00 €
225	182,00 €
250	193,00 €
300	232,00 €

Storm collar with edge




DW307Ø	
080	35,00 €
100	38,00 €
115	39,00 €
130	40,00 €
150	42,00 €
160	43,00 €
180	45,00 €
200	47,00 €
225	47,00 €
250	51,00 €
300	67,00 €

Storm collar with edge and spacers for rear ventilation




DW2856Ø	
080	40,00 €
100	44,00 €
115	45,00 €
130	46,00 €
150	47,00 €
160	50,00 €
180	52,00 €
200	53,00 €
225	57,00 €
250	74,00 €
300	74,00 €

Flashing kit 5-15° with storm collar



DW81Ø	
080	155,00 €
100	194,00 €
115	196,00 €
130	200,00 €
150	220,00 €
160	229,00 €
180	246,00 €
200	285,00 €
225	312,00 €
250	329,00 €
300	354,00 €


Flashing kit 16-25° with storm collar



DW82Ø	
080	179,00 €
100	213,00 €
115	218,00 €
130	221,00 €
150	244,00 €
160	252,00 €
180	262,00 €
200	295,00 €
225	316,00 €
250	336,00 €
300	363,00 €


DW-SILVER

Flashing kit 26-35° with storm collar




DW39Ø	
080	205,00 €
100	232,00 €
115	242,00 €
130	248,00 €
150	265,00 €
160	274,00 €
180	285,00 €
200	306,00 €
225	324,00 €
250	341,00 €
300	372,00 €

Flashing kit 36-45° with storm collar




DW83Ø	
080	228,00 €
100	254,00 €
115	259,00 €
130	272,00 €
150	290,00 €
160	298,00 €
180	308,00 €
200	315,00 €
225	333,00 €
250	352,00 €
300	383,00 €

Flat flashing conical with storm collar




DW52Ø	
080	111,00 €
100	115,00 €
115	116,00 €
130	118,00 €
150	124,00 €
160	130,00 €
180	138,00 €
200	170,00 €
225	179,00 €
250	193,00 €
300	235,00 €

Cylindrical flat flashing with storm collar




DW52ØZY	
080	111,00 €
100	115,00 €
115	116,00 €
130	118,00 €
150	124,00 €
160	130,00 €
180	138,00 €
200	170,00 €
225	179,00 €
250	193,00 €
300	235,00 €

Flashing kit 5-15° lead base with storm collar




DW53Ø	
080	197,00 €
100	212,00 €
115	217,00 €
130	224,00 €
150	244,00 €
160	251,00 €
180	260,00 €
200	268,00 €
225	295,00 €
250	301,00 €
300	310,00 €

Flashing kit 16-25° lead base with storm collar



DW59Ø	
080	197,00 €
100	212,00 €
115	217,00 €
130	224,00 €
150	244,00 €
160	251,00 €
180	260,00 €
200	268,00 €
225	295,00 €
250	301,00 €
300	310,00 €

Flashing kit 26-35° lead base with storm collar, cone 150mm



DW38Ø	
080	197,00 €
100	212,00 €
115	217,00 €
130	224,00 €
150	244,00 €
160	251,00 €
180	260,00 €
200	268,00 €
225	295,00 €
250	301,00 €
300	310,00 €



System DW-SILVER



Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
lead base with
storm collar, cone
150mm








Flashing kit 16-25°
lead base with
storm collar, cone
150mm

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar, cone
150mm

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DW540	DW29350	DW29370	DW29340	DW29360	DW2556-10	DW2556-20
080 197,00 €	080 192,00 €	080 192,00 €	080 192,00 €	080 193,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 202,00 €	100 204,00 €	100 204,00 €	100 205,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 206,00 €	115 209,00 €	115 212,00 €	115 215,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 216,00 €	130 216,00 €	130 215,00 €	130 218,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 235,00 €	150 234,00 €	150 234,00 €	150 235,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 242,00 €	160 242,00 €	160 236,00 €	160 242,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 251,00 €	180 250,00 €	180 250,00 €	180 251,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 258,00 €	200 255,00 €	200 256,00 €	200 258,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 279,00 €	225 286,00 €	225 271,00 €	225 284,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 288,00 €	250 292,00 €	250 287,00 €	250 289,00 €	250 301,00 €	250 301,00 €
300 310,00 €					300 310,00 €	300 310,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar








Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar


Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




DW2556-30	DW2558-10	DW2558-20	DW2558-30	DW2557-10	DW2557-20	DW2557-30
080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

- *1 For wall/ceiling panels, please state the number in °.


Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre ce-
ment corrugated roof,
outer Ø 150-300mm
(up to 400°C)



Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



*1

DW2551-1Ø		DW2551-2Ø		DW2551-3Ø		ZUAC2700	ZUAC2701	DW70Ø		DW71Ø	
080	197,00 €	080	197,00 €	080	197,00 €	259,00 €	259,00 €	080	66,00 €	080	72,00 €
100	212,00 €	100	212,00 €	100	212,00 €			100	72,00 €	100	77,00 €
115	217,00 €	115	217,00 €	115	217,00 €			115	74,00 €	115	78,00 €
130	224,00 €	130	224,00 €	130	224,00 €			130	75,00 €	130	81,00 €
150	244,00 €	150	244,00 €	150	244,00 €			150	77,00 €	150	85,00 €
160	251,00 €	160	251,00 €	160	251,00 €			160	78,00 €	160	86,00 €
180	260,00 €	180	260,00 €	180	260,00 €			180	81,00 €	180	87,00 €
200	268,00 €	200	268,00 €	200	268,00 €			200	85,00 €	200	93,00 €
225	295,00 €	225	295,00 €	225	295,00 €			225	98,00 €	225	106,00 €
250	301,00 €	250	301,00 €	250	301,00 €			250	107,00 €	250	116,00 €
300	310,00 €	300	310,00 €	300	310,00 €			300	124,00 €	300	137,00 €

DW-SILVER

Ceiling plate 0°,
two-piece



Ceiling plate 1-65°
two-piece



*1

Ventilated ceiling
plate, 0°, one-piece



Ventilated ceiling
plate, 1-65°, one-
piece



*1

Ventilated split
ceiling plate 0°,
two-piece




Ventilated split
ceiling plate 1-65°,
two-piece



*1

Ceiling plate with
seal to stop steam
0-20° (up to
450°C/N1)



DW74Ø		DW75Ø		DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW1702Ø	
080	72,00 €	080	79,00 €	080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	98,00 €
100	78,00 €	100	87,00 €	100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	102,00 €
115	81,00 €	115	91,00 €	115	111,00 €	115	118,00 €	115	120,00 €	115	127,00 €	115	106,00 €
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	111,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	137,00 €
160	100,00 €	160	110,00 €	160	118,00 €	160	125,00 €	160	137,00 €	160	149,00 €	160	139,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	149,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	157,00 €
225	116,00 €	225	129,00 €	225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	169,00 €
250	120,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	206,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	232,00 €



System DW-SILVER



Ceiling plate with seal to stop steam 21-40° (up to 450°C/N1)

Ceiling plate with seal to stop steam 41-55° (up to 450°C/N1)




Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece

Airtight sealing collars 0°-30° for chimneys up to T400



DW1703Ø		DW1704Ø		DW99VØ		DW98VØ		DW99VHLØ		DW98VHLØ		ZUTE2195Ø	
080	118,00 €	080	137,00 €	080	58,00 €	080	72,00 €	080	94,00 €	080	110,00 €	180-195	84,00 €
100	125,00 €	100	146,00 €	100	66,00 €	100	77,00 €	100	103,00 €	100	115,00 €	200-225	92,00 €
115	130,00 €	115	153,00 €	115	67,00 €	115	78,00 €	115	105,00 €	115	116,00 €	230-245	99,00 €
130	137,00 €	130	157,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	250-270	105,00 €
150	166,00 €	150	179,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €		
160	170,00 €	160	183,00 €	160	74,00 €	160	86,00 €	160	111,00 €	160	125,00 €		
180	179,00 €	180	195,00 €	180	75,00 €	180	87,00 €	180	113,00 €	180	126,00 €		
200	189,00 €	200	203,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €		
225	201,00 €	225	215,00 €	225	92,00 €	225	106,00 €	225	130,00 €	225	145,00 €		
250	244,00 €	250	265,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €		
300	264,00 €	300	295,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €		

Airtight sealing collars 30°-45° for chimneys up to T400




Adaptor EW male/DW-SILVER

Adaptor EW-SILVER/DW-SILVER

Adaptor DW-SILVER/EW male

Adaptor DW-SILVER/EW-SILVER with female socket



Adaptor EW-SILVER/DW-SILVER with integrated wall sleeve straight for FERRO



ZUTE2232Ø		301-DW37Ø		301-DW37MØ		301-DW37AØ		301-DW37AMØ		301-DW37GWFØ	
200-225	111,00 €	080	69,00 €	080	80,00 €	080	69,00 €	080	80,00 €	080	134,00 €
230-245	125,00 €	100	71,00 €	100	81,00 €	100	71,00 €	100	81,00 €	100	137,00 €
250-270	135,00 €	115	75,00 €	115	82,00 €	115	75,00 €	115	82,00 €	115	138,00 €
		130	76,00 €	130	84,00 €	130	76,00 €	130	84,00 €	130	142,00 €
		150	77,00 €	150	86,00 €	150	77,00 €	150	86,00 €	150	145,00 €
		160	80,00 €	160	88,00 €	160	80,00 €	160	88,00 €	160	149,00 €
		180	81,00 €	180	89,00 €	180	81,00 €	180	89,00 €	180	156,00 €
		200	82,00 €	200	90,00 €	200	82,00 €	200	90,00 €	200	169,00 €
		225	88,00 €	225	94,00 €	225	88,00 €	225	94,00 €	225	179,00 €
		250	90,00 €	250	97,00 €	250	90,00 €	250	97,00 €	250	189,00 €
		300	97,00 €	300	103,00 €	300	97,00 €	300	103,00 €		

Connection piece with integrated wall sleeve

Connection piece with integrated FERRO-wall sleeve



617-ZUWA757Ø-Ø				617-ZUWA757FØ-Ø			
A 100	135,00 €	A 160	158,00 €	A 200	174,00 €	A 100	147,00 €
B 080		B 120		B 180		B 150	153,00 €
A 130	140,00 €	A 180	164,00 €	A 225	183,00 €	A 115	147,00 €
B 080		B 120		B 200		B 080	
A 130	140,00 €	A 180	161,00 €	A 250	186,00 €	A 115	149,00 €
B 100		B 130		B 200		B 100	
A 130	147,00 €	A 180	164,00 €			A 120	149,00 €
B 110		B 150				B 080	
A 150	141,00 €	A 180	165,00 €			A 120	149,00 €
B 080		B 160				B 100	
A 150	147,00 €	A 200	164,00 €			A 130	150,00 €
B 100		B 120				B 080	
A 150	149,00 €	A 200	167,00 €			A 130	150,00 €
B 110		B 130				B 100	
A 150	150,00 €	A 200	170,00 €			A 140	155,00 €
B 120		B 150				B 120	
A 150	155,00 €	A 200	173,00 €			A 150	152,00 €
B 130		B 160				B 080	
						A 160	170,00 €
						B 130	
						A 180	161,00 €
						B 080	
						A 150	155,00 €
						B 110	
						A 150	155,00 €
						B 115	
						A 180	162,00 €
						B 100	
						A 180	173,00 €
						B 120	
						A 180	171,00 €
						B 130	
						A 180	173,00 €
						B 150	
						A 180	174,00 €
						B 160	
						A 200	173,00 €
						B 100	
						A 200	173,00 €
						B 120	
						A 200	177,00 €
						B 150	

Isotherm tape
40mm, price per
metre

Closing cap plastic
for drain 1/2" (up to
200°C)


Adjustable rafter
bracket 500-
900mm

Light rafter bracket

Support 800-
1200mm

Support with joint
800-1200mm, sing-
le-bracedd

Support with joint
800-1200mm, dou-
ble-braced



€
NET



€
NET



750ISO40	750ADK1/2	DW55Ø	DW55LØ	DW40Ø	DW40MGØ	DW40MGØ
5,00 €	5,00 €	080 158,00 €	080 84,00 €	080 105,00 €	080 219,00 €	250 230,00 €
		100 165,00 €	100 85,00 €	100 106,00 €	100 220,00 €	300 249,00 €
		115 166,00 €	115 86,00 €	115 107,00 €	115 221,00 €	
		130 169,00 €	130 87,00 €	130 109,00 €	130 222,00 €	
		150 172,00 €	150 90,00 €	150 110,00 €	150 224,00 €	
		160 194,00 €	160 91,00 €	160 111,00 €	160 225,00 €	
		180 200,00 €	180 109,00 €	180 113,00 €	180 226,00 €	
		200 217,00 €	200 111,00 €	200 114,00 €	200 228,00 €	
		225 246,00 €	225 113,00 €	225 115,00 €	225 229,00 €	
		250 251,00 €	250 116,00 €	250 116,00 €		
		300 256,00 €	300 118,00 €	300 132,00 €		



System DW-SILVER



3-point guy wire bracket

Mounting set for 3-point guy wire bracket (galvanised)


Anchor cable (galvanised)

Stopcock, 1/2" threaded outside (1/2" female socket FU126 not included)

Ceiling suspension for M8 threaded rods

Threaded rod M8, stainless steel l=1000mm

Ceiling suspension for perforated sheet metal



Rgr. KEEW



Rgr. KEEW



Rgr. EW



Rgr. EW



DW420		KEEW237		KEEW242		FU47		DW610		VL314		DW620	
080	39,00 €	58,00 €		14,00 €		32,00 €		080	62,00 €	20,00 €		080	58,00 €
100	40,00 €							100	67,00 €			100	62,00 €
115	40,00 €							115	68,00 €			115	63,00 €
130	42,00 €							130	69,00 €			130	64,00 €
150	42,00 €							150	70,00 €			150	66,00 €
160	42,00 €							160	72,00 €			160	67,00 €
180	43,00 €							180	74,00 €			180	68,00 €
200	44,00 €							200	75,00 €			200	69,00 €
225	45,00 €							225	76,00 €			225	70,00 €
250	46,00 €							250	77,00 €			250	72,00 €
300	61,00 €							300	84,00 €			300	81,00 €

2-piece wall bracket for M10 threaded rod

Threaded rod M10, stainless steel l=1000mm

Lightning protection clamp

Closing lid with handle for DW11


Adjustable length for connection line 320-460mm (up to 600°C/N1)

Locking band (spare part)

Locking band static h=400mm



Rgr. EW



\$19 (incl. VAT)

ZUWA13790		VL316		DW690		DW44B0		301-DW500		DW410		DW3041S-20	
145	48,00 €	22,00 €		080	39,00 €	080	167,00 €	080	216,00 €	080	20,00 €	130	79,00 €
165	51,00 €			100	40,00 €	100	176,00 €	100	224,00 €	100	21,00 €	150	83,00 €
180	62,00 €			115	42,00 €	115	185,00 €	115	233,00 €	115	22,00 €	160	87,00 €
195	68,00 €			130	43,00 €	130	196,00 €	130	241,00 €	130	23,00 €	180	98,00 €
215	75,00 €			150	44,00 €	150	209,00 €	150	283,00 €	150	26,00 €	200	107,00 €
225	81,00 €			160	45,00 €	160	217,00 €	160	302,00 €	160	27,00 €		
245	87,00 €			180	46,00 €	180	226,00 €	180	328,00 €	180	28,00 €		
265	93,00 €			200	47,00 €	200	229,00 €	200	379,00 €	200	31,00 €		
290	96,00 €			225	51,00 €	225	262,00 €	225	441,00 €	225	32,00 €		
315	106,00 €			250	52,00 €	250	286,00 €	250	500,00 €	250	34,00 €		
365	113,00 €			300	61,00 €	300	324,00 €	300	689,00 €	300	35,00 €		

- ^{*1} Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.
- ^{*2} When ordering, please specify the system diameter and distance from the wall!

Folding clamp for
2-point guy wire
bracket

Roof hook for
mounting guy wire
brackets, 2 pieces



Roof hook for
mounting wall
brackets on pitched
roofs

Roof hook for
mounting wall
brackets on pitched
roofs (adjustable)

2-point guy wire
bracket

Anchor tubes ad-
justable up to 2m, 2
rods Ø17.1x1.5mm/
Ø20x1mm (for wind
load zones 1+2, up to
Ø200mm)

Anchor tubes ad-
justable up to 2m, 2
rods Ø38.2x2mm/
Ø42.4x2mm (for all
wind load zones)

						
€ NET	€ NET	§ 19 (BIMSchV)	§ 19 (BIMSchV)	§ 19 (BIMSchV)	§ 19 (BIMSchV)	§ 19 (BIMSchV)
ZUDA1069	ZUDA1070	DW2800Ø	DW2877Ø	DW1057Ø	ZUDA904-2000	ZUDA1678-2000
35,00 €	34,00 €	080 103,00 € 100 103,00 € 115 105,00 € 130 110,00 € 150 111,00 € 160 111,00 € 180 114,00 € 200 122,00 €	080 274,00 € 100 275,00 € 115 277,00 € 130 282,00 € 150 284,00 € 160 285,00 € 180 286,00 € 200 295,00 €	080 39,00 € 100 40,00 € 115 40,00 € 130 42,00 € 150 42,00 € 160 42,00 € 180 43,00 € 200 44,00 € 225 44,00 € 250 45,00 € 300 61,00 €	198,00 €	313,00 €

Anchor tubes ad-
justable up to 3m, 2
rods Ø17.1x1.5mm/
Ø20x1mm (for wind
load zones 1+2, up to
Ø200mm)

Anchor tubes ad-
justable up to 3m, 2
rods Ø38.2x2mm/
Ø42.4x2mm (for all
wind load zones)

Anchor tubes
adjustable up to 4m,
consisting of 2x3
interlocking pipes (for
wind load zone 1+2, up
to Ø200mm)

Anchor tubes ad-
justable up to 4m,
consisting of 2x3
interlocking pipes (for
all wind load
zones)

Stainless steel can-
tilever with sliding
static wall bracket

				
§ 19 (BIMSchV)	§ 19 (BIMSchV)	§ 19 (BIMSchV)	§ 19 (BIMSchV)	§ 19 (BIMSchV)
ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
227,00 €	358,00 €	313,00 €	487,00 €	080 774,00 € 100 776,00 € 115 778,00 € 130 781,00 € 150 784,00 €

^{*2}

DW-SILVER