

DESCRIPTION

Single-wall, stainless steel chimney without gaskets for all standard heating appliances and combustion engines (combined heat & power units) with conically sealed connection

MATERIAL

1.4404 (316L) / 1.4571 (316Ti)

Also available as EW-KL-SILVER on request

FINISHING

Material thickness 0.6 mm highly polished / from Ø 350 mm matt

Material thickness 0.8 mm matt

Others on request

WALL THICKNESS

0.6 mm

Optional for all Ø 1.0 mm matt

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1000 mm

CONNECTION

Conical connection technology


Socket / bead and locking band (optional)

ORDER CODE


The article code for your order results from:

Article code + Ø (Ex: KL06222130).

Please refer to the respective code for deviations.



The appropriate amount of KL paste is automatically supplied with the order.



CHARACTERISTICS

- Metal conical gasket
- Pressure tight up to 5000 Pa without flanges and separate gasket
- KLK straight pipe elements that can be conically shortened
- Quick, easy installation
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)
- Condensing boilers
- Ventilation systems
- Ovens
- CHP, combustion engines
- Emergency power generators, generators

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 004

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T200 - P1 - W - V2 - L50060 - O00

T200 - H1 - W - V2 - L50060 - Oxx

T400 - N1 - D - V2 - L50060 - Gxx

T400 - P1 - W - V2 - L50060 - Oxx

T450 - H1 - W - V2 - L50060 - Oxx

T600 - N1 - D - V3 - L50060 - Gxx¹

T600 - P1 - W - V2 - L50060 - Oxx

T600 - H1 - W - V2 - L50060 - Gxx

¹ with 25 mm insulation

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 042

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

Without radiation protection

T200 - P1 - W - V2 - L50060 - O50M

T200 - H1 - W - V2 - L50060 - O50M

T400 - H1 - W - V2 - L50060 - G500M

T400 - N1 - D - V2 - L50060 - G400M

Distances with radiation protection according to DIN 18160-1/EN 15287 until DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240, DN180 = G270, >DN200 = G300



System EW-KL



Condensate collector with 1/2" nipple

Closing cap plastic for drain 1/2" (up to 200°C)


Elbow 87° with support

Elbow 87° with support and adaptor to EW-FU

Support rail l=350mm

Support rail l=500mm

Support rail l=700mm



KL01BØ		750ADK1/2	KL0606Ø		KL06276Ø		FU422	FU422B	FU422C
080	68,00 €	5,00 €	080	131,00 €	080	131,00 €	116,00 €	131,00 €	158,00 €
100	69,00 €		100	135,00 €	100	135,00 €			
120	72,00 €		120	142,00 €	120	142,00 €			
130	74,00 €		130	147,00 €	130	147,00 €			
140	75,00 €		140	149,00 €	140	149,00 €			
150	76,00 €		150	154,00 €	150	154,00 €			
160	77,00 €		160	163,00 €	160	163,00 €			
180	78,00 €		180	185,00 €	180	185,00 €			
200	81,00 €		200	219,00 €	200	219,00 €			
225	87,00 €		225	235,00 €	225	235,00 €			
250	93,00 €		250	270,00 €	250	270,00 €			
300	102,00 €		300	323,00 €	300	323,00 €			
350	116,00 €		350	365,00 €	350	365,00 €			
400	137,00 €		400	414,00 €	400	414,00 €			
450	159,00 €		450	480,00 €	450	480,00 €			
500	167,00 €		500	546,00 €	500	546,00 €			
600	224,00 €		600	721,00 €	600	721,00 €			

Inspection length (up to 600°C/Nl)

Inspection length with round opening (up to 600°C/ NI)


Inspection length with round opening (up to 200°C/ P1)

Inspection length with round opening for wet operation (up to 250°C/HI)

Inspection length with round opening for dry operation (up to 600°C/HI)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm



KL0607Ø		KL0607RØ		KL0630Ø		KL0630HTWØ		KL0630HTDØ		FU0960	FU5160
080	77,00 €	080	153,00 €	080	159,00 €	080	276,00 €	080	276,00 €	84,00 €	120,00 €
100	78,00 €	100	154,00 €	100	173,00 €	100	291,00 €	100	291,00 €		
120	81,00 €	120	158,00 €	120	194,00 €	120	309,00 €	120	309,00 €		
130	83,00 €	130	170,00 €	130	203,00 €	130	320,00 €	130	320,00 €		
140	85,00 €	140	172,00 €	140	204,00 €	140	321,00 €	140	321,00 €		
150	87,00 €	150	173,00 €	150	205,00 €	150	322,00 €	150	322,00 €		
160	92,00 €	160	182,00 €	160	217,00 €	160	333,00 €	160	333,00 €		
180	99,00 €	180	193,00 €	180	224,00 €	180	340,00 €	180	340,00 €		
200	113,00 €	200	205,00 €	200	235,00 €	200	354,00 €	200	354,00 €		
225	116,00 €	225	218,00 €	225	250,00 €	225	367,00 €	225	367,00 €		
250	130,00 €	250	227,00 €	250	260,00 €	250	379,00 €	250	379,00 €		
300	153,00 €	300	235,00 €	300	269,00 €	300	387,00 €	300	387,00 €		
350	182,00 €	350	276,00 €	350	313,00 €	350	432,00 €	350	432,00 €		
400	226,00 €	400	322,00 €	400	356,00 €	400	475,00 €	400	475,00 €		
450	254,00 €	450	360,00 €	450	401,00 €	450	516,00 €	450	516,00 €		
500	282,00 €	500	397,00 €	500	443,00 €	500	561,00 €	500	561,00 €		
600	378,00 €	600	472,00 €	600	530,00 €	600	648,00 €	600	648,00 €		

- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Extension of the sliding nozzle. Price per cm

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key



^{*2}



Stainless steel chimney door 210x140mm without holes and 4 side lugs, incl. door key

Stainless steel chimney door 210x140mm with 4 holes and 2 side lugs incl. door key



Stainless steel chimney door 300x200mm with inclined insert 60mm, incl. door key



^{*2}

T-45°, hand welded



T-87°, hand welded




T-45° with adaptor branch for EW-FU, hand welded



FU1060	FU13	FU13B	FU116060	KL0623Ø	KL0608Ø	KL06118Ø
139,00 €	67,00 €	67,00 €	158,00 €	080 179,00 € 100 191,00 € 120 213,00 € 130 222,00 € 140 233,00 € 150 246,00 € 160 254,00 € 180 280,00 € 200 286,00 € 225 307,00 € 250 314,00 € 300 361,00 € 350 368,00 € 400 381,00 € 450 418,00 € 500 475,00 € 600 637,00 €	080 123,00 € 100 124,00 € 120 130,00 € 130 139,00 € 140 151,00 € 150 156,00 € 160 166,00 € 180 197,00 € 200 204,00 € 225 222,00 € 250 239,00 € 300 260,00 € 350 288,00 € 400 309,00 € 450 324,00 € 500 384,00 € 600 516,00 €	080 179,00 € 100 191,00 € 120 213,00 € 130 222,00 € 140 233,00 € 150 246,00 € 160 254,00 € 180 280,00 € 200 286,00 € 225 307,00 € 250 314,00 € 300 361,00 € 350 368,00 € 400 381,00 € 450 418,00 € 500 475,00 € 600 637,00 €

T-87° with outlet for EW-FU, hand welded



Length 1000mm



Length 500mm




Length 330mm



Length 250mm



Length 200mm



Length 150mm



KL06117Ø	KL0602Ø	KL0603Ø	KL06222Ø	KL0604Ø	KL06223Ø	KL06224Ø
080 123,00 € 100 124,00 € 120 130,00 € 130 139,00 € 140 151,00 € 150 156,00 € 160 166,00 € 180 197,00 € 200 204,00 € 225 222,00 € 250 239,00 € 300 260,00 € 350 288,00 € 400 309,00 € 450 324,00 € 500 384,00 € 600 516,00 €	080 75,00 € 100 79,00 € 120 84,00 € 130 85,00 € 140 90,00 € 150 92,00 € 160 101,00 € 180 110,00 € 200 120,00 € 225 131,00 € 250 146,00 € 300 172,00 € 350 196,00 € 400 222,00 € 450 250,00 € 500 291,00 € 600 391,00 €	080 44,00 € 100 53,00 € 120 58,00 € 130 59,00 € 140 61,00 € 150 62,00 € 160 67,00 € 180 72,00 € 200 74,00 € 225 81,00 € 250 87,00 € 300 93,00 € 350 105,00 € 400 123,00 € 450 145,00 € 500 156,00 € 600 206,00 €	080 39,00 € 100 52,00 € 120 54,00 € 130 57,00 € 140 58,00 € 150 59,00 € 160 67,00 € 180 68,00 € 200 70,00 € 225 74,00 € 250 77,00 € 300 87,00 € 350 102,00 € 400 114,00 € 450 123,00 € 500 140,00 € 600 196,00 €	080 32,00 € 100 40,00 € 120 43,00 € 130 44,00 € 140 45,00 € 150 46,00 € 160 47,00 € 180 52,00 € 200 53,00 € 225 58,00 € 250 61,00 € 300 69,00 € 350 77,00 € 400 87,00 € 450 93,00 € 500 109,00 € 600 150,00 €	080 27,00 € 100 35,00 € 120 36,00 € 130 37,00 € 140 37,00 € 150 38,00 € 160 42,00 € 180 43,00 € 200 44,00 € 225 46,00 € 250 47,00 € 300 57,00 € 350 66,00 € 400 72,00 € 450 76,00 € 500 87,00 € 600 122,00 €	080 22,00 € 100 26,00 € 120 27,00 € 130 28,00 € 140 31,00 € 150 32,00 € 160 34,00 € 180 35,00 € 200 36,00 € 225 38,00 € 250 39,00 € 300 44,00 € 350 47,00 € 400 54,00 € 450 59,00 € 500 68,00 € 600 92,00 €



System EW-KL



Length 980mm
conically cuttable

Length 500mm
conically cuttable


Length 250mm
conically cuttable

Length 1000mm
with 2 lowering
loops

Length 1000mm
with mounting
bracket

Mounting bracket

Elbow 3°



KLK06020		KLK06030		KLK06040		KL06050		KL06070		FU400		KL069080	
080	86,00 €	080	51,00 €	080	37,00 €	080	79,00 €	080	98,00 €	080	28,00 €	080	39,00 €
100	92,00 €	100	62,00 €	100	46,00 €	100	85,00 €	100	102,00 €	100	32,00 €	100	40,00 €
120	98,00 €	120	68,00 €	120	50,00 €	120	90,00 €	120	105,00 €	120	35,00 €	120	43,00 €
130	99,00 €	130	69,00 €	130	51,00 €	130	91,00 €	130	107,00 €	130	36,00 €	130	44,00 €
150	106,00 €	150	71,00 €	150	53,00 €	140	93,00 €	140	110,00 €	140	37,00 €	140	46,00 €
160	116,00 €	160	77,00 €	160	54,00 €	150	98,00 €	150	111,00 €	150	38,00 €	150	51,00 €
180	127,00 €	180	83,00 €	180	61,00 €	160	105,00 €	160	116,00 €	160	38,00 €	160	53,00 €
200	138,00 €	200	85,00 €	200	62,00 €	180	114,00 €	180	129,00 €	180	39,00 €	180	58,00 €
225	151,00 €	225	94,00 €	225	68,00 €	200	125,00 €	200	138,00 €	200	39,00 €	200	67,00 €
250	169,00 €	250	101,00 €	250	70,00 €	225	137,00 €	225	151,00 €	225	40,00 €	225	79,00 €
300	198,00 €	300	107,00 €	300	79,00 €	250	151,00 €	250	166,00 €	250	40,00 €	250	92,00 €
350	226,00 €	350	122,00 €	350	90,00 €	300	176,00 €	300	195,00 €	300	42,00 €	300	132,00 €
400	256,00 €	400	141,00 €	400	101,00 €	350	201,00 €	350	215,00 €	350	43,00 €	350	142,00 €
						400	225,00 €	400	238,00 €	400	45,00 €	400	158,00 €
						450	253,00 €	450	268,00 €	450	46,00 €	450	174,00 €
						500	297,00 €	500	312,00 €	500	74,00 €	500	202,00 €
						600	394,00 €	600	409,00 €	600	93,00 €	600	261,00 €

Elbow 15°

Elbow 30°






Elbow 42°

Elbow 45°

End cap with storm
collar mat

Boiler/Generator
adaptor with male
conical connection

Boiler adaptor with
male plug connec-
tion



KL06090		KL06100		KL0622310		KL06110		FU250		KL061200		KL06320	
080	39,00 €	080	39,00 €	080	39,00 €	080	39,00 €	080	81,00 €	080	52,00 €	080	38,00 €
100	40,00 €	100	40,00 €	100	40,00 €	100	40,00 €	100	83,00 €	100	53,00 €	100	39,00 €
120	43,00 €	120	43,00 €	120	43,00 €	120	43,00 €	120	86,00 €	120	54,00 €	120	40,00 €
130	44,00 €	130	44,00 €	130	44,00 €	130	44,00 €	130	92,00 €	130	57,00 €	130	42,00 €
140	46,00 €	140	46,00 €	140	46,00 €	140	46,00 €	140	100,00 €	140	58,00 €	140	43,00 €
150	51,00 €	150	51,00 €	150	51,00 €	150	51,00 €	150	106,00 €	150	59,00 €	150	44,00 €
160	53,00 €	160	53,00 €	160	53,00 €	160	53,00 €	160	114,00 €	160	61,00 €	160	45,00 €
180	58,00 €	180	58,00 €	180	58,00 €	180	58,00 €	180	122,00 €	180	62,00 €	180	46,00 €
200	67,00 €	200	67,00 €	200	67,00 €	200	67,00 €	200	135,00 €	200	63,00 €	200	47,00 €
225	79,00 €	225	79,00 €	225	79,00 €	225	79,00 €	225	142,00 €	225	66,00 €	225	51,00 €
250	92,00 €	250	92,00 €	250	92,00 €	250	92,00 €	250	149,00 €	250	68,00 €	250	52,00 €
300	132,00 €	300	132,00 €	300	132,00 €	300	132,00 €	300	169,00 €	300	72,00 €	300	54,00 €
350	142,00 €	350	142,00 €	350	142,00 €	350	142,00 €	350	182,00 €	350	74,00 €	350	61,00 €
400	158,00 €	400	158,00 €	400	158,00 €	400	158,00 €	400	215,00 €	400	79,00 €	400	67,00 €
450	174,00 €	450	174,00 €	450	174,00 €	450	174,00 €	450	232,00 €	450	84,00 €	450	70,00 €
500	202,00 €	500	202,00 €	500	202,00 €	500	202,00 €	500	316,00 €	500	101,00 €	500	84,00 €
600	261,00 €	600	261,00 €	600	261,00 €	600	261,00 €	600	421,00 €	600	129,00 €	600	114,00 €

Conical boiler adaptor with female plug connection



KL06123Ø	
080	44,00 €
100	45,00 €
120	46,00 €
130	47,00 €
140	51,00 €
150	52,00 €
160	53,00 €
180	54,00 €
200	57,00 €
225	58,00 €
250	61,00 €
300	63,00 €
350	68,00 €
400	72,00 €
450	77,00 €
500	92,00 €
600	120,00 €

Adjustable length 320-460mm with locking band (up to 400°C/N1)




KL06114Ø	
080	123,00 €
100	124,00 €
120	126,00 €
130	130,00 €
140	137,00 €
150	138,00 €
160	150,00 €
180	159,00 €
200	173,00 €
225	185,00 €
250	196,00 €
300	252,00 €
350	275,00 €
400	291,00 €
450	317,00 €
500	340,00 €
600	405,00 €

Adjustable length for connection line 320-460mm with gasket and locking band (up to 200°C/H1)



KL06114DØ	
080	149,00 €
100	150,00 €
120	153,00 €
130	157,00 €
140	163,00 €
150	167,00 €
160	179,00 €
180	194,00 €
200	205,00 €
225	221,00 €
250	228,00 €
300	289,00 €
350	320,00 €

Length 200mm with drain for vertical installation and 1/2" nozzle



KL06110Ø	
080	171,00 €
100	172,00 €
120	173,00 €
130	176,00 €
140	177,00 €
150	179,00 €
160	180,00 €
180	183,00 €
200	191,00 €
225	195,00 €
250	198,00 €
300	205,00 €
350	205,00 €
400	219,00 €
450	228,00 €
500	246,00 €
600	291,00 €

Condensate drain for horizontal instal. for CHP outlet bottom with 1/2" threaded nipple



KL06984Ø	
080	189,00 €
100	193,00 €
120	194,00 €
130	195,00 €
140	196,00 €
150	197,00 €
160	200,00 €
180	203,00 €
200	205,00 €
225	212,00 €
250	215,00 €
300	222,00 €
350	232,00 €
400	249,00 €
450	256,00 €
500	273,00 €
600	305,00 €

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



750FITTINGÜ-22 1/2	
	94,00 €

Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



750FITTINGV-22	
	47,00 €

Siphon to the centric P1/M1



ZUAC2300	
	66,00 €

Siphon to the right P1/M1



ZUAC2301	
	66,00 €

Siphon to the left P1/M1



ZUAC2302	
	66,00 €

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1



ZUAC2303	
	66,00 €

Siphon entrance vertical top, exit horizontal straight, with sealing water height 600mm H1



ZUTE1904	
	99,00 €

Length 200mm with test point (up to 200°C/P1)



KL06112Ø	
080	76,00 €
100	77,00 €
120	79,00 €
130	81,00 €
140	83,00 €
150	84,00 €
160	85,00 €
180	90,00 €
200	92,00 €
225	100,00 €
250	103,00 €
300	110,00 €
350	122,00 €
400	135,00 €
450	145,00 €
500	159,00 €
600	195,00 €

Length 200mm with test point (up to 600°C/H1)



KL06112AØ	
080	129,00 €
100	130,00 €
120	132,00 €
130	133,00 €
140	135,00 €
150	137,00 €
160	138,00 €
180	145,00 €
200	146,00 €
225	153,00 €
250	155,00 €
300	162,00 €
350	172,00 €
400	189,00 €
450	198,00 €
500	215,00 €
600	246,00 €



Storm collar

Reinforced assembly tape for conical system






Ceiling suspension with sound absorbing layer for threaded rod M8, up to max. 23 kg

Locking band for conical system

Elbow 87°

Elbow 90°

Elbow 87° with inspection door (up to 600°C/NI)



	KL72Ø	KL1751Ø	VL16VØ	KL45Ø	KL0612Ø	KL0613Ø	KL0614Ø
080	38,00 €	080 74,00 €	080 93,00 €	080 22,00 €	080 67,00 €	080 67,00 €	080 103,00 €
100	39,00 €	100 75,00 €	100 94,00 €	100 23,00 €	100 74,00 €	100 74,00 €	100 110,00 €
120	43,00 €	120 76,00 €	120 101,00 €	120 26,00 €	120 78,00 €	120 78,00 €	120 116,00 €
130	44,00 €	130 77,00 €	130 105,00 €	130 27,00 €	130 83,00 €	130 83,00 €	130 122,00 €
140	45,00 €	140 81,00 €	140 113,00 €	140 28,00 €	140 85,00 €	140 85,00 €	140 124,00 €
150	46,00 €	150 87,00 €	150 120,00 €	150 31,00 €	150 92,00 €	150 92,00 €	150 127,00 €
160	47,00 €	160 90,00 €	160 126,00 €	160 32,00 €	160 103,00 €	160 103,00 €	160 139,00 €
180	53,00 €	180 91,00 €	180 132,00 €	180 34,00 €	180 126,00 €	180 126,00 €	180 163,00 €
200	54,00 €	200 100,00 €	200 146,00 €	200 35,00 €	200 159,00 €	200 159,00 €	200 197,00 €
225	57,00 €	225 111,00 €	225 155,00 €	225 36,00 €	225 176,00 €	225 176,00 €	225 217,00 €
250	58,00 €	250 124,00 €	250 157,00 €	250 37,00 €	250 217,00 €	250 217,00 €	250 251,00 €
300	59,00 €	300 140,00 €	300 166,00 €	300 40,00 €	300 265,00 €	300 265,00 €	300 332,00 €
350	77,00 €	350 156,00 €	350 176,00 €	350 44,00 €	350 310,00 €	350 310,00 €	350 380,00 €
400	105,00 €	400 169,00 €	400 195,00 €	400 46,00 €	400 361,00 €	400 361,00 €	400 417,00 €
450	138,00 €	450 200,00 €	450 205,00 €	450 57,00 €	450 428,00 €	450 428,00 €	450 468,00 €
500	146,00 €	500 284,00 €	500 242,00 €	500 78,00 €	500 498,00 €	500 498,00 €	500 548,00 €
600	226,00 €	600 423,00 €	600 262,00 €	600 116,00 €	600 682,00 €	600 682,00 €	600 750,00 €

Elbow 90° with inspection door (up to 600°C/NI)

Elbow 87° with inspection door (up to 200°C/P1)





Elbow 90° with inspection door and gasket (up to 200°C/P1)

Elbow 87° with inspection door, wet operation mode (up to 250°C/HI)

Elbow 87° with inspection door, dry operation mode (up to 600°C/HI)

Elbow 90° with inspection door, wet operation mode (up to 250°C/HI)

Elbow 90° with inspection door, dry operation mode (up to 600°C/HI)



	KL0615Ø	KL0614DØ	KL0615DØ	KL0623HTWØ	KL0623HTDØ	KL0624HTWØ	KL0624HTDØ
080	103,00 €	080 113,00 €	080 113,00 €	080 222,00 €	080 222,00 €	080 222,00 €	080 222,00 €
100	110,00 €	100 118,00 €	100 118,00 €	100 226,00 €	100 226,00 €	100 226,00 €	100 226,00 €
120	116,00 €	120 125,00 €	120 125,00 €	120 232,00 €	120 232,00 €	120 232,00 €	120 232,00 €
130	122,00 €	130 127,00 €	130 127,00 €	130 238,00 €	130 238,00 €	130 238,00 €	130 238,00 €
140	124,00 €	140 130,00 €	140 130,00 €	140 243,00 €	140 243,00 €	140 243,00 €	140 243,00 €
150	127,00 €	150 138,00 €	150 138,00 €	150 245,00 €	150 245,00 €	150 245,00 €	150 245,00 €
160	139,00 €	160 151,00 €	160 151,00 €	160 254,00 €	160 254,00 €	160 260,00 €	160 260,00 €
180	163,00 €	180 173,00 €	180 173,00 €	180 277,00 €	180 277,00 €	180 277,00 €	180 277,00 €
200	197,00 €	200 206,00 €	200 206,00 €	200 310,00 €	200 310,00 €	200 310,00 €	200 310,00 €
225	217,00 €	225 226,00 €	225 226,00 €	225 329,00 €	225 329,00 €	225 329,00 €	225 329,00 €
250	251,00 €	250 260,00 €	250 260,00 €	250 361,00 €	250 361,00 €	250 361,00 €	250 361,00 €
300	332,00 €	300 340,00 €	300 340,00 €	300 438,00 €	300 438,00 €	300 438,00 €	300 438,00 €
350	380,00 €	350 394,00 €	350 394,00 €	350 486,00 €	350 486,00 €	350 486,00 €	350 486,00 €
400	417,00 €	400 429,00 €	400 429,00 €	400 520,00 €	400 520,00 €	400 520,00 €	400 520,00 €
450	468,00 €	450 481,00 €	450 481,00 €	450 569,00 €	450 569,00 €	450 569,00 €	450 569,00 €
500	548,00 €	500 566,00 €	500 566,00 €	500 646,00 €	500 646,00 €	500 646,00 €	500 646,00 €
600	750,00 €	600 762,00 €	600 762,00 €	600 836,00 €	600 836,00 €	600 836,00 €	600 836,00 €

Elbow 90° with inspection door, wet operation mode (up to 250°C/HI) cleaning at side, branch to right



Elbow 90° with inspection door, dry operation mode (up to 600°C/HI) cleaning at side, branch to right




Elbow 90° with inspection door, wet operation mode (up to 250°C/HI) cleaning at side, branch to left



Elbow 90° with inspection door, dry operation mode (up to 600°C/HI) cleaning at side, branch to left




Elbow 90° with inspection door on the extended outside segment, wet operation mode (up to 250°C/HI)



Elbow 90° with inspection door on the extended outside segment, dry operation mode (up to 600°C/HI)




Elbow 87° with inspection door on the extended outside segment, wet operation mode (up to 250°C/HI)



KL061332HTWØ	KL061332HTDØ	KL061333HTWØ	KL061333HTDØ	KL061318HTWØ	KL061318HTDØ	KL061317HTWØ
080 222,00 €	080 222,00 €	080 222,00 €	080 222,00 €	080 250,00 €	080 250,00 €	080 250,00 €
100 226,00 €	100 226,00 €	100 226,00 €	100 226,00 €	100 264,00 €	100 264,00 €	100 264,00 €
120 232,00 €	120 232,00 €	120 232,00 €	120 232,00 €	120 274,00 €	120 274,00 €	120 274,00 €
130 238,00 €	130 238,00 €	130 238,00 €	130 238,00 €	130 280,00 €	130 280,00 €	130 280,00 €
140 243,00 €	140 243,00 €	140 243,00 €	140 243,00 €	140 284,00 €	140 284,00 €	140 284,00 €
150 245,00 €	150 245,00 €	150 245,00 €	150 245,00 €	150 289,00 €	150 289,00 €	150 289,00 €
160 260,00 €	160 260,00 €	160 260,00 €	160 260,00 €	160 309,00 €	160 309,00 €	160 309,00 €
180 277,00 €	180 277,00 €	180 277,00 €	180 277,00 €	180 329,00 €	180 329,00 €	180 329,00 €
200 310,00 €	200 310,00 €	200 310,00 €	200 310,00 €	200 361,00 €	200 361,00 €	200 361,00 €
225 329,00 €	225 329,00 €	225 329,00 €	225 329,00 €	225 384,00 €	225 384,00 €	225 384,00 €
250 361,00 €	250 361,00 €	250 361,00 €	250 361,00 €	250 419,00 €	250 419,00 €	250 419,00 €
300 438,00 €	300 438,00 €	300 438,00 €	300 438,00 €	300 507,00 €	300 507,00 €	300 507,00 €
350 486,00 €	350 486,00 €	350 486,00 €	350 486,00 €	350 563,00 €	350 563,00 €	350 563,00 €
400 520,00 €	400 520,00 €	400 520,00 €	400 520,00 €	400 607,00 €	400 607,00 €	400 607,00 €
450 569,00 €	450 569,00 €	450 569,00 €	450 569,00 €	450 664,00 €	450 664,00 €	450 664,00 €
500 646,00 €	500 646,00 €	500 646,00 €	500 646,00 €	500 756,00 €	500 756,00 €	500 756,00 €
600 836,00 €	600 836,00 €	600 836,00 €	600 836,00 €	600 989,00 €	600 989,00 €	600 989,00 €

Elbow 87° with inspection door on the extended outside segment, dry operation mode (up to 600°C/HI)




Closing cap plastic for drain 1/2" (up to 200°C)



1/2" female socket




Base plate for intermediate support as a fix point



Expansion bellow for EW-KL



Structural sound absorber adaptor Ø 60mm special for CHPs



Structural sound absorber adaptor Ø 80mm special for CHPs



KL061317HTDØ	750ADK1/2	FU126	KL06907Ø	KL06511Ø	DCS-CV50	DCS-CV70
080 250,00 €	5,00 €	31,00 €	080 64,00 €	080 515,00 €	36,00 €	44,00 €
100 264,00 €			100 65,00 €	100 567,00 €		
120 274,00 €			120 67,00 €	120 auf Anfrage		
130 280,00 €			130 72,00 €	130 633,00 €		
140 284,00 €			140 88,00 €	140 auf Anfrage		
150 289,00 €			150 92,00 €	150 702,00 €		
160 309,00 €			160 94,00 €	180 778,00 €		
180 329,00 €			180 95,00 €	200 853,00 €		
200 361,00 €			200 104,00 €	225 auf Anfrage		
225 384,00 €			225 111,00 €	250 962,00 €		
250 419,00 €			250 114,00 €	300 1.161,00 €		
300 507,00 €			300 127,00 €	350 1.336,00 €		
350 563,00 €			350 172,00 €	400 1.706,00 €		
400 607,00 €			400 191,00 €	450 1.713,00 €		
450 664,00 €			450 223,00 €	500 1.968,00 €		
500 756,00 €			500 256,00 €	600 2.448,00 €		
600 989,00 €			600 330,00 €			



KL lubricant paste
1kg tin

Mounting aid

Flange sealing tape
white (PTFE) for
Jeremias flange

Flange seal high
temperature (up
to 1000°C) for
Jeremias revision
flange

Flange sealing tape
white (PTFE) for
Jeremias flange, roll
of 25m

Force connection
sleeve suitable up
to 120°C



€
NET



€
NET



€
NET



€
NET



€
NET




Rgr.
ZUAC

750ALLR-DOSE	TLDE104Ø	750FLANSCHDJFØ	750FLANSCHD.HT.Ø	750FLANSCHDJF-R	ZUAC2781Ø
54,00 €	080-100 59,00 € 110-120 66,00 € 130-150 76,00 € 160-180 92,00 € 200-225 100,00 € 250-300 123,00 € 350-400 176,00 € 450-500 220,00 € 600 260,00 €	080 6,00 € 100 7,00 € 120 7,00 € 130 8,00 € 140 9,00 € 150 9,00 € 160 10,00 € 180 10,00 € 200 11,00 € 225 13,00 € 250 14,00 € 300 16,00 € 350 19,00 € 400 21,00 € 450 23,00 € 500 26,00 € 600 31,00 €	080 21,00 € 100 21,00 € 120 24,00 € 130 27,00 € 140 29,00 € 150 31,00 € 160 32,00 € 180 34,00 € 200 35,00 € 225 39,00 € 250 43,00 € 300 46,00 € 350 53,00 € 400 59,00 € 450 71,00 € 500 79,00 € 600 103,00 €	259,00 €	040-065 158,00 € 050-080 190,00 € 075-110 206,00 € 100-133 272,00 € 123-161 253,00 € 160-192 360,00 € 183-226 417,00 €

Eccentric Increaser

Increaser



KLEØØEX				KLEØØ			
A 080	110,00 €	A 160	171,00 €	A 080	47,00 €	A 160	137,00 €
B 100		B 200		B 100		B 200	
A 080	113,00 €	A 180	171,00 €	A 080	107,00 €	A 180	69,00 €
B 115		B 200		B 115		B 200	
A 100	116,00 €	A 180	179,00 €	A 100	53,00 €	A 180	149,00 €
B 120		B 225		B 120		B 225	
A 115	126,00 €	A 200	179,00 €	A 115	54,00 €	A 200	75,00 €
B 130		B 220		B 130		B 220	
A 120	135,00 €	A 200	179,00 €	A 120	54,00 €	A 200	159,00 €
B 140		B 225		B 140		B 250	
A 130	141,00 €	A 200	190,00 €	A 130	57,00 €	A 225	171,00 €
B 150		B 250		B 150		B 250	
A 140	145,00 €	A 250	219,00 €	A 140	62,00 €	A 250	182,00 €
B 160		B 300		B 160		B 300	
A 150	151,00 €			A 150	130,00 €	A 300	206,00 €
B 180				B 180		B 350	
A 160	151,00 €			A 160	68,00 €	A 350	238,00 €
B 180				B 180		B 400	

Decreaser




KLRØØ					
A 080	42,00 €	A 150	116,00 €	A 225	149,00 €
B 060		B 120		B 180	
A 100	47,00 €	A 150	57,00 €	A 250	159,00 €
B 080		B 130		B 200	
A 115	52,00 €	A 160	124,00 €	A 300	182,00 €
B 100		B 130		B 250	
A 120	53,00 €	A 160	62,00 €	A 350	206,00 €
B 100		B 140		B 300	
A 130	110,00 €	A 180	127,00 €	A 400	238,00 €
B 100		B 140		B 350	
A 130	54,00 €	A 180	68,00 €	A 450	269,00 €
B 110		B 160		B 400	
A 140	113,00 €	A 200	137,00 €	A 500	308,00 €
B 115		B 160		B 450	
A 140	54,00 €	A 200	69,00 €		
B 120		B 180			


System EW-KL

POSSIBLE SEALING VARIANT ADD-ON PARTS

Base plate with vertical condensate drain



Elbow 90° with diagonal cut 45° including bird protection grid



Elbow 135° with diagonal cut 45° including bird protection grid



Deflector hood (up to 250°C max. exhaust gas speed 15 m/s)



Deflector hood with drain (up to 600°C and max. 35 m/s exhaust gas velocity)



Closing cap plastic for drain 1/2" (up to 200°C)



€ NET

KL061018Ø		KL061020Ø		KL061021Ø		KL061023Ø		KL061023HTØ		750ADK1/2
140	110,00 €	140	170,00 €	140	212,00 €	140	542,00 €	140	548,00 €	5,00 €
150	111,00 €	150	171,00 €	150	213,00 €	150	551,00 €	150	561,00 €	
160	118,00 €	160	210,00 €	160	253,00 €	160	570,00 €	160	589,00 €	
180	125,00 €	180	235,00 €	180	295,00 €	180	585,00 €	180	613,00 €	
200	137,00 €	200	300,00 €	200	372,00 €	200	625,00 €	200	664,00 €	
225	138,00 €	225	333,00 €	225	414,00 €	225	646,00 €	225	703,00 €	
250	140,00 €	250	405,00 €	250	506,00 €	250	673,00 €	250	733,00 €	
300	155,00 €	300	500,00 €	300	626,00 €	300	814,00 €	300	989,00 €	
350	163,00 €	350	587,00 €	350	732,00 €	350	1.091,00 €	350	1.101,00 €	