

DESCRIPTION

Shaft system consisting of calcium silicate fire protection panels with Jeremias liners EW-KL, EW-ALBI, EW-PPS, EW-PP-FLEX, EW-FU for decorative gas fireplaces or TWIN-GAS, depending on the exhaust gas temperature with 25 mm insulating shells. Possible execution over the roof with shaft and cladding.

Alternative

Assembly shaft for installing CE-certified liners

MATERIAL

Calcium silicate fire protection panels

WALL THICKNESS

50 mm

INTERIOR SHAFT DIMENSIONS

140 x 140 mm to 360 x 360 mm

Others available on request up to 1250 x 1250 mm

INSULATION

up to 160°C exhaust gas temperature without insulation

from 160°C exhaust gas temperature min. 25 mm insulation shells
EW-FU for decorative gas fireplaces and TWIN-GAS without insulation

ANGULAR GAP

up to 160°C at least 20 mm between the inner pipe and the inside of the shaft

from 160°C at least 20 mm between the insulation and the inside of the shaft



up to 600°C between inner pipe and shaft interior min. 40 mm
(EW-FU for decorative gas fireplaces)

up to 600°C between outer pipe and shaft interior min. 10 mm
(TWIN-GAS)

ORDER CODE

The article code for nesting elements results from:

LS + internal dimensions + article code (e.g.: LS140x140-17)



CHARACTERISTICS

- Extremely good insulation properties
- Easy to handle and assemble due to low weight
- Secure connection technology with tongue and groove joints
- Various liner solutions and shaft cladding meet all requirements
- Minimum clearance to flammable components
- 25 m installation height of the shaft without intermediate support
- Static set for installation heights up to 3 m above roof

APPLICATION AREAS

- Standard fireplaces for oil and gas
- New construction and renovation
- Condensing boilers
- CHP and combustion engines
- Gas-powered heat pumps
- Fuel cells

LICENSE NUMBER

Z - 7.4 - 3483

CLASSIFICATIONS TO DIN 18160-1

T120 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90
T160 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90
T200 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90¹
T400 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90¹
T600 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90¹

¹ with 25 mm insulation

xx= The distances to combustible components depend on the Ø, see DIBt approval

Please see our application note on www.jeremias.de/en

System variant with shaft above roof, dependent / independent of room air

Shaft dimensions in mm	Inner pipe Nominal diameter up to			
	outside	inside	Stainless steel	PPS
	240 x 240	140 x 140	Ø 080	Ø 060/080
	260 x 260	160 x 160	Ø 100	Ø 100
	290 x 290	190 x 190	Ø 130	Ø 110/125
	310 x 310	210 x 210	Ø 150	-
	330 x 330	230 x 230	Ø 160	Ø 160
	340 x 340	240 x 240	Ø 180	-
	360 x 360	260 x 260	Ø 200	Ø 200
	390 x 390	290 x 290	Ø 225	-
	410 x 410	310 x 310	Ø 250	Ø 250

System variant with terminal above the roof independent of room air

Shaft dimensions in mm	Inner pipe Nominal diameter up to bis				Outer pipe Nominal diameter up to
	outside	inside	Stainless steel	PPS	DW-ECO 2.0*
	240 x 240	140 x 140	Ø 080	Ø 060/080	Ø 130
	260 x 260	160 x 160	Ø 100	Ø 100	Ø 150
	290 x 290	190 x 190	Ø 130	Ø 110/125	Ø 180
	310 x 310	210 x 210	Ø 150	-	Ø 200
	330 x 330	230 x 230	Ø 160	Ø 160	Ø 210
	340 x 340	240 x 240	Ø 180	-	Ø 230
	360 x 360	260 x 260	Ø 200	Ø 200	Ø 250
	410 x 410	310 x 310	Ø 250	Ø 250	Ø 300

*For components, see page 257

System variant with terminal above roof, room air dependent

Shaft dimensions in mm	Inner pipe Nominal diameter up to				Outer pipe Nominal diameter up to
	outside	inside	Stainless steel	PPS	DW-FU*
	260 x 260	160 x 160	Ø 080	Ø 060/080	Ø 145
	260 x 260	190 x 190	Ø 100	Ø 100/110	Ø 165
	290 x 290	210 x 210	Ø 115	Ø 125	Ø 180
	310 x 310	210 x 210	Ø 130	-	Ø 195
	330 x 330	230 x 230	Ø 150	-	Ø 215
	340 x 340	240 x 240	Ø 160	Ø 160	Ø 225
	360 x 360	260 x 260	Ø 180	-	Ø 245
	390 x 390	290 x 290	Ø 200	Ø 200	Ø 265
	410 x 410	310 x 310	Ø 225	-	Ø 290
	430 x 430	330 x 330	Ø 250	Ø 250	Ø 315

*For components, see page 258



System FURADO-A SHAFT ELEMENTS






Glue tube 1000g

Base element 500mm for condensate collector with cutout for inspection door

Base support with square opening for cleaning door and holes for condensate drain at bottom (for LS...X...1250)

Base length 1000mm loose or screwed together incl. ground plate

Base length 500mm with opening for cleaning door and holes for side condensate drain




LS69-1	Size inside	LS...X...-1250	Size inside	LS...X...-1500	Size inside	LS...X...-04	Size inside	LS...X...-05
14,00 €	190x190	162,00 €	190x190	162,00 €	140x140	236,00 €	190x190	161,00 €
	210x210	171,00 €	210x210	171,00 €	160x160	253,00 €	210x210	171,00 €
	230x230	181,00 €	230x230	181,00 €	190x190	277,00 €	230x230	181,00 €
	240x240	186,00 €	240x240	186,00 €	210x210	293,00 €	240x240	186,00 €
	260x260	195,00 €	260x260	195,00 €	230x230	310,00 €	260x260	194,00 €
	290x290	211,00 €	290x290	211,00 €	240x240	319,00 €	290x290	210,00 €
	310x310	220,00 €	310x310	220,00 €	260x260	337,00 €	310x310	219,00 €
	330x330	229,00 €	330x330	229,00 €	290x290	362,00 €	330x330	228,00 €
					310x310	378,00 €		
					330x330	396,00 €		

Base plate

Shaft element 1000mm loose/screwed

Shaft element 500mm loose/ screwed

Shaft element 250mm loose/ Shaft element 1000mm screwed



Size inside	LS...X...-1658	Size inside	LS...X...-130	Size inside	LS...X...-140	Size inside	LS...X...-150	Size inside	LS...X...-13
140x140	20,00 €	140x140	198,00 €	140x140	109,00 €	140x140	70,00 €	140x140	198,00 €
160x160	22,00 €	160x160	212,00 €	160x160	115,00 €	160x160	74,00 €	160x160	212,00 €
190x190	24,00 €	190x190	230,00 €	190x190	125,00 €	190x190	78,00 €	190x190	230,00 €
210x210	27,00 €	210x210	244,00 €	210x210	132,00 €	210x210	83,00 €	210x210	244,00 €
230x230	28,00 €	230x230	258,00 €	230x230	139,00 €	230x230	86,00 €	230x230	258,00 €
240x240	29,00 €	240x240	264,00 €	240x240	142,00 €	240x240	90,00 €	240x240	264,00 €
260x260	32,00 €	260x260	278,00 €	260x260	149,00 €	260x260	93,00 €	260x260	278,00 €
290x290	36,00 €	290x290	298,00 €	290x290	159,00 €	290x290	99,00 €	290x290	298,00 €
310x310	38,00 €	310x310	310,00 €	310x310	165,00 €	310x310	101,00 €	310x310	310,00 €
330x330	42,00 €	330x330	323,00 €	330x330	172,00 €	330x330	106,00 €	330x330	323,00 €

Shaft element 500mm



Shaft element 250mm




Elbow 15°



Elbow 30°




Elbow 45°




Size inside	LS...X...-14	Size inside	LS...X...-15	Size inside	LS...X...-17	Size inside	LS...X...-18	Size inside	LS...X...-19
140x140	109,00 €	140x140	70,00 €	140x140	174,00 €	140x140	174,00 €	140x140	174,00 €
160x160	115,00 €	160x160	74,00 €	160x160	186,00 €	160x160	186,00 €	160x160	186,00 €
190x190	125,00 €	190x190	78,00 €	190x190	200,00 €	190x190	200,00 €	190x190	200,00 €
210x210	132,00 €	210x210	83,00 €	210x210	211,00 €	210x210	211,00 €	210x210	211,00 €
230x230	139,00 €	230x230	86,00 €	230x230	220,00 €	230x230	220,00 €	230x230	220,00 €
240x240	142,00 €	240x240	90,00 €	240x240	226,00 €	240x240	226,00 €	240x240	226,00 €
260x260	149,00 €	260x260	93,00 €	260x260	235,00 €	260x260	235,00 €	260x260	235,00 €
290x290	159,00 €	290x290	99,00 €	290x290	251,00 €	290x290	251,00 €	290x290	251,00 €
310x310	165,00 €	310x310	101,00 €	310x310	260,00 €	310x310	260,00 €	310x310	260,00 €
330x330	172,00 €	330x330	106,00 €	330x330	272,00 €	330x330	272,00 €	330x330	272,00 €


Light rafter bracket suitable for shaft



Universal rafter bracket for shaft




Bracket 500mm incl. base plate, maximum load 190 kg



Wall bracket for shaft



Wall bracket 0-100mm



Size inside	LS...X...-55	LS1518	Size inside	LS...X...-132	Size inside	LS...X...-21	Size inside	LS...X...-822
140x140	210,00 €	276,00 €	140x140	204,00 €	140x140	35,00 €	140x140	40,00 €
160x160	236,00 €		160x160	209,00 €	160x160	39,00 €	160x160	44,00 €
190x190	250,00 €		190x190	218,00 €	190x190	40,00 €	190x190	45,00 €
210x210	258,00 €		210x210	224,00 €	210x210	40,00 €	210x210	45,00 €
230x230	262,00 €		230x230	229,00 €	230x230	42,00 €	230x230	46,00 €
240x240	278,00 €		240x240	232,00 €	240x240	42,00 €	240x240	46,00 €
260x260	312,00 €		260x260	239,00 €	260x260	44,00 €	260x260	50,00 €
290x290	320,00 €		290x290	250,00 €	290x290	47,00 €	290x290	54,00 €
310x310	376,00 €		310x310	258,00 €	310x310	47,00 €	310x310	54,00 €
330x330	408,00 €		330x330	265,00 €	330x330	50,00 €	330x330	57,00 €



System FURADO-A SHAFT ELEMENTS



Metal frame for shaft 4m
with 5 brackets, max. over-
hang 2m

Metal frame for shaft 6m
with 7 brackets, max. over-
hang 3m

Support plate for
condensate tray
FU94B with rear
ventilation, for shaft
or DW-ECO 2.0
above roof


Storm collar



Size inside	LS...X...-4-1502	Size inside	LS...X...-6-1502	LS1716Ø		FU72Ø	
140x140	497,00 €	140x140	593,00 €	080	37,00 €	080	38,00 €
160x160	537,00 €	160x160	621,00 €	100	53,00 €	100	39,00 €
190x190	548,00 €	190x190	633,00 €	115	55,00 €	115	42,00 €
210x210	548,00 €	210x210	633,00 €	120	62,00 €	120	43,00 €
230x230	561,00 €	230x230	642,00 €	130	63,00 €	130	44,00 €
240x240	561,00 €	240x240	642,00 €	140	61,00 €	140	45,00 €
260x260	586,00 €	260x260	663,00 €	150	67,00 €	150	46,00 €
290x290	611,00 €	290x290	680,00 €	160	81,00 €	160	47,00 €
310x310	638,00 €	310x310	701,00 €	180	99,00 €	180	53,00 €
330x330	648,00 €	330x330	709,00 €	200	99,00 €	200	54,00 €
				225	114,00 €	225	57,00 €
				250	122,00 €	250	58,00 €
				300	167,00 €	300	59,00 €



System FURADO-A EW-ALBI



Elbow 87° with support

Inspection length with round opening (up to 200°C/ PI)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm

Mounting bracket

Length 1000mm

Length 500mm



*1



*2



*2



ALBI06...06Ø		ALBI06...30Ø		FU0960		FU5160		FU40Ø		ALBI06...02Ø		ALBI06...03Ø	
A 080	152,00 €	A 080	180,00 €	84,00 €		120,00 €		080	28,00 €	A 080	96,00 €	A 080	65,00 €
A 100	157,00 €	A 100	195,00 €					100	32,00 €	A 100	101,00 €	A 100	75,00 €
A 115	162,00 €	A 115	206,00 €					115	34,00 €	A 115	106,00 €	A 115	80,00 €
A 120	165,00 €	A 120	217,00 €					120	35,00 €	A 120	107,00 €	A 120	81,00 €
A 130	173,00 €	A 130	229,00 €					130	36,00 €	A 130	111,00 €	A 130	85,00 €
A 140	175,00 €	A 140	230,00 €					140	37,00 €	A 140	116,00 €	A 140	87,00 €
A 150	180,00 €	A 150	231,00 €					150	38,00 €	A 150	118,00 €	A 150	88,00 €
A 160	190,00 €	A 160	244,00 €					160	38,00 €	A 160	128,00 €	A 160	94,00 €
A 180	213,00 €	A 180	252,00 €					180	39,00 €	A 180	138,00 €	A 180	100,00 €
A 200	250,00 €	A 200	266,00 €					200	39,00 €	A 200	151,00 €	A 200	105,00 €
D 225	267,00 €	D 225	282,00 €					225	40,00 €	D 225	163,00 €	D 225	113,00 €
C 250	304,00 €	C 250	294,00 €					250	40,00 €	C 250	180,00 €	C 250	121,00 €

Length 250mm

Length 1000mm with 2 lowering loops


Length 1000mm double female socket

Length 1000mm with mounting bracket

Gasket silicone up to 200°C

Gasket EPDM 120°C

Silicone (up to 400°C)



ALBI06...04Ø		ALBI06...05Ø		ALBI06...2438Ø		ALBI06...70Ø		ALBI26Ø		ALBI367Ø		ALBI60	
A 080	53,00 €	A 080	100,00 €	A 080	121,00 €	A 080	119,00 €	080	21,00 €	080	21,00 €	94,00 €	
A 100	62,00 €	A 100	107,00 €	A 100	129,00 €	A 100	124,00 €	100	22,00 €	100	22,00 €		
A 115	65,00 €	A 115	110,00 €	A 115	133,00 €	A 115	126,00 €	115	23,00 €	115	23,00 €		
A 120	66,00 €	A 120	113,00 €	A 120	136,00 €	A 120	128,00 €	120	23,00 €	120	23,00 €		
A 130	70,00 €	A 130	117,00 €	A 130	143,00 €	A 130	133,00 €	130	26,00 €	130	26,00 €		
A 140	71,00 €	A 140	119,00 €	A 140	145,00 €	A 140	136,00 €	140	26,00 €	140	26,00 €		
A 150	72,00 €	A 150	124,00 €	A 150	150,00 €	A 150	137,00 €	150	26,00 €	150	26,00 €		
A 160	74,00 €	A 160	132,00 €	A 160	159,00 €	A 160	143,00 €	160	27,00 €	160	27,00 €		
A 180	80,00 €	A 180	142,00 €	A 180	170,00 €	A 180	157,00 €	180	28,00 €	180	28,00 €		
A 200	84,00 €	A 200	156,00 €	A 200	187,00 €	A 200	169,00 €	200	31,00 €	200	31,00 €		
D 225	90,00 €	D 225	169,00 €	D 225	201,00 €	D 225	183,00 €	225	32,00 €	250	34,00 €		
C 250	95,00 €	C 250	185,00 €	C 250	219,00 €	C 250	200,00 €	250	34,00 €				

• *1 Can be flexibly extended downwards with length elements

• *2 Extension of the sliding nozzle. Price per cm



System FURADO-A EW-KL



Elbow 87° with support

Inspection length with round opening (up to 200°C/PI)

Inspection length with round opening for wet operation (up to 250°C/HI)

Inspection length with round opening for dry operation (up to 600°C/HI)


Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm

Length 1000mm



*1



*2



*2



KL06Ø	KL30Ø	KL30HTWØ	KL30HTDØ	FU0960	FU5160	KL0602Ø
080 131,00 €	080 159,00 €	080 276,00 €	080 276,00 €	84,00 €	120,00 €	080 75,00 €
100 135,00 €	100 173,00 €	100 291,00 €	100 291,00 €			100 79,00 €
120 142,00 €	120 194,00 €	120 309,00 €	120 309,00 €			120 84,00 €
130 147,00 €	130 203,00 €	130 320,00 €	130 320,00 €			130 85,00 €
150 154,00 €	150 205,00 €	150 322,00 €	150 322,00 €			150 92,00 €
180 185,00 €	180 224,00 €	180 340,00 €	180 340,00 €			180 110,00 €
200 219,00 €	200 235,00 €	200 354,00 €	200 354,00 €			200 120,00 €
225 235,00 €	225 250,00 €	225 367,00 €	225 367,00 €			225 131,00 €
250 270,00 €	250 260,00 €	250 379,00 €	250 379,00 €			250 146,00 €

Length 500mm


Length 250mm

Length 200mm

Length 150mm

Length 1000mm with mounting bracket

Mounting bracket



KL0603Ø	KL0604Ø	KL06223Ø	KL06224Ø	KL0670Ø	FU40Ø
080 44,00 €	080 32,00 €	080 27,00 €	080 22,00 €	080 98,00 €	080 28,00 €
100 53,00 €	100 40,00 €	100 35,00 €	100 26,00 €	100 102,00 €	100 32,00 €
120 58,00 €	120 43,00 €	120 36,00 €	120 27,00 €	120 105,00 €	120 35,00 €
130 59,00 €	130 44,00 €	130 37,00 €	130 28,00 €	130 107,00 €	130 36,00 €
150 62,00 €	150 46,00 €	150 38,00 €	150 32,00 €	150 111,00 €	150 38,00 €
180 72,00 €	180 52,00 €	180 43,00 €	180 35,00 €	180 129,00 €	180 39,00 €
200 74,00 €	200 53,00 €	200 44,00 €	200 36,00 €	200 138,00 €	200 39,00 €
225 81,00 €	225 58,00 €	225 46,00 €	225 38,00 €	225 151,00 €	225 40,00 €
250 87,00 €	250 61,00 €	250 47,00 €	250 39,00 €	250 166,00 €	250 40,00 €



System FURADO-A EW-PPS / EW-PP-FLEX



Base support for elbow 87° and 45°

Base support for elbow 87° and 45°, can be extended downwards with PP length


End cap with stainless steel outlet pipe and storm collar

Mounting bracket, 1 piece

Mounting bracket, 4 pieces

Inspection length with round opening (up to 120°C/PI)

Length 1000mm



PP1767Ø		PP1768Ø		PPLS342Ø		PPFLEX40Ø		PPFLEX41Ø		130-PP30Ø		130-PP02Ø	
060	70,00 €	060	57,00 €	060	130,00 €	125	26,00 €	060	35,00 €	060	26,00 €	060	17,00 €
080	81,00 €	080	62,00 €	080	135,00 €	160	27,00 €	080	48,00 €	080	33,00 €	080	26,00 €
100	92,00 €	100	68,00 €	100	154,00 €			100	49,00 €	100	43,00 €	100	33,00 €
110	99,00 €	110	74,00 €	110	157,00 €			110	52,00 €	110	57,00 €	110	44,00 €
125	124,00 €	125	96,00 €	125	167,00 €					125	100,00 €	125	62,00 €
160	138,00 €	160	101,00 €	160	183,00 €					160	135,00 €	160	82,00 €
200	174,00 €	200	129,00 €	200	235,00 €					200	142,00 €	200	117,00 €
250	218,00 €	250	154,00 €	250	270,00 €					250	301,00 €	250	213,00 €

Length 560mm

Length 315mm


Assembly kit 1 (2x fixing clamp and 1x sleeve)

Flex liner 10m

Adaptor PP-FLEX for flex pipes

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm



*2




*2

130-PP03Ø		130-PP04Ø		PPFLEX09Ø		PPFLEX02/10Ø		PPFLEX07Ø		FU0960		FU5160	
060	15,00 €	060	14,00 €	060	15,00 €	060	242,00 €	060	62,00 €		84,00 €	060	120,00 €
080	18,00 €	080	16,00 €	080	17,00 €	080	313,00 €	080	94,00 €			080	
100	21,00 €	100	18,00 €	100	19,00 €	100	417,00 €	100	109,00 €			100	
110	27,00 €	110	22,00 €	110	22,00 €	110	459,00 €	110	110,00 €			110	
125	42,00 €	125	33,00 €	125	33,00 €	125	828,00 €	125	188,00 €			125	
160	55,00 €	160	48,00 €	160	38,00 €	160	1.156,00 €	160	220,00 €			160	
200	92,00 €	200	50,00 €									200	
250	142,00 €	250	105,00 €									250	

- *1 Can be flexibly extended downwards with length elements
- *2 Extension of the sliding nozzle. Price per cm



System FURADO-A EW-PPS / EW-PP-FLEX



Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 87° with
inspection door

Gasket (EPDM)

Lubricant tube 75
ml, chloride free



130-PP17Ø	130-PP18Ø	130-PP19Ø	130-PP22Ø	130-PP23Ø	130-PP26Ø	750GLEIOVT
060 18,00 €	060 15,00 €	060 15,00 €	060 16,00 €	060 26,00 €	060 10,00 €	15,00 €
080 22,00 €	080 18,00 €	080 18,00 €	080 21,00 €	080 33,00 €	080 15,00 €	
100 27,00 €	100 25,00 €	100 25,00 €	100 29,00 €	100 39,00 €	100 16,00 €	
110 39,00 €	110 39,00 €	110 39,00 €	110 42,00 €	110 95,00 €	110 17,00 €	
125 54,00 €	125 54,00 €	125 54,00 €	125 54,00 €	125 135,00 €	125 20,00 €	
160 100,00 €	160 99,00 €	160 99,00 €	160 99,00 €	160 153,00 €	160 25,00 €	
200 143,00 €	200 142,00 €	200 142,00 €	200 160,00 €	200 177,00 €	200 27,00 €	
250 215,00 €	250 213,00 €	250 230,00 €	250 301,00 €	250 337,00 €	250 33,00 €	


Safety temperature
limiter 110°C

Adaptor l=250mm
with 1/2" female
socket for safety
temperature limiter

Cover plate for rear
ventilation RAL
9016

Storm collar for
terminal PP342

Terminal pipe
500mm stainless
steel, for PP342



PP423	130-PP423AØ	130-PP21Ø	PP72Ø	PP126Ø
526,00 €	060 102,00 €	060 51,00 €	060 53,00 €	060 42,00 €
	080 105,00 €	080 67,00 €	080 54,00 €	080 44,00 €
	100 110,00 €	100 68,00 €	100 57,00 €	100 52,00 €
	110 114,00 €	110 78,00 €	110 58,00 €	110 54,00 €
	125 117,00 €	125 79,00 €	125 59,00 €	125 58,00 €
	160 121,00 €	160 85,00 €	160 62,00 €	160 66,00 €
	200 136,00 €	200 125,00 €	200 69,00 €	200 72,00 €
	250 199,00 €	250 149,00 €	250 70,00 €	250 87,00 €



System FURADO-A

ROOM AIR INDEPENDENT OVER ROOF



Support plate
1000mm with ad-
aptor to DWA

Length 1000mm

Length 500mm

Length 250mm

End cap with
expansion up to
300mm

Shaft bracket

Flashing kit 5-15°
lead base with
storm collar



*1





*1



*1



*1



DWA25LS91Ø	DWA2513Ø	DWA2514Ø	DWA2515Ø	DWA251755Ø	DWA25LS1766Ø	DWECO53Ø
130 198,00 €	130 74,00 €	130 51,00 €	130 39,00 €	130 116,00 €	130 114,00 €	080 197,00 €
150 215,00 €	150 78,00 €	150 52,00 €	150 42,00 €	150 120,00 €	150 124,00 €	100 212,00 €
180 229,00 €	180 91,00 €	180 62,00 €	180 44,00 €	180 132,00 €	180 125,00 €	115 217,00 €
200 245,00 €	200 102,00 €	200 63,00 €	200 45,00 €	200 140,00 €	200 126,00 €	130 224,00 €
210 258,00 €	210 111,00 €	210 66,00 €	210 46,00 €	210 149,00 €	210 127,00 €	150 244,00 €
230 262,00 €	230 116,00 €	230 68,00 €	230 47,00 €	230 166,00 €	230 130,00 €	160 251,00 €
250 280,00 €	250 124,00 €	250 74,00 €	250 52,00 €	250 167,00 €	250 131,00 €	180 260,00 €
300 315,00 €	300 145,00 €	300 78,00 €	300 61,00 €	300 185,00 €	300 137,00 €	200 268,00 €
						250 301,00 €






Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar



DWECO59Ø	DWECO38Ø	DWECO54Ø	DWECO52Ø	DWECO52ZYØ
080 197,00 €	080 197,00 €	080 197,00 €	080 111,00 €	080 111,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 115,00 €	100 115,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 116,00 €	115 116,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 118,00 €	130 118,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 124,00 €	150 124,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 130,00 €	160 130,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 138,00 €	180 138,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 170,00 €	200 170,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 193,00 €	250 193,00 €

*1 Please note measurement tables



System FURADO-A

ROOM AIR DEPENDENT OVER ROOF



Support plate
1000mm with ad-
aptor DWECO2.0

Length 1000mm

Length 500mm

Length 250mm

End cap with ex-
pansion compensa-
tion up to 300mm

Shaft bracket

Flashing kit 5-15°
lead base with
storm collar



*1





*1



*1



*1



DWALS91Ø	DWA13Ø	DWA14Ø	DWA15Ø	DWA1755Ø	DWALS1766Ø	DW53Ø
145 218,00 €	145 90,00 €	145 61,00 €	145 44,00 €	145 124,00 €	145 114,00 €	080 197,00 €
165 245,00 €	165 106,00 €	165 69,00 €	165 51,00 €	165 132,00 €	165 124,00 €	100 212,00 €
180 248,00 €	180 110,00 €	180 70,00 €	180 52,00 €	180 137,00 €	180 125,00 €	115 217,00 €
195 256,00 €	195 115,00 €	195 72,00 €	195 53,00 €	195 145,00 €	195 126,00 €	130 224,00 €
215 274,00 €	215 127,00 €	215 75,00 €	215 54,00 €	215 153,00 €	215 127,00 €	150 244,00 €
225 275,00 €	225 133,00 €	225 78,00 €	225 57,00 €	225 172,00 €	225 129,00 €	160 251,00 €
246 298,00 €	245 140,00 €	245 84,00 €	245 61,00 €	245 176,00 €	245 130,00 €	180 260,00 €
265 316,00 €	265 154,00 €	265 87,00 €	265 66,00 €	265 182,00 €	265 131,00 €	200 268,00 €
290 334,00 €	290 166,00 €	290 90,00 €	290 67,00 €	290 194,00 €	290 133,00 €	225 295,00 €
315 362,00 €	315 189,00 €	315 103,00 €	315 75,00 €	315 204,00 €	315 137,00 €	250 301,00 €






Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar



DW59Ø	DW38Ø	DW54Ø	DW52Ø	DW52ZYØ
080 197,00 €	080 197,00 €	080 197,00 €	080 111,00 €	080 111,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 115,00 €	100 115,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 116,00 €	115 116,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 118,00 €	130 118,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 124,00 €	150 124,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 130,00 €	160 130,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 138,00 €	180 138,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 170,00 €	200 170,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 179,00 €	225 179,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 193,00 €	250 193,00 €

• *1 Please note measurement tables



System FURADO CHIMNEY COVERING



Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm


Plaster look

Plaster look

Size inside LS100...X...-1449		Size inside LS150...X...-1449	
140x140	795,00 €	140x140	895,00 €
160x160	808,00 €	160x160	918,00 €
190x190	833,00 €	190x190	953,00 €
210x210	849,00 €	210x210	974,00 €
230x230	865,00 €	230x230	997,00 €
240x240	875,00 €	240x240	1.012,00 €
260x260	982,00 €	260x260	1.132,00 €
310x310	1.005,00 €	310x310	1.167,00 €



plaster



The component shown is not included in the scope of delivery, please order the chimney surround separately.

Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm

Clinker

Clinker

Size inside LS100...X...-1448		Size inside LS150...X...-1448	
140x140	1.135,00 €	140x140	1.273,00 €
160x160	1.157,00 €	160x160	1.306,00 €
190x190	1.189,00 €	190x190	1.348,00 €
210x210	1.210,00 €	210x210	1.380,00 €
230x230	1.229,00 €	230x230	1.408,00 €
240x240	1.241,00 €	240x240	1.427,00 €
260x260	1.336,00 €	260x260	1.528,00 €
310x310	1.388,00 €	310x310	1.608,00 €



sahara red



red



apple blossom



anthracite



old red

Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm

Painted

Painted

Size inside LS100...X...-1447		Size inside LS150...X...-1447	
140x140	587,00 €	140x140	737,00 €
160x160	596,00 €	160x160	750,00 €
190x190	611,00 €	190x190	766,00 €
210x210	623,00 €	210x210	778,00 €
230x230	633,00 €	230x230	790,00 €
240x240	638,00 €	240x240	797,00 €
260x260	703,00 €	260x260	864,00 €
310x310	729,00 €	310x310	895,00 €



RAL8017
= gloss



RAL7016
= gloss



RAL9005
= gloss



RAL4179
=mat brushed



RAL4798
= mat brushed




RAL8004
= mat



RAL8016
= gloss



RAL9011
= mat brushed



RAL1015
= gloss



RAL9010
= mat





System FURADO CHIMNEY COVERING



Frame for chimneys
with inside dimen-
sion 140x140mm to
210x210mm

Frame for chimneys
with inside dimen-
sion 140x140mm to
210x210mm



LS1762-1	LS1762-2
289,00 €	289,00 €




System FURADO SHAFT SEALING



Shaft sealing set over roof, width=250mm

Connecting band l=2.5 m for shaft sealing
above roof

Connecting band l=5 m for shaft sealing
above roof



€
NET



€
NET



€
NET

black	ZUTE2200-3	79,00 €	black	ZUTE2200-6	116,00 €	black	ZUTE2200-9	260,00 €
terracotta	ZUTE2200-2	79,00 €	terracotta	ZUTE2200-5	116,00 €	terracotta	ZUTE2200-8	260,00 €
brown	ZUTE2200-1	79,00 €	brown	ZUTE2200-4	116,00 €	brown	ZUTE2200-7	260,00 €

Primer (125 ml Tube)

Shaft sealing for
below roof with
plaster base,
l=500mm, for shaft
external dimension
up to 300x300mm


Shaft sealing for
below roof with pla-
ster base, l=750mm,
for shaft external
dimension up to
550x550mm

Shaft sealing for
below roof with
plaster base,
l=1000mm, for shaft
external dimension
up to 800x800mm




*1


€
NET



€
NET



€
NET




€
NET

ZUTE2202-ML	ZUTE2201-1	ZUTE2201-3	ZUTE2201-5
-125 ml ZUTE2202-125 15,00 €	78,00 €	91,00 €	102,00 €
-250 ml ZUTE2202-250 29,00 €			
-500 ml ZUTE2202-500 38,00 €			

- *1 When using our lightweight shaft, it must first be treated with a primer for highly absorbent surfaces! Only then can the primer be applied.




System FURADO-A CONSTRUCTION EXAMPLE 1





System FURADO-A CONSTRUCTION EXAMPLE 2 ROOM AIR INDEPENDENT





System FURADO-A CONSTRUCTION EXAMPLE 3 ROOM AIR DEPENDENT

